



> 1 ASSOC CITY: NEWARK 4 STATE: NJ LOC ID: EWR FAA SITE NR: 14052.*A
 > 2 AIRPORT NAME: NEWARK LIBERTY INTL 5 COUNTY: ESSEX NJ
 3 CBD TO AIRPORT (NM): 03 S 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

GENERAL		SERVICES		BASED AIRCRAFT	
> 10 OWNERSHIP:	PUBLIC	> 70 FUEL:	100LL A	90 SINGLE ENG:	0
> 11 OWNER:	PORT AUTHORITY OF NY & NJ	> 71 AIRFRAME RPRS:	MAJOR	91 MULTI ENG:	3
> 12 ADDRESS:	4 WTC 150 GREENWICH ST, 18TH FLOOR NEW YORK, NY 10006	> 72 PWR PLANT RPRS:	MAJOR	92 JET:	0
> 13 PHONE NR:	212-435-3720	> 73 BOTTLE OXYGEN:	HIGH	93 HELICOPTERS:	0
> 14 MANAGER:	JAMES GILL	> 74 BULK OXYGEN:		TOTAL:	3
> 15 ADDRESS:	BUILDING #1- CONRAD ROAD NEWARK, NJ 07114	75 TSNT STORAGE:	HGR	94 GLIDERS:	0
> 16 PHONE NR:	973-961-6161	76 OTHER SERVICES:		95 MILITARY:	0
> 17 ATTENDANCE SCHEDULE:		AFRT, CARGO		96 ULTRA-LIGHT:	0

ALL	ALL	ALL	FACILITIES		OPERATIONS	
18 AIRPORT USE:	PUBLIC	> 80 ARPT BCN:	CG	100 AIR CARRIER:	224,033	
19 ARPT LAT:	40-41-32.9274N ESTIMATED	> 81 ARPT LGT SKED :		102 AIR TAXI:	47,919	
20 ARPT LONG:	074-10-07.2724W	BCN LGT SKED :	SS-SR	103 G A LOCAL:	0	
21 ARPT ELEV:	17.4 SURVEYED	> 82 UNICOM:	122.950	104 G A ITRNRT:	6,052	
22 ACREAGE:	2,027	> 83 WIND INDICATOR:	YES-L	105 MILITARY:	416	
> 23 RIGHT TRAFFIC:	NO	84 SEGMENTED CIRCLE:	NONE	TOTAL:	278,420	
> 24 NON-COMM LANDING:	YES	85 CONTROL TWR:	YES	OPERATIONS FOR		
25 NPIAS/FED AGREEMENTS:	NGHY3	86 FSS:	NEW YORK	12 MONTHS		
> 26 FAR 139 INDEX:	I E S 05/1973	87 FSS ON ARPT:	NO	ENDING:	09/30/2020	
		88 FSS PHONE NR:				
		89 TOLL FREE NR:	1-800-WX-BRIEF			

	04L/22R	04R/22L	11/29	H1
> 30 RUNWAY INDENT:	11,000	10,000	6,726	54
> 31 LENGTH:	150	150	150	54
> 32 WIDTH:	ASPH-CONC-E	ASPH-E	ASPH-E	ASPH-E
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD	
> 34 SURF TREATMENT:				
35 GROSS WT: S				
36 (IN THSDS) D	210.0	210.0	210.0	
37 2D	520.0	520.0	520.0	
38 2D/2D2	1000.0	1000.0	1000.0	
> 39 PCN:	96 /R/B/X/T	96 /R/B/W/T	96 /R/B/W/T	
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	HIGH	HIGH	HIGH	PERI
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / NPI - G	NPI - G / -
> 43 VGS:	P4L / P4L	P4L / P4L	V4L / P4R	/
44 THR COSSING HGT.:	77 / 70	71 / 60	58 / 60	/
45 VISUAL GLIDE ANGLE:	3.10 / 3.10	2.95 / 3.00	3.08 / 3.00	/
> 46 CNTRLN-TDZ:	Y - Y / Y - Y	Y - Y / Y - Y	Y - Y / Y - Y	- / -
> 47 RVR-RVV:	TMR - N / TMR - N	TMR - N / TMR - N	TMR - / -	- / -
> 48 REIL:	/ Y	/	Y / Y	/
> 49 APCH LIGHTS:	MALSR / MALSR	ALSF2 / ALSF2	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	PIR / PIR	PIR / PIR	PIR / C	/
> 51 DISPLACED THR:	2,540 / 1,440	1,190 / 1,793	/ 224	/
> 52 CTLG OBSTN:	TREE / POLE	POLE / ANT	BLDG / SIGN	/
> 53 OBSTN MARKED/LGTD:	/	L /	L / L	/
> 54 HGT ABOVE RWY END:	65 / 28	28 / 30	158 / 54	/
> 55 DIST FROM RWY END:	1,926 / 295	953 / 540	6,197 / 818	/
> 56 CNTRLN OFFSET:	572L / 477R	600R / 534R	1437L / 514R	/
57 OBSTN CLNC SLOPE:	26:1 / 3:1	26:1 / 11:1	37:1 / 11:1	/
58 CLOSE-IN OBSTN:	N / N	Y / N	N / N	N / N
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	11,000 / 11,000	10,000 / 10,000	6,726 / 6,726	/
> 61 TAKE OFF DIST AVBL (TODA):	11,000 / 11,000	10,000 / 10,000	6,726 / 6,726	/
> 62 ACLT STOP DIST AVBL (ASDA):	11,000 / 11,000	10,000 / 10,000	6,726 / 6,726	/
> 63 LNDG DIST AVBL (LDA):	8,460 / 9,560	8,810 / 8,207	6,726 / 6,502	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 011 PROPERTY OWNED BY CITY OF NEWARK.
 A 030 BREWSTER PAD; H1 LCTD ON TWY Z5. OPS LIMITS ARE D65.
 A 033 RWY 04L/22R S 1779 FT CONC, N 1228 FT CONC, CENTER 7993 FT ASPH.
 A 043 RWY 29 UNUSBL 5 DEGS LEFT OF CNTRLN.
 A 057 RWY 04L APCH RATIO 50:1 TO DTHR.
 A 057 RWY 04R APCH RATIO 50:1 TO DTHR.
 A 057 RWY 22L APCH RATIO 50:1 TO DTHR.
 A 057 RWY 22R APCH RATIO 50:1 TO DTHR.
 A 057 RWY 29 APCH RATIO 13:1 TO DTHR.
 A 058 RWY 04R +5 FT POLE 25 FT FROM RWY END 175 FT RIGHT.
 A 110-002 FLOCKS OF BIRDS ON & INVOF ARPT.
 A 110-003 NOISE RSTR CALL 212-435-3784 DRG NML BUS HRS.
 A 110-004 PARA-SAIL & BANNER TOWING OPS 1000 FT & BLO IN UPPER & LOWER NY BAYS INCLUDING ROCKAWAY INLET INDEF.
 A 110-008 TWY Z BTN TWY Z2 & Z4 CLSD TO ACFT WITH WINGSPANS IN EXCESS OF 171 FT.
 A 110-009 ASDE-X IN USE. OPER TRANSPONDER WITH ALT REPORTING MODE AND ADS-B (IF EQUIPPED) ENABLED ON ALL ARPT SFCS.

111 INSPECTOR: (F) 112 LAST INSP: 04/12/2021 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NJ LOC ID: EWR FAA SITE NR: 14052.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-010 RWY 4R & 4L DEP USE UPPER ANT FOR ATC COM.
- A 110-011 HIGH VOLUME OF LOW LEVEL HEL TFC ARR AND DEP HELO KEARNY HELI (65NJ) LCTD 3.5 MILES NE OF ARPT.
- A 110-012 RWY STATUS LIGHTS IN OPR
- A 110-014 CPDLC DEPARTURE CLEARANCE SERVICE AVAILABLE.
- A 110-017 ADG IV ACFT RSTR FM PSG TWY Z3 ON Z
- A 110-018 TWY Z EAST OF TWY U ACFT SPEED RSTR OF 17 KTS/20 MPH MAX FOR ALL ACFT WITH WINGSPANS IN EXCESS OF 171 FT.
- A 110-020 ALL TWYS SURROUNDING "BALLPARK" PRKG AREA (TWY Y BTN TWY S AND TWY U, TWY S BTN TWY Y AND TWY K, TWAY K BTN TWY S AND TWY B, TWY B BTN TWY K AND TWY U, AND TWY U BTN TWY B AND TWY Y) ACFT SPEED RSTR OF 17KTS/20MPH FOR ALL AFCT WITH WINGSPANS IN EXCESS OF 171 FT.
- A 110-021 TWY EE BTN RWY 4R-22L AND RWY 11-29 CLSD TO AFCT WITH WINGSPANS IN EXCESS OF 171 FT.
- A 110-023 TWY Y BTN RM AND TWY U, SPEED RESTRICTION OF 17KT (20MPH).
- A 110-025 TWY Z5 CLSD TO ACFT WITH WINGSPANS IN EXCESS OF 118 FT.
- A 110-026 TWY A BTN TWY AA AND RAMP CLSD TO ACFT WITH WINGSPANS IN EXCESS OF 171 FT.

111 INSPECTOR: (F) 112 LAST INSP: 04/12/2021 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NJ LOC ID: EWR FAA SITE NR: 14052.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 04/12/2021 113 LAST INFO REQ: