

> 1 ASSOC CITY: DAYTON 4 STATE: OH LOC ID: FFO FAA SITE NR: 17827.*A
 > 2 AIRPORT NAME: WRIGHT-PATTERSON AFB 5 COUNTY: GREENE OH
 3 CBD TO AIRPORT (NM): 08 NE 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: CINCINNATI

GENERAL

SERVICES

BASED AIRCRAFT

10 OWNERSHIP: AIR FORCE
 > 11 OWNER: US AIR FORCE
 > 12 ADDRESS: WRIGHT-PATTERSON AFB
 DAYTON, OH 45433
 > 13 PHONE NR: 937-257-2131
 > 14 MANAGER: BASE COMMANDER
 > 15 ADDRESS: WRIGHT PATERSON AFB
 DAYTON, OH 45433
 > 16 PHONE NR: 937-257-2131
 > 17 ATTENDANCE SCHEDULE:

> 70 FUEL:

| | |
|-----------------|---|
| 90 SINGLE ENG: | 0 |
| 91 MULTI ENG: | 0 |
| 92 JET: | 0 |
| 93 HELICOPTERS: | 0 |
| TOTAL: | 0 |
| 94 GLIDERS: | 0 |
| 95 MILITARY: | 9 |
| 96 ULTRA-LIGHT: | 0 |

ALL ALL ALL

FACILITIES

18 AIRPORT USE: PRIVATE
 19 ARPT LAT: 39-49-33.4939N ESTIMATED
 20 ARPT LONG: 084-02-45.9702W
 21 ARPT ELEV: 823.3 SURVEYED
 22 ACREAGE:
 > 23 RIGHT TRAFFIC: 23R
 > 24 NON-COMM LANDING: NO

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED : BCN LGT SKED : SS-SR
 > 82 UNICOM:
 > 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: DAYTON
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

| | 05L/23R | 05R/23L | |
|--|---------|---------|--|
| | 12,600 | 7,000 | |
| | 300 | 150 | |
| | PEM | ASPH | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

| | HIGH | MED | |
|--|-------------------|-------|-------|
| | PIR - G / PIR - G | - / - | - / - |
| | 51 53 | 51 50 | |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

| | | | |
|--|---|---|---|
| | / | / | / |
| | / | / | / |
| | / | / | / |
| | / | / | / |
| | / | / | / |
| | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 014 AIRFIELD MANAGER - ROMULO ALCANTARA 937-257-6206
 A 017 SEE FLIP AP/1 SUPPLEMENTARY ARPT RMKS.
 A 033 RWY 05L/23R FIRST 2600 FT RY 05L CONC.
 A 110-003 CAUTION: PORTIONS OF FLAMEOUT & OVERHEAD TFC PAT NOT VIS FM TWR.
 A 110-006 MISC: EXP DEP FR RY 23R AT TWY 'B' INT 11,600 FT AVBL; IF FULL LEN RQR, RQ BACK-TAXI FM TWR.
 A 110-011 CAUTION: UNLGTD OBST SUR AFLD.
 A 110-013 CAUTION: BIRD WATCH CONDITION PHASE I (NOV-JUN) INDICATES LGT BIRD ACT, PHASE II (JUL-OCT) INDICATES HVY BIRD ACT NML ASSOCIATED WITH MIGRATORY SEASON.
 A 110-016 MISC: UNLGTD ABANDONED TWR W SIDE FLD.
 A 110-018 MISC: AMOPS DSN 787-2131, C937-257-2131.
 A 110-019 AFRC: 445 AW OPR 1200--0330Z++. MON-FRI AND TRNG WKEND.
 A 110-020 CSTMS/AG/IMG: LTD CSTMS AVBL. U.S. MIL REQ A MINIMUM OF 24 HR PN, FOREIGN STATE ACFT A MIN OF 48 HR PN CALL AMOPS DSN 787-2131, C937-257-2131
 A 110-021 JASU: 7(A/M32A-86) 1(MC-1A) 4(AM32-95) 7(A/M32A-60/A).
 A 110-022 FUEL: A++

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 10/02/2013

AIRPORT MASTER RECORD

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: FFO FAA SITE NR: 17827.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-023 FLUID: SP PRESAIR LHOX LOX.
 A 110-024 OIL: O-148-156 SOAP/JOAP AVBL 1230-2130Z++WKD EXC CLSD WKEND AND HOL.
 A 110-025 TRAN ALERT: OPR 1100-0300Z++; AVBL OT WITH 24 HR PN TO AFLD OPS. FLEET SVC IS A CONTRACTED CO AND AVBL WITH 3 HR PN. PRIOR PAYMENT RQR BY AVCARD.
 A 110-026 MISC: STD RSRs APPLIED.
 A 110-029 RSTD: ARPT PPR. CTC AFLD OPS C937-257-2131, DSN 787-2131.
 A 110-031 TRANS ALERT: PAX TRML IS CONTRACTED. ALL AIRCREWS RQRG SUPPORT MUST COORD PRIOR TO ARR/DEP NML DUTY HR M-F 1130-2030Z++ DSN: 787-7741/COMM: 937-257-7741 OR AFTER HR DUTY CELL: 937-815-6995.
 A 110-032 RSTD: INBD ACFT WITH VIP CTC AFLD OPS ON PTD 30 MIN PRIOR TO ARR.
 A 110-033 SERVICE-LGT: INST HOLD SIGNS AND RWY GUARD LGTS AT INT OF TWY A AND APCH END OF RWY 23R UNSVC.
 A 110-034 MISC: LTD COMSEC STORAGE AVBL, PRIOR COORD RQR WITH AMOPS.
 A 110-036 CAUTION: RY 23R CNTRLN MARK OBSC BY RUBBER DEPOSITS.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:



> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: FFO FAA SITE NR: 17827.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

SERVICES

BASED AIRCRAFT

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

> 70 FUEL:

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-037 NS ABTMT: QUIET HRS 0300-1000Z++; ONLY INITIAL DEP/FULL-STOP LDG PERMITTED; FROM 0300-0500Z++ ALL TRNG FLTS BTN THESE HRS HELD TO ABSOLUTE MIN FOR MISSION REQUIREMENT. ALL REQ COORD THRU AMOPS WITH 88 OSS/CC APVL, AT DSN 787-2131, C937-257-2131.
A 110-038 CAUTION: NVD OPS IN PROGRESS TUE-THU SS-0400Z++. CHECK NOTAM AND ATIS FOR CURRENT OPS. WHEN NVD OPR ARE IN EFFECT, NON-PARTICIPATING ACFT CTC TWR 20 MILES OR 15 MINS PRIOR TO ENTERING CLASS D AIRSPACE AND FOR AFLD LGT ADJUSTMENT.
A 110-040 CAUTION: RECREATIONAL REMOTE CTL ACFT OPS BLO 400 FT AGL INVOF ARPT 4 NM SW OF FFO TACAN, DLY SR-SS; CK ATIS FOR CURRENT OPS.
A 110-041 CAUTION: INCREASED POTENTIAL FOR HYDROPLANING ON RWY 05R/23L MAY OCCUR DUE TO PONDING DUR HVY RAIN.
A 110-042 ARFF STATUS: KFFO IS A SET/CAT 4 BASE.
A 110-043 CAUTION: RWYCC NOT RPT.
A 110-044 SVC: AUTO WX OBS AVBL & TAF NOT AMDD 0300-1300Z++ DLY. RPRTD PVLG VIS MAY NOT REP ENTR HRZN DUE TO OBST FM OBSTN PT 050-210. TDZ VIS NOT OBSTD. ATC WILL ENHANCE SFC OBS WHEN VIS LESS THAN 4 SM & DIFFERENT FM RPRTD VIS.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: FFO FAA SITE NR: 17827.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

| | | |
|--|---|---|
| <p>GENERAL</p> <p>10 OWNERSHIP:</p> <p>> 11 OWNER:</p> <p>> 12 ADDRESS:</p> <p>> 13 PHONE NR:</p> <p>> 14 MANAGER:</p> <p>> 15 ADDRESS:</p> <p>> 16 PHONE NR:</p> <p>> 17 ATTENDANCE SCHEDULE:</p> | <p>SERVICES</p> <p>> 70 FUEL:</p> | <p>BASED AIRCRAFT</p> <p>90 SINGLE ENG:</p> <p>91 MULTI ENG:</p> <p>92 JET:</p> <p>93 HELICOPTERS:</p> <p>TOTAL:</p> <p>94 GLIDERS:</p> <p>95 MILITARY:</p> <p>96 ULTRA-LIGHT:</p> |
|--|---|---|

| | | |
|--|---|--|
| <p>18 AIRPORT USE:</p> <p>19 ARPT LAT:</p> <p>20 ARPT LONG:</p> <p>21 ARPT ELEV:</p> <p>22 ACREAGE:</p> <p>> 23 RIGHT TRAFFIC:</p> <p>> 24 NON-COMM LANDING:</p> | <p>FACILITIES</p> <p>> 80 ARPT BCN:</p> <p>> 81 ARPT LGT SKED : BCN LGT SKED:</p> <p>> 82 UNICOM:</p> <p>> 83 WIND INDICATOR:</p> <p>84 SEGMENTED CIRCLE:</p> <p>85 CONTROL TWR:</p> <p>86 FSS:</p> <p>87 FSS ON ARPT:</p> <p>88 FSS PHONE NR:</p> <p>89 TOLL FREE NR:</p> | |
|--|---|--|

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

| | | |
|--|--|--|
| | | |
|--|--|--|

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND: - / - - / - - / - - / -

| | | |
|--|--|--|
| | | |
|--|--|--|

OBSTRUCTION DATA

50 FAR 77 CATEGORY / / / /

> 51 DISPLACED THR: / / / /

> 52 CTLG OBSTN: / / / /

> 53 OBSTN MARKED/LGTD: / / / /

> 54 HGT ABOVE RWY END: / / / /

> 55 DIST FROM RWY END: / / / /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: