



> 1 ASSOC CITY: FORT LAUDERDALE 4 STATE: FL LOC ID: FLL FAA SITE NR: 03192.*A
 > 2 AIRPORT NAME: FORT LAUDERDALE/HOLLYWOOD INTL 5 COUNTY: BROWARD FL
 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: BROWARD COUNTY
 > 12 ADDRESS: 115 S. ANDREWS AVENUE, ROOM 421
 DANIA BEACH, FL 33312-1872
 > 13 PHONE NR: 954-359-6100
 > 14 MANAGER: MARK GALE
 > 15 ADDRESS: 320 TERMINAL DRIVE SUITE 200
 FORT LAUDERDALE, FL 33315
 > 16 PHONE NR: 954-359-6100
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

> 70 FUEL: 100LL A
 > 71 AIRFRAME RPRS: MAJOR
 > 72 PWR PLANT RPRS: MAJOR
 > 73 BOTTLE OXYGEN: HIGH/LOW
 > 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
 RNTL, SALES, SURV

BASED AIRCRAFT

90 SINGLE ENG: 23
 91 MULTI ENG: 13
 92 JET: 74
 93 HELICOPTERS: 1
 TOTAL: 111
 94 GLIDERS: 0
 95 MILITARY: 0
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED: SS-SR
 BCN LGT SKED: SS-SR
 > 82 UNICOM: 122.950
 > 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: MIAMI
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER: 164,417
 102 AIR TAXI: 24,367
 103 G A LOCAL: 24,341
 104 G A ITNRNT: 0
 105 MILITARY: 696
 TOTAL: 213,821
 OPERATIONS FOR
 12 MONTHS
 ENDING: 01/31/2021

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:
 25 NPIAS/FED AGREEMENTS: NGPSY
 > 26 FAR 139 INDEX: I E S 05/1973

| | 10L/28R | 10R/28L | | |
|--|-------------------|-------------------|-------|-------|
| | 9,000 | 8,000 | | |
| | 150 | 150 | | |
| | ASPH-CONC-E | CONC-E | | |
| | GRVD | GRVD | | |
| | 100.0 | 120.0 | | |
| | 200.0 | 247.0 | | |
| | 468.0 | 461.0 | | |
| | 800.0 | 987.0 | | |
| | 95 /R/B/W/T | 74 /R/B/W/T | | |
| | HIGH | HIGH | | |
| | PIR - G / PIR - G | PIR - G / PIR - G | - / - | - / - |
| | P4L / P4L | P4R / P4L | / | / |
| | 66 / 69 | 71 / 69 | / | / |
| | 3.00 / 3.00 | 3.00 / 3.00 | / | / |
| | - / - | - / - | - / - | - / - |
| | T - N / T - | T - / T - | - / - | - / - |
| | / | / | / | / |
| | MALSR / MALSR | MALSF / MALSF | / | / |
| | PIR / PIR | PIR / PIR | / | / |
| | 576 / 606 | / | / | / |
| | ROAD / RR | POLE / | / | / |
| | / | L / | / | / |
| | 14 / 33 | 35 / | / | / |
| | 340 / 470 | 865 / | / | / |
| | 0B / 530R | 587L / | / | / |
| | 10:1 / 8:1 | 18:1 / 50:1 | / | / |
| | Y / N | N / N | / | / |
| | 9,000 / 9,000 | 8,000 / 8,000 | / | / |
| | 9,000 / 9,000 | 8,000 / 8,000 | / | / |
| | 9,000 / 9,000 | 8,000 / 8,000 | / | / |
| | 8,424 / 8,394 | 8,000 / 8,000 | / | / |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:
OBSTRUCTION DATA
 50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 035 RWY 10L/28R ST 175
 A 049 RWY 10R MALSF NSTD; 370 FT GAP BTN 8+00 & STATION 11+70.
 A 057 RWY 10L APCH RATIO 50:1 TO DSPLCD THR.
 A 057 RWY 28R APCH RATIO 32:1 TO DSPLCD THR; +43 FT LGTD POLE 1414 FT FM THR 75 FT R; APCH RATIO 46:1.
 A 058 RWY 10L +8 FT FENCE 200 FT FM THR & 400 FT R; 40 FT LGT POLES PARL TO RWY BTN TWY Q & A-4 650 FT N.
 A 110-001 CLSD TO ACR TRAINING; LRG ACFT TRNG OVER 58000 LBS MAX CERTD GROSS TKOF WEIGHT; ALL TRNG 2300-0700.
 A 110-004 ALL RWYS NOISE SENSITIVE; NOISE ABATEMENT IN EFCT - 954-359-6181.
 A 110-005 JET RUNUPS NA 2300-0700.
 A 110-008 BIRDS ON & INVOF ARPT; CONCENTRATION OF BIRDS BLW 500 FT 2.0 NM W OF 10L & 10R AER.
 A 110-016 PPR FOR ACFT WITH EXPLOSIVES.
 A 110-019 PPR FOR ACFT WITH WINGSPANS GTR THAN 118 FT ON TWY E BTN TWY C & TWY L.
 A 110-020 ARR FM N & W MNTN 6000 FT UNTIL ABM RWY 28R ON DOWNWIND; ARR FM N MNTN 6000 FT UNTIL ABM RWY 10L ON DOWNWIND.
 A 110-022 NO VFR APCHS OR BASE LEGS UNTIL OFFSHORE.
 A 110-025 TWY B EAST OF TWY B12 & TAXILANE T EAST OF TWY T1 CLSD TO ACFT WITH WINGSPAN GTR THAN 126 FT & TAIL HGT GTR THAN 46 FT.
 A 110-027 IR CARRIER ACFT USE RAMP PUSH BACK PROCS PRESCRIBED BY ARPT OPS.
 111 INSPECTOR: (F) 112 LAST INSP: 02/27/2020 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: FLL FAA SITE NR: 03192.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-030 EAST SIDE OF CONCOURSE B AVBL TO ACFT WITH WINGSPAN LESS THAN 124.9 FT.
- A 110-031 ACFT OPRG FROM TRML 1, 2, 3, 4 MUST CTC RAMP CTL. RAMP CTL EFF - CTC ARPT OPS FOR HRS.
- A 110-032 ASDE-X IN USE; OPR PARROT WITH ALT RPRTG MODE & ADS-B (IF EQUIPPED) ENABLED ON ARPT SFCS.
- A 110-035 TURB BLW 1000 FT OVR LANDFILL LCTD 2 NM W.
- A 110-040 TWY J BGN TO ELEV 900 FT EAST OF TWY Q. DUE TO ELEV ALL ACFT REMAIN ON CNTRLN; TWY T8 & TAXILANE T NOT ACCESSIBLE FM TWY J.
- A 110-041 RWY STATUS LIGHTS IN OPRN.
- A 110-043 ACFT LDG RWY 10R & EXITING J9 FOLLOW TWY LEAD OFF LINE ONTO J9.
- A 110-044 PREFERENTIAL RWY USE PROGRAM IN EFCT; CTC NOISE ABATEMENT OFFICE.
- A 110-045 PPR FOR ACFT WITH WINGSPAN GTR THAN 171 FT & TAIL HGT GTR THAN 60 FT ON TWY N BTWN TWY Q & TWY T6
- A 110-046 NMRS TREES SW QUADRANT OF ARPT.
- A 110-047 HIGH LIGHT MASTS WNW APCH END RWY 28L.

111 INSPECTOR: (F) 112 LAST INSP: 02/27/2020 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: FLL FAA SITE NR: 03192.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 02/27/2020 113 LAST INFO REQ: