



> 1 ASSOC CITY: PERU 4 STATE: IN LOC ID: GUS FAA SITE NR: 05575.\*A  
> 2 AIRPORT NAME: GRISSOM ARB 5 COUNTY: MIAMI IN  
3 CBD TO AIRPORT (NM): 05 S 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

**GENERAL**

**SERVICES**

**BASED AIRCRAFT**

10 OWNERSHIP: AIR FORCE  
> 11 OWNER: USAF-RESERVE  
> 12 ADDRESS: 434 AERIAL REFUELING WING, 7207 GRISSOM AVE  
GRISSOM ARB, IN 46971  
> 13 PHONE NR: 765-688-4340  
> 14 MANAGER: 434 ARW WING COMMANDER  
> 15 ADDRESS: 434 AERIAL REFUELING WING, 7207 GRISSOM AVE  
GRISSOM ARB, IN 46971  
> 16 PHONE NR: 765-688-2613  
> 17 ATTENDANCE SCHEDULE:

> 70 FUEL: 100  
> 71 AIRFRAME RPRS: MAJOR  
> 72 PWR PLANT RPRS: MAJOR  
> 73 BOTTLE OXYGEN:  
> 74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR  
76 OTHER SERVICES:  
CARGO

90 SINGLE ENG: 2  
91 MULTI ENG: 1  
92 JET: 1  
93 HELICOPTERS: 1  
TOTAL: 5  
94 GLIDERS: 0  
95 MILITARY: 16  
96 ULTRA-LIGHT: 0

**FACILITIES**

**OPERATIONS**

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-38-53.1300N ESTIMATED  
20 ARPT LONG: 086-09-07.6300W  
21 ARPT ELEV: 810.6 SURVEYED  
22 ACREAGE: 1,312  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO

> 80 ARPT BCN: CG  
> 81 ARPT LGT SKED : SS-SR  
BCN LGT SKED:  
> 82 UNICOM:  
> 83 WIND INDICATOR: YES  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: TERRE HAUTE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

100 AIR CARRIER: 0  
102 AIR TAXI: 0  
103 G A LOCAL: 0  
104 G A ITRNT: 0  
105 MILITARY: 0  
TOTAL: 0  
OPERATIONS FOR  
12 MONTHS  
ENDING:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

05/23  
12,501  
200  
ASPH

56 /R/B/W/T

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

HIGH  
PIR - F / PIR - F - / -  
P4L / P4L / /  
58 / 48 / /  
2.50 / 2.50 / /  
N - N / N - N - / -  
T - / T - - / -  
N / N / /  
ALS1 / ALS1 / /

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /  
/ / / /  
N / N / /

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/ / / /  
/ / / /  
/ / / /  
/ / / /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 016 765-688-2254.
- A 031 RWY 05/23 FIRST 1000 FT CONC; RMNG ASPH.
- A 032 RWY 05/23 50 FT NON WT BRG SHOULDER EA SIDE.
- A 110-001 JASU; A/M32A-86, MD-3, AM32-95 & MA-1A.
- A 110-011 RSTD: PAX/CARGO ACFT CTC COMMAND POST NLT 30 MIN PRIOR TO LNDG.
- A 110-012 BIRD WATCH COND: MNT ATIS; PHASE I NOV-APR & JUN - LGT; PHASE II MAY, JUL-OCT - HVY.
- A 110-013 CTN: UNCONTROLLED VEHICLE ON MOVEMENT AREAS.
- A 110-015 SVC LGT - FLOODS.
- A 110-016 FLUID: SP PRESAIR LHOX.
- A 110-017 OIL: O-133-148-156 JOAP.
- A 110-018 TRAN ALERT: AVBL DUR OPS HRS; NO PRIOTY BASIS; SVC AVBL PRIOR ARNG; FLEET SVC NA.
- A 110-022 MISC: WX SVC AVBL DURG OPS HR - D388-2203/2204; C765-688-2203/2204.
- A 110-026 CTN: DURG RAIN EXP STANDING WATER ON RWY.
- A 110-028 GA PRAC APCH NA.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 01/14/2009

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: IN LOC ID: GUS FAA SITE NR: 05575.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

**GENERAL**

**SERVICES**

**BASED AIRCRAFT**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 93 HELICOPTERS:  
 TOTAL:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

**OPERATIONS**

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-032 FBO LCTD EAST END OF AIRFIELD; PRIOR PMSN NOT RQR FOR ACFT LDG CIV FBO; CTC TWR; EXP PROGRESSIVE TAXI INSTR; SELF SERVE FUEL 100LL & JET A AVBL.
- A 110-036 CIV TRNG NA PER JOINT USE AGREEMENT.
- A 110-041 PPR FOR CIV ACFT ON MIL RAMP.
- A 110-043 SUA OVHD & NW; HVY & FIGHTER JET TRNG RMN NW WI 10 NM.
- A 110-044 EXP DELAY WHEN TACTICAL ARR & DEP TRNG IN PROG & DURG SNOW REMOVAL OPS.
- A 110-049 SVC LGTS-FLOODS
- A 110-050 FOR RAPCON SVC - 121.05 OR 379.3
- A 110-053 CTN: RWY LGTS 28 FT FM EDGE OF SFC.
- A 110-054 FUEL: MIL 1200-0400Z++; CLSD FEDERAL HOL.
- A 110-056 OPR 1230-0400Z++; CLSD FED HOL; PPR - AFLD OPS D388-2254, C765-688-2254. SEE FLIP AP/1 SUPPLEMENTARY ARPT INFO.
- A 110-057 RWY COND CODES UNAVBL.
- A 110-058 RSTD: AFRC ACFT EXP RSTRN WHEN MOD OR HIGHER; NO LCL IFR/VFR TFC; OPS NA WO OG/CC APVL.

111 INSPECTOR: ( N ) 112 LAST INSP: 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: IN LOC ID: GUS FAA SITE NR: 05575.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 93 HELICOPTERS:  
 TOTAL:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: ( N )

112 LAST INSP:

113 LAST INFO REQ: