



> 1 ASSOC CITY: MADISON 4 STATE: WI LOC ID: MSN FAA SITE NR: 27346.*A
 > 2 AIRPORT NAME: DANE COUNTY RGNL-TRUAX FLD 5 COUNTY: DANE WI
 3 CBD TO AIRPORT (NM): 05 NE 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL		SERVICES		BASED AIRCRAFT	
> 10 OWNERSHIP:	PUBLIC	> 70 FUEL:	100LL A	90 SINGLE ENG:	75
> 11 OWNER:	DANE COUNTY	> 71 AIRFRAME RPRS:	MAJOR	91 MULTI ENG:	18
> 12 ADDRESS:	4000 INTERNATIONAL LANE	> 72 PWR PLANT RPRS:	MAJOR	92 JET:	27
	MADISON, WI 53704	> 73 BOTTLE OXYGEN:	HIGH/LOW	93 HELICOPTERS:	2
> 13 PHONE NR:	608-246-3380	> 74 BULK OXYGEN:	NONE	TOTAL:	122
> 14 MANAGER:	KIMBERLY S. JONES	75 TSNT STORAGE:	HGR	94 GLIDERS:	0
> 15 ADDRESS:	4000 INTERNATIONAL LANE	76 OTHER SERVICES:	AFRT, AMB, AVNCS, CARGO, CHTR, INSTR, RNTL, SALES	95 MILITARY:	36
	MADISON, WI 53704			96 ULTRA-LIGHT:	0
> 16 PHONE NR:	608-246-3380				
> 17 ATTENDANCE SCHEDULE:					
ALL	ALL				

OPERATIONS		FACILITIES	
18 AIRPORT USE:	PUBLIC	> 80 ARPT BCN:	CG
19 ARPT LAT:	43-08-23.5649N ESTIMATED	> 81 ARPT LGT SKED :	SEE RMK
20 ARPT LONG:	089-20-15.0161W	BCN LGT SKED :	SS-SR
21 ARPT ELEV:	886.6 SURVEYED	> 82 UNICOM:	122.950
22 ACREAGE:	3,500	> 83 WIND INDICATOR:	YES-L
> 23 RIGHT TRAFFIC:	NO	84 SEGMENTED CIRCLE:	NONE
> 24 NON-COMM LANDING:	NO	85 CONTROL TWR:	YES
		86 FSS:	GREEN BAY
		87 FSS ON ARPT:	NO
25 NPIAS/FED AGREEMENTS:	NGPY	88 FSS PHONE NR:	
> 26 FAR 139 INDEX:	I C S 05/1973	89 TOLL FREE NR:	1-800-WX-BRIEF

RUNWAY DATA			
> 30 RUNWAY INDENT:	03/21	14/32	18/36
> 31 LENGTH:	7,200	5,846	9,006
> 32 WIDTH:	150	150	150
> 33 SURF TYPE-COND:	CONC-G	CONC-G	CONC-G
> 34 SURF TREATMENT:	GRVD	GRVD	GRVD
35 GROSS WT: S	100.0	75.0	100.0
36 (IN THSDS) D	200.0	190.0	200.0
37	2D	350.0	350.0
38	2D/2D2		
> 39 PCN:	95 /R/B/W/T	95 /R/B/W/T	95 /R/B/W/T

LIGHTING/APCH AIDS			
> 40 EDGE INTENSITY:	HIGH	HIGH	HIGH
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	NPI - G / NPI - G	PIR - G / PIR - G
> 43 VGS:	P4L / P4L	P4L / P4L	P4L / P4L
44 THR COSSING HGT.:	49 / 53	45 / 56	57 / 59
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
> 46 CNTRLN-TDZ:	- / -	N - N / N - N	Y - N / Y - N
> 47 RVR-RVV:	- / -	- N / - N	TMR - N / TMR - N
> 48 REIL:	Y /	Y / Y	N / N
> 49 APCH LIGHTS:	/ MALSR	/	MALSR / ALSF2

OBSTRUCTION DATA			
50 FAR 77 CATEGORY	D / PIR	D / C	PIR / PIR
> 51 DISPLACED THR:	431 /	477 /	400 / 1,001
> 52 CTLG OBSTN:	TREES / ROAD	/ TREE	HILL /
> 53 OBSTN MARKED/LGTD:	/	/	/
> 54 HGT ABOVE RWY END:	72 / 19	/ 112	50 /
> 55 DIST FROM RWY END:	2,760 / 2,050	/ 4,047	1,634 /
> 56 CNTRLN OFFSET:	460L / 0	/ 440R	689L /
57 OBSTN CLNC SLOPE:	35:1 / 50:1	34:1 / 34:1	28:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N

DECLARED DISTANCES			
> 60 TAKE OFF RUN AVBL (TORA):	7,200 / 6,770	5,846 / 5,846	9,006 / 9,006
> 61 TAKE OFF DIST AVBL (TODA):	7,200 / 6,770	5,846 / 5,846	9,006 / 9,006
> 62 ACLT STOP DIST AVBL (ASDA):	7,200 / 7,015	5,846 / 5,846	9,006 / 9,006
> 63 LNDG DIST AVBL (LDA):	6,770 / 7,015	5,369 / 5,846	8,606 / 8,006

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >
 > 110 REMARKS

- A 043 RWY 18 UNUSBL BYD 9 DEGS RIGHT OF CNTRLN.
- A 049 RWY 36 ALSF2 OPRS AS SSALR WHEN TWR CLSD.
- A 057 RWY 03 APCH RATIO 41:1 FM DSPLCD THR.
- A 057 RWY 18 APCH RATIO 40:1 FM DSPLCD THR.
- A 070 AV FUEL REFUELING AVBL ON EAST OR SOUTH APRON ONLY.
- A 081 WHEN ATCT CLSD HIRL RWY 18/36 PRESET ON LOW INTST, TO INCR INTST & ACTVT MALSR RWY 18 & 21; REIL RWY 03 & 32; HIRL RWY 03/21, RWY 14/32, RWY 18/36 - CTAF. PAPI RWY 03, 21, 14, 32, 18, 36 OPR CONSLY.
- A 110-002 WEST RAMP RSTD TO AIR CARRIER ACFT ONLY.
- A 110-003 NOISE ABATEMENT PROC IN EFCT: DEP ACFT UTILIZE RWY 03 & 36; ARR ACFT UTILIZE RWY 18 & 21.
- A 110-005 ACR & TURBO JET TRNG FLGTS PROHIBITED.
- A 110-007 BIRDS ON & INVOF ARPT.
- A 110-018 TWY F & G RSTRD TO MIL ACFT ONLY.
- A 110-024 MILITARY: ANG: PPR ALL ACT, CONTACT EMAIL: 115FW.PPR.ORG@US.AF.ML. OPR HR 1200-2230Z++MON-THURS, DSN 724-8642/8436, C608 245-4642/4436.
- A 110-025 DSN 724-8580 H24, C608 245-4580 H24.
- A 110-025 AVOID OVERFLIGHT OF YAHARA RIVER INVOF ARPT BLO 2000 FT AGL.

111 INSPECTOR: (F) 112 LAST INSP: 10/11/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: MSN FAA SITE NR: 27346.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-028 RW 14 & 18 APCH ENDS CLOSELY ALIGNED; VERIFY CORRECT RWY AND COMPASS HDG PRIOR TO DEP.
- A 110-029 EAST RAMP & TWY B5 & E CLSD TO ACFT WITH WINGSPAN MORE THAN 118 FT. TWY B1, J & B NORTH OF TWY M CLSD TO ACFT WITH WINGSPAN MORE THAN 150 FT.
- A 110-031 ARNG: PPR, ARNG COPTER RQR SVC, CTC ARMY OPS, LTD TRAN SVC, OPR 1300-2200Z++ MON, TUE; 1300-0400Z++ WED-FRI, CLSD SAT, SUN DSN 745-8310, C608-301-8310.
- A 110-032 PPR FOR HIGH RISK FLT TEST 608-246-3397.
- A 110-034 ENGINE RUNUP RSTD TO NORTH HOLD BAY ONLY.
- A 110-035 BARRICADES ALONG WEST EDGE OF SOUTH RAMP ADJ MIL RAMP.
- A 110-036 WEST RAMP UNCONTROLLED; PUSHBACK IS AT PILOT'S DISCRETION.
- A 110-038 SERVICE-FUEL: A++ (MIL)
- A 110-040 PPR RQRD FOR ALL MIL ACFT: 608-724-8506.
- A 110-041 RWY 18,21, 36 BAK-14 ARRESTING CABLE FOR MIL USE ONLY AND RETRACTED WHEN NOT IN USE.
- A 110-042 FOR CD IF UNA TO CTC ON FSS FREQ, CTC CHICAGO ARTCC AT 630-906-8921.

111 INSPECTOR: (F) 112 LAST INSP: 10/11/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: MSN FAA SITE NR: 27346.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 10/11/2019 113 LAST INFO REQ: