

AIRPORT MASTER RECORD

> 1 ASSOC CITY: FALLON 4 STATE: NV LOC ID: NFL FAA SITE NR: 13057.*A
 > 2 AIRPORT NAME: FALLON NAS (VAN VOORHIS FLD) 5 COUNTY: CHURCHILL NV
 3 CBD TO AIRPORT (NM): 03 NE 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: SAN FRANCISCO

GENERAL	SERVICES	BASED AIRCRAFT
> 10 OWNERSHIP: NAVY	> 70 FUEL:	90 SINGLE ENG: 0
> 11 OWNER: US NAVY		91 MULTI ENG: 0
> 12 ADDRESS: OCEANOGRAPHIC OFC - CODE 3142 WASHINGTON, DC 20373		92 JET: 0
> 13 PHONE NR:		93 HELICOPTERS: 0
> 14 MANAGER: COMMANDING OFFICER		TOTAL: 0
> 15 ADDRESS: NAVAL AIR STATION FALLON, NV 89406		94 GLIDERS: 0
> 16 PHONE NR: 775-426-2419		95 MILITARY: 0
> 17 ATTENDANCE SCHEDULE:		96 ULTRA-LIGHT: 0

ALL MON-FRI 1530-0700Z ALL SAT 1800-0200Z++ ALL SUN 2000-0200Z++ 18 AIRPORT USE: PRIVATE 19 ARPT LAT: 39-25-04.1900N ESTIMATED 20 ARPT LONG: 118-41-54.9180W 21 ARPT ELEV: 3934.8 SURVEYED 22 ACREAGE: > 23 RIGHT TRAFFIC: > 24 NON-COMM LANDING: NO	FACILITIES	
	> 80 ARPT BCN: SCG	
	> 81 ARPT LGT SKED: SEE RMK	
	BCN LGT SKED: SS-SR	
	> 82 UNICOM:	
	> 83 WIND INDICATOR:	
	84 SEGMENTED CIRCLE: NONE	
	85 CONTROL TWR: YES	
	86 FSS: RENO	
	87 FSS ON ARPT: NO	
	88 FSS PHONE NR:	
	89 TOLL FREE NR: 1-800-WX-BRIEF	

RUNWAY DATA
 > 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

07/25	13L/31R	13R/31L
7,003	11,078	14,004
152	200	200
ASPH	CONC	ASPH

LIGHTING/APCH AIDS
 > 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

HIGH	HIGH	HIGH	
PIR - G / BSC - G	PIR - G / PIR - G	PIR - G / PIR - G	- / -
	50 59	46 56	

OBSTRUCTION DATA
 50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 011 OTHER: ROWDY YATES, 4255 PASTURE RD., FALLON, NV 89476, 775-426-2427.
 A 016 RATCF - 775-426-2590.
 A 017 CLSD HOL. OTHER TIMES BY NOTAM.
 A 030 RWY 13R/31L LARGE MULTI-ENG ACFT; FULL STOP/TOUCH & GO RWY 31; LAND PAST BI-DRCTNL (E28) ARRESTING GEAR LCTD 1892' FM APCH END.
 A 036 RWY 13R/31L ALSO ST154.
 A 043 PAPI 13R UNUSBL BYD 5 DEG EACH SIDE OF CNTRLN
 A 043 PAPI 31L UNUSBL BYD 5 DEG EACH SIDE OF CNTRLN
 A 081 AVBL ONLY DURING HRS OF OPERATION.
 A 110-001 A-GEAR: E-28(B) APCH END ON PARALLEL RWYS NML DERIGGED.
 A 110-002 JASU: 1(GTC-85) 1(NCPP-105) 2(NC-8A).
 A 110-004 FLUID: SP LOX.
 A 110-005 TRAN ALERT: NO TRAN MAINT/HGR SPACE OR DE-ICE AVBL.
 A 110-006 SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
 A 110-007 RSTD - PPR 24 HR IN ADVANCE FOR TRAN SVC EXC MEDEVAC, SAR, DEPLOYED SQUADRONS/CVW OR SKED LOGISTICS FLT. PPR VALID ONLY 4 HR BYD
 ETA UNLESS RESKED, DSN 890-3415/3479, C775-426-3415/3479.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 08/01/2013

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NV LOC ID: NFL FAA SITE NR: 13057.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:

 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:

 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

> 70 FUEL:

SERVICES

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:

 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-009 CAUTION: EXTV BIRD ACT WITHIN APRX 15 NM OF ARPT FR SFC TO APRX 3000 FT AGL. GENERAL AVN ACFT OPR FR FALLON MUNI ARPT 5 NM NNW.
 A 110-010 TFC PAT: ALL ACFT ACTIVATE LDG/TAXI LGT WHILE ON APCH. REDUCED RWY SEPARATION STD IN EFF FOR USN/USMC ACFT. INITIAL ALL RWY 7600 FT; OVERHEAD BREAK 5500 FT; NO OVERHEAD FOR RWY 07; PAT ALT 5000 FT.
 A 110-012 MISC: BASE OPS DSN 890-2419/2458, C775-426-2419/2458.
 A 110-013 MISC: SKED OF FRTC AIRSPACE OUTSIDE OF PUBL AIRFIELD HRS WILL BE ALLOWED ONLY AFTER APVL HAS BEEN GRANTED BY THE NAS FALLON OPS OFFICER TO EXTN/MOD PUBL AIRFIELD HRS.
 A 110-014 FUEL - 4 HR PN RQR FOR ACFT REQ HOT REFUL, DSN 890-2508/9 C775-426-2508/9. A++
 A 110-015 CAUTION: RADAR DOME 1.1 NM SW OF CTL TWR 126 FT AGL. TWY C, S APN TO APCH END RWY 25 VARIES IN WIDTH TAPERING TO 50 FT WIDE E OF RWY 13R-31L.
 A 110-016 NS ABTMT: WHEN DEP RWY 31L/R VFR TURN RGT HDG 040- OVER DEP END. DESELECT AFTERBURNER AT EOR AND CLB AS QUICKLY AS PSBL.
 A 110-017 CAUTION: EXTREMELY HVY MIL TRNG OPR ALL TIMES.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NV LOC ID: NFL FAA SITE NR: 13057.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:

 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:

 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:

 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY / / / /
 > 51 DISPLACED THR: / / / /
 > 52 CTLG OBSTN: / / / /
 > 53 OBSTN MARKED/LGTD: / / / /
 > 54 HGT ABOVE RWY END: / / / /
 > 55 DIST FROM RWY END: / / / /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ: