

> 1 ASSOC CITY: SAN DIEGO 4 STATE: CA LOC ID: NZY FAA SITE NR: 02178.\*A  
 > 2 AIRPORT NAME: NORTH ISLAND NAS (HALSEY FLD) 5 COUNTY: SAN DIEGO CA  
 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

**GENERAL**

10 OWNERSHIP: NAVY  
 > 11 OWNER: US NAVY  
 > 12 ADDRESS: OCEANOGRAPHIC OFC - CODE 3142  
 WASHINGTON, DC 20373  
 > 13 PHONE NR:  
 > 14 MANAGER: COMMANDING OFFICER  
 > 15 ADDRESS: NAVAL AIR STA NORTH ISLAND  
 SAN DIEGO, CA 92135  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:  
 ALL

**SERVICES**

> 70 FUEL:

**BASED AIRCRAFT**

90 SINGLE ENG: 0  
 91 MULTI ENG: 0  
 92 JET: 0  
 93 HELICOPTERS: 0  
 TOTAL: 0  
 94 GLIDERS: 0  
 95 MILITARY: 0  
 96 ULTRA-LIGHT: 0

**FACILITIES**

> 80 ARPT BCN: SCG  
 > 81 ARPT LGT SKED: SEE RMK  
 BCN LGT SKED: SS-SR  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: SAN DIEGO  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:

	11/29	18/36
> 30 RUNWAY INDENT:	7,500	8,000
> 31 LENGTH:	200	200
> 32 WIDTH:	PEM	PEM

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:

	HIGH	HIGH
> 40 EDGE INTENSITY:	- / -	- / -
> 42 RWY MARK TYPE-COND:	46	49 47

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 017 1430Z++ MON- 0600Z++ SAT; 1600Z++ SAT- 0600Z++ SUN; 1600Z++ SUN- 0600Z++ MON. CLSD 0200Z++ DAY PRIOR TO 1430Z++ DAY FOLLOWING ALL FEDERAL HOLIDAYS. SEE FLIP AP/1 SUPPLEMENTARY ARPT INFO.  
 A 081 AVBL ONLY DURING HRS OF OPERATION.  
 A 110-004 MISC: VIP/LOGISTIC FLT CTC BASE OPS PRIOR TO LDG.  
 A 110-005 TFC PAT: USE MAX EXTERIOR LGT BLW 10,000' WITHIN 10 NM. ALL TRAN ACFT LTD TO FULL STOP ONLY. TOUCH-AND-GO/LO APCH NOT AVBL. TRAN ACFT SECTION APCH NOT AUTH. REDUCED RWY SEPARATION STD IN EFF USN/USMC ACFT.  
 A 110-006 CAUTION: EXTV VFR COPTER OPR SFC-500' VCNTY ARPT AND SFC-2000' 8 NM SE. LGT CIV ACFT CLIMB/DESCEND THRU RY 29 FINAL APCH CRS BYD 6 DME ENTER/DEP SAN DIEGO CLASS B AIRSPACE VFR CORRIDOR. AVOID CNTRLN LGT DUR RY 29 OR RY 36 ARRESTMENT TO PREVENT TAILHOOK BOUNCE. HVY VEH TFC CROSS TWY L AND TWY A.  
 A 110-010 FUEL: EXP REFUL DELAYS. 100LL, J5.  
 A 110-011 FLUID: SP PRESAIR.  
 A 110-012 OIL: O-128-148-156-RSTD OIL ANALYSIS AVBL, PRIOR COORD RQR.  
 A 110-013 TRAN ALERT: OPR 1400-0600Z WKD AND 1600-0600Z WKEND; (DT- 1300-0500Z WKD AND 1500-0500Z WKEND). NO TRAN MAINT/LTD SVC. LOX NOT AVAILABLE.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 08/13/1976

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: NZY FAA SITE NR: 02178.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 93 HELICOPTERS:  
 TOTAL:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**> ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >**

**> 110 REMARKS**

A 110-014 TRAN ALERT: TRAN AIRCREW MUST REMAIN WITH ACFT TO PROVIDE TECHNICAL DRCT/ASSISTANCE IN SVCG. AIR TRML/TRAN LINE COORD ALL REFUL REQ. ARR ACFT PASS SVC REQ TO LINEMAN. ALL TRAN PILOTS CK IN WITH ODO, BASE OPS BLDG 516, UPON ARR.  
 A 110-015 JASU: 2(GTC-85)(NC-8)  
 A 110-016 A-GEAR: SHORT-FLD A-G RWY 29 NML DE-RIGGED. LONG-FLD A-G RWY 36 NML DE-RIGGED.  
 A 110-018 NS ABTMT: STRICT COMPLIANCE RQR.  
 A 110-019 CAUTION: BIRD HAZ MAY-OCT, PARTICULARLY AT DEP END RWY 29.  
 A 110-020 CSTMS/AG/IMG: CSTMS AVBL WITH 2 HR NTC 1600-0100Z++ MON-SAT. MIN 4 HR NTC RQR 0100-1600Z++.  
 A 110-022 RADAR: SEE TERMINAL FLIP FOR RADAR MINIMA.  
 A 110-023 LOC: 18, 29  
 A 110-024 CLSD 0600-1600Z++ SAT-SUN, 0600-1430Z++ MON, CLSD 0200Z++ DAY PRIOR TO 1430Z++ DAY FLW ALL FEDERAL HOL. SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.  
 A 110-025 RSTD: CALL AMGR DSN 735-8243, C619-545-8243, 619-778-2074 FOR PPR, 72 HR NOTICE. LCL FLT DUR RON PROH.  
 A 110-026 CAUTION: TWY DELTA AND TWY FOXTROT NOT LIT FOR NIGHT OPERATIONS.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: NZY FAA SITE NR: 02178.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 93 HELICOPTERS:  
 TOTAL:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
     BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:

- / -                      - / -                      - / -                      - / -

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-027 CAUTION: RWY 11/29 SFC AREA BTN THE RWY EDGE LNS AND REDLS, APRXLY 50 FT ON EITHER SIDE, IS CRACKED AND HAS LOOSE GRVL. WRY 11/29 EDGE LGTS LOCATED 50 FT OUTBOARD OF RUNWAY EDGE LNS, AND ARE NOT WI 10 FT OF THE MKD RWY EDGE. PILOTS SHOULD EXERCISE CAUTION TRANSITING THE AREA BETWEEN THE RWY EDGE LNS AND REDLS.

A 110-028 CAUTION: RWY 18/36 RWY DIST MKRS LESS THAN THE REQD 50 FT OFF THE RWY EDGE.

A 110-029 CAUTION: TWY L EDGE LGTS NOT WI 10 FT OF MKD TWY EDGE.

A 110-030 FOR CD WHEN ATCT CLSD CTC SOCAL APCH AT 800-448-3724.

A 110-031 CTC AMGR 619-545-8243/619-778-2074 FOR INFO CONCERNING CIVIL ACFT LDG PMTS.

A 110-032 RSTD: MV-22, CMV-22, F-35B ACFT VTOL OPS FROM ANY RWY, TWY OR HELIPAD ARE PROHIBITED, EXC WHEN AN EMERG SITUATION DICTATES. CMV-22 VTOL OPS (FCF) AUTH ON TWY ECHO BETWEEN TWY CHARLIE AND HELIPAD 12.

111 INSPECTOR: ( N )                      112 LAST INSP:                      113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\*      4 STATE: CA      LOC ID: NZY      FAA SITE NR: 02178.\*A  
> 2 AIRPORT NAME:      5 COUNTY:  
> 3 CBD TO AIRPORT (NM):      6 REGION/ADO: AWP/LAX      7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:

**BASED AIRCRAFT**

90 SINGLE ENG:  
91 MULTI ENG:  
92 JET:  
93 HELICOPTERS:  
TOTAL:  
  
94 GLIDERS:  
95 MILITARY:  
96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
> 81 ARPT LGT SKED :  
    BCN LGT SKED:  
> 82 UNICOM:  
> 83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:

- / -                      - / -                      - / -                      - / -

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY      /      /      /      /  
> 51 DISPLACED THR:      /      /      /      /  
> 52 CTLG OBSTN:      /      /      /      /  
> 53 OBSTN MARKED/LGTD:      /      /      /      /  
> 54 HGT ABOVE RWY END:      /      /      /      /  
> 55 DIST FROM RWY END:      /      /      /      /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: ( N )

112 LAST INSP:

113 LAST INFO REQ: