



> 1 ASSOC CITY: EVERETT 4 STATE: WA LOC ID: PAE FAA SITE NR: 26210.*A
 > 2 AIRPORT NAME: SNOHOMISH COUNTY (PAINE FLD) 5 COUNTY: SNOHOMISH WA
 3 CBD TO AIRPORT (NM): 06 SW 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT: SEATTLE

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: SNOHOMISH COUNTY
 > 12 ADDRESS: 3000 ROCKEFELLER AVE.
 EVERETT, WA 98201
 > 13 PHONE NR: 425-388-3411
 > 14 MANAGER: ARIF GHOUSE
 > 15 ADDRESS: 3220 100TH ST SW
 EVERETT, WA 98204
 > 16 PHONE NR: (425) 388-5100
 > 17 ATTENDANCE SCHEDULE:
 MAY-OCT ALL 0700-2100
 NOV-APR ALL 0700-2100

SERVICES

> 70 FUEL: 100LL A
 > 71 AIRFRAME RPRS: MAJOR
 > 72 PWR PLANT RPRS: MAJOR
 > 73 BOTTLE OXYGEN: HIGH
 > 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES: AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

BASED AIRCRAFT

90 SINGLE ENG:	466
91 MULTI ENG:	49
92 JET:	18
93 HELICOPTERS:	4
TOTAL:	537
94 GLIDERS:	0
95 MILITARY:	0
96 ULTRA-LIGHT:	1

FACILITIES

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 > 82 UNICOM: 122.950
 > 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: SEATTLE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER:	2,917
102 AIR TAXI:	1,091
103 G A LOCAL:	56,589
104 G A ITRNRT:	53,908
105 MILITARY:	696
TOTAL:	115,201
OPERATIONS FOR 12 MONTHS ENDING:	12/31/2018

18 AIRPORT USE: PUBLIC

19 ARPT LAT: 47-54-26.3450N ESTIMATED
 20 ARPT LONG: 122-16-55.5380W
 21 ARPT ELEV: 606.9 SURVEYED
 22 ACREAGE: 1,315
 > 23 RIGHT TRAFFIC: 34R, 16R
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NPGY
 > 26 FAR 139 INDEX: I B S 11/1974

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

16L/34R	16R/34L
3,004	9,010
75	150
ASPH-G	ASPH-CONC-G
	GRVD
12.5	100.0
	200.0
	350.0
	830.0
4 /F/B/Y/T	83 /F/A/W/T

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: P2L / P2L
 44 THR COSSING HGT.: 24 / 22
 45 VISUAL GLIDE ANGLE: 3.25 / 3.00
 > 46 CNTRLN-TDZ: - / -
 > 47 RVR-RVV: - / -
 > 48 REIL: Y / Y
 > 49 APCH LIGHTS: /

MED	HIGH	
BSC - G / BSC - G	PIR - G / NPI - G	- / -
P2L / P2L	P4R / P4L	/ /
24 / 22	74 / 75	/ /
3.25 / 3.00	3.00 / 3.00	/ /
- / -	Y - Y / Y -	- / -
- / -	TR - N / TR -	- / -
Y / Y	/	/ /
/	MALSR / MALSF	/ /

OBSTRUCTION DATA

50 FAR 77 CATEGORY: A(V) / A(V)
 > 51 DISPLACED THR: /
 > 52 CTLG OBSTN: POLE / POLE
 > 53 OBSTN MARKED/LGTD: /
 > 54 HGT ABOVE RWY END: 9 / 25
 > 55 DIST FROM RWY END: 400 / 690
 > 56 CNTRLN OFFSET: 100L / 125L
 57 OBSTN CLNC SLOPE: 22:1 / 20:1
 58 CLOSE-IN OBSTN: N / N

PIR / C	/ /
/	/ /
/ TREES	/ /
/	/ /
/ 125	/ /
/ 4,000	/ /
/ 930R	/ /
50:1 / 30:1	/ /
N / N	/ /

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): 3,004 / 3,004
 > 61 TAKE OFF DIST AVBL (TODA): 3,004 / 3,004
 > 62 ACLT STOP DIST AVBL (ASDA): 3,004 / 3,004
 > 63 LNDG DIST AVBL (LDA): 3,004 / 3,004

9,010 / 9,010	/ /
9,010 / 9,010	/ /
9,010 / 9,010	/ /
9,010 / 9,010	/ /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 024 LNDG FEE FOR ACFT OVER 30000 LBS GWT.
- A 026 ARPT CLSD TO UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS 2100-0700 EXCP PPR CTC ARPT OPS 425-388-5125.
- A 033 RY 16R/34L FIRST 1000 FT OF RY 16R IS CONCRETE.
- A 070 100LL SELF SVC AVBL 24 HRS WITH CREDIT CARD AT CNTRL RAMP. HEL ARE PROHIBITED AT THE SELF SVC FUELING IS. FOR JET AND HEL FUEL AFT HRS CALL 425-355-6600.
- A 081 WHEN ATCT CLSD ACTVT HIRL RY 16R/34L, MALSR RY 16R, & PAPI RY 34L - CTAF.
- A 110-001 RY 16L/34R CLSD BTN 0500-1500Z.
- A 110-003 NOISE SENSITIVE ARPT; FOR NOISE ABATEMENT PROC & TFC PROC CALL ARPT OPS 425-388-5125.
- A 110-005 IT IS REQ THAT PILOTS ADHERE TO THE FLW NOISE ABATEMENT PROC UNLESS OTRW INSTRD BY ATCT, ITRNRT ARR AND LOW APCH OF SML ACFT OVER 250 HORSEPOWER AUZ ON RWYS 16L AND 34R.
- A 110-006 BE ALERT TO CNVG TFC ON BASE TO FINAL LEGS RWY 16R/34L 2100-0700.
- A 110-007 AVOID LOW LVL OVRFLT OF BOEING RAMP; NE CORNER OF ARPT DUE TO JET BLAST.
- A 110-008 TRNG FLTS DISCOURAGED AFT 2200.
- A 110-011 AVOID INT DEPS FM RWY 16L/34R
- A 110-012 FLOCKS OF LRG & SML BIRDS INVOF ARPT.

111 INSPECTOR: (F) 112 LAST INSP: 03/16/2020 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WA LOC ID: PAE FAA SITE NR: 26210.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-015 ITNRNT DEP OF SML ACFT OVER 250 HORSEPOWER ON RWY 34R.
- A 110-016 TWY A-2 RSTRD TO 30000 LBS.
- A 110-017 AREAS NOT VSB FM ATCT INCL E EDGE OF S 1200 FT OF TWY A, TAXILANE E FM SE CORNER OF W HNGRS TO TWY A, TAXILANE H FROM NW EDGE OF W HNGRS TO TAXILANE E.
- A 110-018 RWY 16L/34R LTD TO HEL 8000 LBS OR LESS.
- A 110-024 FOR NOISE ABATEMENT FROM 0500-1500Z++ IF ACFT PERFORMANCE/WIND ALLOWS, USE RY 16R FOR ARRIVALS AND RY 34L FOR DEPARTURES.
- A 110-025 TAXILANE E RSTD TO WINGSPAN LESS THAN 171 FT. ACFT WINGSPAN OF 171 FT OR GREATER ON TAXILANE E, TUG OPS ONLY. EAST 500 FT OF TAXILANE E RSTD TO WINGSPAN LESS THAN 49 FT.
- A 110-027 TWY C BTN TRML RAMP AND CNTRL RAMP RSTRD TO WINGSPAN OF 68 FT OR LESS. TWY D, F, G AND L RSTRD TO WINGSPAN LESS THAN 49 FT. TWY A4, A5, K7 & B RSTRD TO WINGSPAN LESS THAN 118 FT. TAXILANE H RSTRD TO WINGSPAN LESS THAN 49 FT.

111 INSPECTOR: (F) 112 LAST INSP: 03/16/2020 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WA LOC ID: PAE FAA SITE NR: 26210.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-028 PAE HAS FAC CONSTRAINTS THAT LMT ITS ABILITY TO ACCOMMODATE DIVD FLTS AND MNTN THE ARPTS SAFE OPN DUR IREG OPS. ACFT OPR SHOULD CTCT THE ON-DUTY ARPT OPS PSNL (425-388-5125) TO COORD DIVD FLTS EXC IN THE CASE OF A DECLARED IN-FLT EMERG.
- A 110-029 PPR RQRD FOR ACES ON BOEING RAMP. CTC BOEING FLT DISPATCH 206-544-5900 FOR APVL. PRIOR TO TAXI ONTO BOEING RAMP CTC BOEING RADIO TWR 123.475 OR CALL 425-342-5900.
- A 110-030 TWY K1 CLSD TO ACFT UNDER 30000 LBS.
- A 110-031 TSNT HEL EXP LNDG/TKOF ON TWY B.
- A 110-032 AIRFIELD CONDS NOT MNTD BTN 0000-0630.
- A 110-033 EMERG FREQ 121.5 NOT MNT AT TWR. SEATTLE APP CON-TRACON MNT 121.5 FOR EVERETT (PAE).
- A 110-034 FOR CD WHEN ATCT IS CLSD CTC SEATTLE APCH AT 206-214-4722.
- A 110-035 TKOF CLNC RWY 16R FULL LEN; ENT RWY VIA TWY A1 UNLESS TWY AA SPECIFIED.
- A 110-036 LRG ACFT FLY W PAT OVR WTR; SML ACFT FLY E PAT OVR ARPT.
- A 110-037 USE CTN FOR 80 FT AGL LGT POLES SW EDGE OF BRAVO RAMP.
- A 110-038 RWY 16R/34 TGL PROHIBITED MON-FRI FM 0700-0900.

111 INSPECTOR: (F) 112 LAST INSP: 03/16/2020 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WA LOC ID: PAE FAA SITE NR: 26210.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 03/16/2020 113 LAST INFO REQ: