



> 1 ASSOC CITY: PHOENIX 4 STATE: AZ LOC ID: PHX FAA SITE NR: 00754.*A
 > 2 AIRPORT NAME: PHOENIX SKY HARBOR INTL 5 COUNTY: MARICOPA AZ
 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF PHOENIX
 > 12 ADDRESS: 2485 E BUCKEYE RD
 PHOENIX, AZ 85034
 > 13 PHONE NR: 602-273-3302
 > 14 MANAGER: CHAD R. MAKOVSKY
 > 15 ADDRESS: 2485 E BUCKEYE RD
 PHOENIX, AZ 85034
 > 16 PHONE NR: 602-273-3302
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 33-26-03.4000N ESTIMATED
 20 ARPT LONG: 112-00-41.7000W
 21 ARPT ELEV: 1134.8 SURVEYED
 22 ACREAGE: 3,400
 > 23 RIGHT TRAFFIC: 07L, 26
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGRSY
 > 26 FAR 139 INDEX: I D S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

SERVICES

> 70 FUEL: 100LL A
 > 71 AIRFRAME RPRS: MAJOR
 > 72 PWR PLANT RPRS: MAJOR
 > 73 BOTTLE OXYGEN: HIGH/LOW
 > 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AMB, AVNCS, CARGO, CHTR, SALES

FACILITIES

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED :
 BCN LGT SKED: SS-SR
 > 82 UNICOM:
 > 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: PRESCOTT
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

BASED AIRCRAFT

90 SINGLE ENG: 14
 91 MULTI ENG: 10
 92 JET: 27
 93 HELICOPTERS: 11
 TOTAL: 62
 94 GLIDERS: 0
 95 MILITARY: 8
 96 ULTRA-LIGHT: 0

OPERATIONS

100 AIR CARRIER: 384,714
 102 AIR TAXI: 27,327
 103 G A LOCAL: 0
 104 G A ITNRNT: 20,616
 105 MILITARY: 2,244
 TOTAL: 434,901
 OPERATIONS FOR
 12 MONTHS
 ENDING: 01/31/2019

	07L/25R	07R/25L	08/26
> 30 RUNWAY INDENT:	10,300	7,800	11,489
> 31 LENGTH:	150	150	150
> 32 WIDTH:	CONC-G	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	30.0	30.0	30.0
35 GROSS WT: S	235.0	200.0	200.0
36 (IN THSDS) D	435.0	400.0	455.0
37 2D	940.0	1010.0	965.0
38 2D/2D2	70 /R/B/W/T	79 /R/B/W/T	74 /R/B/W/T
> 39 PCN:			
> 40 EDGE INTENSITY:	HIGH	HIGH	HIGH
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G
> 43 VGS: I	P4L / P4L	P4L / P4L	P4L / P4L
44 THR COSSING HGT.:	73 / 70	70 / 66	69 / 71
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
> 46 CNTRLN-TDZ:	N - N / N - N	- / -	N - N / N - N
> 47 RVR-RVV:	T - N / R - N	- / -	- N / - N
> 48 REIL:	N / N	/	N / Y
> 49 APCH LIGHTS:	MALSR /	MALSR / MALSR	MALSF /
50 FAR 77 CATEGORY	PIR / C	PIR / PIR	PIR / PIR
> 51 DISPLACED THR:	/	/	898 /
> 52 CTLG OBSTN:	POLE / ANT	POLE / ANT	BLDG / ROAD
> 53 OBSTN MARKED/LGTD:	/ LM	L / LM	/
> 54 HGT ABOVE RWY END:	62 / 416	33 / 424	66 / 9
> 55 DIST FROM RWY END:	2,958 / 17,582	900 / 20,059	3,020 / 905
> 56 CNTRLN OFFSET:	750R / 600L	640R / 1193L	503L / 540R
57 OBSTN CLNC SLOPE:	44:1 / 41:1	20:1 / 46:1	42:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N
> 60 TAKE OFF RUN AVBL (TORA):	10,300 / 10,300	7,800 / 7,800	11,489 / 11,489
> 61 TAKE OFF DIST AVBL (TODA):	10,300 / 10,300	7,800 / 7,800	11,489 / 11,489
> 62 ACLT STOP DIST AVBL (ASDA):	10,300 / 10,300	7,800 / 7,800	11,489 / 11,489
> 63 LNDG DIST AVBL (LDA):	10,300 / 10,300	7,800 / 7,800	10,591 / 11,489

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 014 AIRSIDE OPERATIONS SUPERINTENDENT, DUSTIN LOFTIS (602) 273-2072, AIRSIDE MANAGER, JODY SPRINGER (602) 273-3490. 24 HR AIRPORT DUTY MANAGER (602)273-3388.
 A 024 OVERNIGHT PARKING FEE.
 A 105 NG HAS LMTD TRANSIENT MAINT & PARKING. RON BY PRIOR PERMISSION NG.
 A 110-004 FEE FOR ALL CHARTERS; TRAVEL CLUBS AND CERTAIN REVENUE PRODUCING ACFT.
 A 110-012 NOISE ABATEMENT PROCEDURES ARE IN AFFECT AT ALL TIMES.
 A 110-016 TWY R AND PORTIONS OF TWYS S AND T DIRECTLY BELOW THE ATCT ARE NON VISIBLE AREAS FROM THE ATCT.
 A 110-019 TWY R OVERHEAD TRAIN BRIDGE AT MIDPOINT PROVIDES 82FT-4 IN. CLEARANCE.
 A 110-023 NO EXPERIMENTAL FLT OR GND DMSTRN ON ARPT WO PRIOR WRITTEN CONSENT FM THE AIRSIDE OPS.
 A 110-025 NATL GUARD HAS LMTD TSNT MAINTENANCE AND PARKING RON BY PPR (602)302-9119.
 A 110-026 PPR ACFT WITH WINGSPAN 215 FT OR GREATER (GROUP VI) CALL ARPT OPNS 602-272-2008 FOR FOLLOW-ME SERVICES WHILE TAXIING TO AND FROM RAMP AND RWYS.
 A 110-027 PRACTICE INSTRUMENT APPROACHES, STOP & TAXI BACK LANDINGS, STOP & GO LANDINGS, TOUCH & GO LANDINGS ARE PROHIBITED. ALL OTHER FLIGHT TRAINING OPERATIONS PROHIBITED WO PRIOR WRITTEN APPROVAL (AIRSIDE OPS 602-272-2008).
 A 110-029 NO ENG RUNS ON ARPT WO PRIOR COORDN WITH AIRSIDE OPS. NO ENG RUNS ON ARPT BETWEEN 2300L - 0500L.
 111 INSPECTOR: (F) 112 LAST INSP: 03/25/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: PHX FAA SITE NR: 00754.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-031 INTERNATIONAL GATE USE RQS COORDN WITH ARPT OPS 48 HOURS PRIOR TO ARRIVAL.
- A 110-032 INTERNATIONAL LANDING RIGHTS RQRS US CUSTOMS AND BORDER PROTECTION NOTIFICATION 48 HOURS PRIOR TO LANDING.
- A 110-033 REVIEW HOT SPOT INFO ON AIRPORT DIAGRAM. ADDITIONAL SAFETY VIDEO @ [HTTP://SKYHARBOR.COM/BUSINESS/FORPILOTS/SAFETYVIDEOFORPILOTS](http://skyharbor.com/business/forpilots/safetyvideoforpilots)
- A 110-035 RWY STATUS LGTS ARE IN OPN.
- A 110-036 FOR GENERAL QUESTIONS CALL AIRPORT COMMUNICATIONS CENTER (602) 273-3302
- A 110-037 ASDE-X IN USE. OPERATE TRANSPONDERS WITH ALTITUDE REPORTING MODE AND ADS-B (IF EQUIPPED) ENABLED ON ALL AIRPORT SURFACES.
- A 110-039 TWY F BTW TWY INT G2 AND G3 CLSD TO ACFT WITH WINGSPAN GREATER THAN 135 FT DUE TO FAA NAV EQUIPMENT.
- A 110-041 TWY H5, H6, H7, TWY H BTN TWY H4 AND TWY H7 CLSD TO ACFT WINGSPAN MORE THAN 171 FT.
- A 110-042 TWYS A, A1, A2, A3, A4, A5, A6, A7, A8, A9, A10, A11, A12, F BTN G2 AND G3, D BTN D8 AND T, D BTN S AND R, RESTRICTED TO A WINGSPAN OF LESS THAN 135 FT.
- A 110-043 TWYS C BTN S AND R, D BTN D2 AND D7, D3, D6, H BTN H4 AND H7, H7 RESTRICTED TO WINGSPAN OF LESS THAN 171 FT.

111 INSPECTOR: (F) 112 LAST INSP: 03/25/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: PHX FAA SITE NR: 00754.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 03/25/2019 113 LAST INFO REQ: