



> 1 ASSOC CITY: SAN DIEGO 4 STATE: CA LOC ID: SAN FAA SITE NR: 02170.*A
 > 2 AIRPORT NAME: SAN DIEGO INTL 5 COUNTY: SAN DIEGO CA
 3 CBD TO AIRPORT (NM): 02 W 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

GENERAL		SERVICES	BASED AIRCRAFT
10 OWNERSHIP: PUBLIC		> 70 FUEL: 100LL A	90 SINGLE ENG: 0
> 11 OWNER: SAN DIEGO CNTY REG ARPT AUTHORITY			91 MULTI ENG: 0
> 12 ADDRESS: 3225 N HARBOR DRIVE		> 71 AIRFRAME RPRS: MINOR	92 JET: 12
SAN DIEGO, CA 92101-1022		> 72 PWR PLANT RPRS: MINOR	93 HELICOPTERS: 0
(619) 400-2400		> 73 BOTTLE OXYGEN: NONE	TOTAL: 12
> 13 PHONE NR: (619) 400-2400		> 74 BULK OXYGEN: HIGH/LOW	
> 14 MANAGER: DEAN ROBBINS		75 TSNT STORAGE: HGR, TIE	94 GLIDERS: 0
> 15 ADDRESS: 3225 N HARBOR DRIVE		76 OTHER SERVICES: AFRT, AMB, AVNCS, CARGO, CHTR, RNTL, SURV	95 MILITARY: 0
SAN DIEGO, CA 92101-1022			96 ULTRA-LIGHT: 0
> 16 PHONE NR: 619-400-2718			
> 17 ATTENDANCE SCHEDULE: ALL ALL ALL		FACILITIES	OPERATIONS
		> 80 ARPT BCN: CG	100 AIR CARRIER: 203,913
18 AIRPORT USE: PUBLIC		> 81 ARPT LGT SKED: BCN LGT SKED: SS-SR	102 AIR TAXI: 12,720
19 ARPT LAT: 32-44-00.8000N ESTIMATED		> 82 UNICOM:	103 G A LOCAL: 0
20 ARPT LONG: 117-11-22.8000W		> 83 WIND INDICATOR: YES-L	104 G A ITNRNT: 10,399
21 ARPT ELEV: 16.8 ESTIMATED		84 SEGMENTED CIRCLE: NONE	105 MILITARY: 773
22 ACREAGE: 663		85 CONTROL TWR: YES	TOTAL: 227,805
> 23 RIGHT TRAFFIC: 27		86 FSS: SAN DIEGO	OPERATIONS FOR
> 24 NON-COMM LANDING: NO		87 FSS ON ARPT: NO	12 MONTHS
25 NPIAS/FED AGREEMENTS: NGSY		88 FSS PHONE NR:	ENDING: 04/30/2019
> 26 FAR 139 INDEX: I D S 05/1973		89 TOLL FREE NR: 1-800-WX-BRIEF	

RUNWAY DATA		09/27
> 30 RUNWAY INDENT:		9,400
> 31 LENGTH:		200
> 32 WIDTH:		ASPH-CONC-E
> 33 SURF TYPE-COND:		GRVD
> 34 SURF TREATMENT:		
35 GROSS WT: S		
36 (IN THSDS) D		
37 2D		
38 2D/2D2		
> 39 PCN:		75 /F/A/W/T
LIGHTING/APCH AIDS		
> 40 EDGE INTENSITY:		HIGH
> 42 RWY MARK TYPE-COND:		PIR - G / PIR - G - / - - / -
> 43 VGSI:		P4L / P4R / /
44 THR COSSING HGT.:		76 / 66 / /
45 VISUAL GLIDE ANGLE:		3.30 / 3.50 / /
> 46 CNTRLN-TDZ:		Y - Y / Y - Y - / - - - / -
> 47 RVR-RVV:		TR - N / TR - N - / - - - / -
> 48 REIL:		N / N / /
> 49 APCH LIGHTS:		MALSR / MALS / /
OBSTRUCTION DATA		
50 FAR 77 CATEGORY		PIR / C / /
> 51 DISPLACED THR:		1,000 / 1,810 / /
> 52 CTLG OBSTN:		TREE / SIGN / /
> 53 OBSTN MARKED/LGTD:		/ / /
> 54 HGT ABOVE RWY END:		31 / 61 / /
> 55 DIST FROM RWY END:		674 / 250 / /
> 56 CNTRLN OFFSET:		385L / 500R / /
57 OBSTN CLNC SLOPE:		15:1 / 0:1 / /
58 CLOSE-IN OBSTN:		N / Y / /
DECLARED DISTANCES		
> 60 TAKE OFF RUN AVBL (TORA):		8,280 / 9,401 / /
> 61 TAKE OFF DIST AVBL (TODA):		9,401 / 9,401 / /
> 62 ACLT STOP DIST AVBL (ASDA):		8,280 / 9,401 / /
> 63 LNDG DIST AVBL (LDA):		7,280 / 7,591 / /

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 014 DEAN ROBBINS, MANAGER, AIRSIDE OPERATIONS 619-400-2710, DROBBINS@SAN.ORG

A 030 RWY 09/27 CLSD TUE-SAT 0000-0500 LOCAL.

A 043 RWY 27 PAPI UNUSBL BYD 5 DEG L & R OF CNTLN.

A 049 MALS RWY 27 THR TO 1400'.

A 057 RWY 09 APCH RATIO 44:1 TO DSPLCD THR.

A 057 RY 27 TREE 364' ABV RY END 6800' FM RY END & 1050' R OF RY CNTRLN; APCH 19:1 TO DSPLCD THR.

A 058 RWY 27 +40' LGT POLE 110' FROM RWY END 260' RIGHT.

A 110-003 TERRAIN & BLDGS TO 500' MSL N & E WITHIN 1 1/2 MI.

A 110-004 PRACTICE APPROACHES AND TGL PROHIBITED.

A 110-016 TO REDUCE JET BLAST IMPACT AT N END OF TWY F ACFT WILL NOT START ENG UNTIL 800 FT FM N END OF TWY F; ABEAM THE SECOND PARKING PAD.

A 110-019 ULTRALIGHT ACFT PROHIBITED ON AP.

A 110-020 747 AND LARGER ACFT ARE PROHIBITED FM MAKING INTERSECTION TKOFS.

A 110-026 INTERMITTENT PRESENCE OF BIRDS ON AND INVOF OF ARPT.

A 110-030 CROSS-BLEED ENGINE STARTS PERMITTED ONLY ON PARALLEL TWY WITH ACFT ALIGNED ON TWY CNTRLN.

111 INSPECTOR: (F) 112 LAST INSP: 06/10/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SAN FAA SITE NR: 02170.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-031 OUTBOARD ENGINES OF FOUR-ENGINE ACFT ARE TO BE KEPT AT IDLE POWER FOR ALL GND MANEUVERING.
 A 110-037 PILOTS REQUIRED TO CTC ATCT GROUND CONTROLLER PRIOR TO PUSHBACK, TOW OUT AND TAXI FOR TRAFFIC ADVISORIES.
 A 110-038 MILITARY ACFT ON OFFICIAL BUSINESS ONLY CONTACT ARPT OPS AT 619-400-2710 FOR PPR.
 A 110-039 ASDE-X IN USE. OPERATE TRANSPONDERS WITH ALTITUDE REPORTING MODE AND ADS-B (IF EQUIPPED) ENABLED ON ALL AIRPORT SURFACES.
 A 110-040 TWY C EDGE LGTS OTS INDEFLY.
 A 110-042 ACFT CROSSING RY 09/27 ON TWY C6, HOLD SHORT OF TWY C6 FACING WEST ON TWY C, PARALLEL TO RY.
 A 110-043 DUE TO PAEW ON RY 09-27, 30 MINUTE PPR 0830-1230Z FOR ALL LANDINGS AND DEPARTURES CALL 619-400-2710.
 A 110-044 30 MIN PPR (619-400-2710) FOR ACFT WITH OVER 171 FT WINGSPAN.
 A 110-050 TAXIING ACFT ARE PROHIBITED FROM PASSING TO THE SOUTH OF ACFT LCTD ON TWY B INTO ALLEY LCTD BTWN GATES 7 AND 14.

111 INSPECTOR: (F) 112 LAST INSP: 06/10/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SAN FAA SITE NR: 02170.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-045 IN THE EVENT OF A DIVERSION OR IRREGULAR OPERATIONS EVENTS, ACFT OPERATORS CONTACT THE APT DUTY MGR (619) 400-2710 FOR PPR DUE TO LIMITATIONS ASSOCIATED WITH HANDLING DIVERTED FLTS. LIMITATIONS INCLUDE RESTRICTED GATE SPACE, CUSTOMS SERVICES AS WELL AS ACFT SERVICING & PARKING.
- A 110-051 TAXIING ACFT SHALL FOLLOW LEAD-IN LINES UNTIL THE NOSE WHEEL OF THE ACFT HAS ENTERED THE NON-MOVEMENT AREA OF THE ALLEY.
- A 110-052 FOR ACCESS TO/FR TERMINAL 2: GATES 23, 25, 27, 29, 31, 33-51 AND THE ISLAND AND WEST RON PRKG RAMPS, CTC RAMP CTL ON 129.775 SRY 131.975 FR 0600-2400. FR 0000-0600 CTC GROUND CTL ON 123.9.
- A 110-053 TAXILANE A RSTRD TO ACFT WITH WINGSPANS OF 135 FT OR LESS.
- A 110-056 RWY STATUS LGTS IN OPN.
- A 110-057 ACFT WITH WINGSPANS GTR THAN 171 FT (52M) RSTD FROM USING TWY D SOUTH OF TWY B, AND WHEN EXITING RWY 09 WB ON TWY B.

111 INSPECTOR: (F) 112 LAST INSP: 06/10/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SAN FAA SITE NR: 02170.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 06/10/2019 113 LAST INFO REQ: