



> 1 ASSOC CITY: SALINA 4 STATE: KS LOC ID: SLN FAA SITE NR: 06878.*A
 > 2 AIRPORT NAME: SALINA RGNL 5 COUNTY: SALINE KS
 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: WICHITA

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: SALINA ARPT AUTH
 > 12 ADDRESS: 3237 ARNOLD AVENUE
 SALINA, KS 67401
 > 13 PHONE NR: 785-827-3914
 > 14 MANAGER: MR. TIMOTHY F ROGERS
 > 15 ADDRESS: 3237 ARNOLD AVENUE
 SALINA, KS 67401
 > 16 PHONE NR: 785-827-3914
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

> 70 FUEL: 100LL A
 > 71 AIRFRAME RPRS: MAJOR
 > 72 PWR PLANT RPRS: MAJOR
 > 73 BOTTLE OXYGEN: NONE
 > 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AMB, CARGO, CHTR, INSTR, RNTL, SALES

BASED AIRCRAFT

90 SINGLE ENG: 70
 91 MULTI ENG: 8
 92 JET: 4
 93 HELICOPTERS: 4
 TOTAL: 86
 94 GLIDERS: 3
 95 MILITARY: 5
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 > 82 UNICOM: 122.950
 > 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: WICHITA
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER: 1,368
 102 AIR TAXI: 16,430
 103 G A LOCAL: 27,817
 104 G A ITRNT: 7,434
 105 MILITARY: 7,399
 TOTAL: 60,448
 OPERATIONS FOR
 12 MONTHS
 ENDING: 12/31/2020

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| | 04/22 | 12/30 | 17/35 | 18/36 |
|----------------------------------|-------------------|-------------------|-------------------|-------------------|
| > 30 RUNWAY INDENT: | 3,648 | 6,510 | 12,301 | 4,301 |
| > 31 LENGTH: | 75 | 100 | 150 | 75 |
| > 32 WIDTH: | ASPH-G | ASPH-E | ASPH-CONC-G | ASPH-E |
| > 33 SURF TYPE-COND: | | | NONE | |
| > 34 SURF TREATMENT: | | | 75.0 | 30.0 |
| 35 GROSS WT: S | 100.0 | 55.0 | 200.0 | |
| 36 (IN THSDS) D | 135.0 | 68.0 | 360.0 | |
| 37 2D | 230.0 | 125.0 | 600.0 | |
| 38 2D/2D2 | | | | |
| > 39 PCN: | 5 /F/C/Y/U | 23 /R/C/X/U | 75 /R/C/W/U | 11 /F/C/Y/U |
| LIGHTING/APCH AIDS | | MED | HIGH | |
| > 40 EDGE INTENSITY: | BSC - F / BSC - F | NPI - G / NPI - G | PIR - G / PIR - G | NPI - G / NPI - G |
| > 42 RWY MARK TYPE-COND: | / | P4L / P4L | P4L / P4R | / |
| > 43 VGS: | / | 45 / 45 | 52 / 48 | / |
| 44 THR COSSING HGT.: | / | 3.00 / 3.00 | 3.00 / 3.00 | / |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | / | / | / | / |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | MALS / MALS R | / |
| OBSTRUCTION DATA | | | | |
| 50 FAR 77 CATEGORY | B(V) / B(V) | C / C | D / PIR | B(V) / B(V) |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / BLDG | / | / GND | / |
| > 53 OBSTN MARKED/LGTD: | / L | / | / | / |
| > 54 HGT ABOVE RWY END: | / 46 | / | / 30 | / |
| > 55 DIST FROM RWY END: | / 1,550 | / | / 1,375 | / |
| > 56 CNTRLN OFFSET: | / 200L | / | / 500L | / |
| 57 OBSTN CLNC SLOPE: | 50:1 / 29:1 | 34:1 / 34:1 | 50:1 / 39:1 | / |
| 58 CLOSE-IN OBSTN: | N / N | N / N | N / N | N / N |
| DECLARED DISTANCES | | | | |
| > 60 TAKE OFF RUN AVBL (TORA): | 3,648 / 3,648 | 6,510 / 6,510 | 12,300 / 12,300 | 4,300 / 4,300 |
| > 61 TAKE OFF DIST AVBL (TODA): | 3,648 / 3,648 | 6,510 / 6,510 | 12,300 / 12,300 | 4,300 / 4,300 |
| > 62 ACLT STOP DIST AVBL (ASDA): | 3,648 / 3,648 | 6,510 / 6,510 | 12,300 / 12,300 | 4,300 / 4,300 |
| > 63 LNDG DIST AVBL (LDA): | 3,648 / 3,648 | 6,510 / 6,510 | 12,300 / 12,300 | 4,300 / 4,300 |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 026 RWY 4/22 & RWY 18/36 NOT AVBL FOR SCHEDULED ACR OPNS WITH MORE THAN 9 PSGR SEATS OR UNSCHEDULED ACR AT LEAST 31 PSGR SEATS
 A 026 PPR 24 HRS FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 785-827-3914. ARFF INDEX B PROVDD SUN-SAT 0600 TO 2200 (LOCAL). INDEX E AVBL UPON REQ.
 A 081 WHEN ATCT CLSD ACTVT MIRL RY 12/30; PAPI RYS 12 & 30; HIRL RY 17/35; MALS & PAPI RYS 17 & 35; MALS RY 35 - CTAF.
 A 110-002 NO LINE OF SIGHT, ALL RYS DUE TO GRADIENT, TOPOGRAPHY & TREES.
 A 110-005 SEASONAL MOWING OPNS ADJ TO RYS & TWYS.
 A 110-006 CALM WND RY 35.
 A 110-008 ARNG: OPR 1300-2300Z++ TUE-FRI; OCNL SAT EXC HOL. LTD MAINT UH-60. ARNG, AR AND A CTC ARNG OPS PRIOR TO LDG OR CALL 785 827 3914 FOR LIASON.
 A 110-009 SVC: JASU- 2(A/M32-95) 2(A/M32-60B) 1(A/M32-86D).
 A 110-010 SVC: FLUID- LPOX, HPOX, LPNIT, LOX (72HR NOTICE) DEICING SERVICE TYPE 1& TYPE 4 OIL 0-128-148 AVBL IN QUART CANS TRANS SVC AVBL AT FBO. LOGISTICAL SVC AVBL FOR DETS AND RON AT FBO (AVFLIGHT SALINA, 785-825-6739/CELL 785-819-2236.)

111 INSPECTOR: (F) 112 LAST INSP: 02/04/2020 113 LAST INFO REQ: 01/04/1991

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: KS LOC ID: SLN FAA SITE NR: 06878.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| | H1 | H2 | H3 | H4 |
|----------------------------------|--------|--------|--------|--------|
| | 57 | 29 | 30 | 57 |
| | 57 | 28 | 30 | 43 |
| | CONC-G | ASPH-G | CONC-G | ASPH-G |
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |
| OBSTRUCTION DATA | | | | |
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | N / N | N / N | N / N | N / N |
| DECLARED DISTANCES | | | | |
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-011 ARNG: RAMP SPACE AVBL TO ACCOMMODATE UP TO 80 FIGHTERS. SMOKY HILL ANG WEAPONS RANGE 16 NM TO THE SW. COORD RANGE TIME AT DSN 743-7600 EXT 148. MILITARY BILLETING AVAILABLE 888-577-8257. LOGISTIC EQPT AVBL FOR USE. ORDNANCE STORAGE FOR CLASS 1.3 THRU 1.4.
- A 110-012 ARNG: TSNT ARMY ACFT CTC SALINA GUARD OPS ON 229.80 OR 34.10 SC RED. LIMITED UH-60 SVC AND MAINT AVBL.
- A 110-013 100LL SELF SVC FUELING STN LOCATED SOUTH OF KANSAS ANG.
- A 110-014 GND SUPPORT AND LOGISTICS EQUIP AVBL INCL TUGS, BOBTAILS, TOW BARS AND AIRSTAIRS.
- A 110-015 RY 04/22 AND RY 18-36 UNAVBL FOR USE BY ACR WITH MORE THAN 9 PSGR SEATS.
- A 110-016 H1 INGRESS/EGRESS 070 DEG THROUGH 040 DEG TO AVOID CTL TWR.
- A 110-017 ALL HELIPADS DALGT USE ONLY.
- A 110-018 H3, H4, H5, H6 USED EXTSVLY FOR TRNG.
- A 110-019 H2, H3 LTD TO 6,000 LBS; H4, H5 LTD TO 25,000 LBS.
- A 110-020 NOISE ABATEMENT: HEAVY & MIL ACFT TPA AT 2,800 MSL OR ABOVE.
- A 110-021 FOR CD IF UNA TO CTC ON FSS FREQ, CTC KANSAS CITY ARTCC AT 913-254-8508.

111 INSPECTOR: (F) 112 LAST INSP: 02/04/2020 113 LAST INFO REQ:

