



> 1 ASSOC CITY: SANTA MONICA 4 STATE: CA LOC ID: SMO FAA SITE NR: 02253.*A
 > 2 AIRPORT NAME: SANTA MONICA MUNI 5 COUNTY: LOS ANGELES CA
 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF SANTA MONICA
 > 12 ADDRESS: 3223 DONALD DOUGLAS LOOP S.
 SANTA MONICA, CA 90405
 > 13 PHONE NR: (310) 458-8692
 > 14 MANAGER: STELIOS MAKRIDES
 > 15 ADDRESS: 3223 DONALD DOUGLAS LOOP S.
 SANTA MONICA, CA 90405
 > 16 PHONE NR: (310) 458-8692
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

> 70 FUEL: 100LL A UL94
 > 71 AIRFRAME RPRS: MAJOR
 > 72 PWR PLANT RPRS: MAJOR
 > 73 BOTTLE OXYGEN: HIGH
 > 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: TIE
 76 OTHER SERVICES: AVNCS, CHTR, INSTR, RNTL, SALES

BASED AIRCRAFT

90 SINGLE ENG: 68
 91 MULTI ENG: 6
 92 JET: 0
 93 HELICOPTERS: 0
 TOTAL: 74
 94 GLIDERS: 0
 95 MILITARY: 0
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 > 82 UNICOM: 122.950
 > 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: HAWTHORNE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER: 0
 102 AIR TAXI: 2,702
 103 G A LOCAL: 27,038
 104 G A ITNRNT: 37,869
 105 MILITARY: 43
 TOTAL: 67,652
 OPERATIONS FOR
 12 MONTHS
 ENDING: 10/31/2021

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| 03/21 | H1 |
|--------|--------|
| 3,500 | 40 |
| 150 | 40 |
| ASPH-G | ASPH-G |
| GRVD | |
| 40.0 | |
| 60.0 | |
| 105.0 | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| MED | PERI | | |
|-------------------|-------------|-------|-------|
| NPI - G / NPI - G | BSC - G / - | - / - | - / - |
| P4L / P4L | / | / | / |
| 28 / 45 | / | / | / |
| 3.42 / 3.50 | / | / | / |
| N - N / N - N | - / - | - / - | - / - |
| - N / - N | - / - | - / - | - / - |
| N / Y | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | | | |
|-------------|-------|---|---|
| B(V) / B(V) | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| 20:1 / 20:1 | / | / | / |
| N / N | N / N | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | |
|---------------|---|---|---|
| 3,500 / 3,500 | / | / | / |
| 3,500 / 3,500 | / | / | / |
| 3,500 / 3,500 | / | / | / |
| 3,500 / 3,500 | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 070 100LL FULL SVC ONLY.
 A 081 WHEN ATCT CLSD ACTVT REIL RWY 21; MIRL RWY 03/21 - CTAF.
 A 110-005 HEL FLT TRNG OPN PROHIBITED; HEL OPNS APCH ARPT BDRY AT MIDFIELD AT OR ABOVE 900 FT MSL.
 A 110-007 INTXN DEPS AND FRMN LNDGS/DEPS PROHIBITED.
 A 110-009 RWY 03/21 DEP END APPROX 1000 FT FM RESIDENTIAL HOMES. EXTENDED HIGH POWER SETTINGS ON RUN-UP OR DEP NEGATIVELY IMPACT THE COMMUNITY.
 A 110-012 PPR RQRD FOR DW ACFT IN EXCESS OF 60000 LBS CRTFYD MAX LDG WT, CTC AMGR 310-458-8692.
 A 110-013 NO TOUCH/GO, STOP/GO, OR LOW APCH PERMITTED ON SAT, SUN, HOLS; WEEKDAYS SS-0700.
 A 110-014 VFR DEPS RWY 21 TURN LEFT 10 DEGS OVER SMO VOR THEN TURN RIGHT 225 DEGS
 A 110-015 IF DEP NORTH, NO RIGHT TURNS BFR RCHG SHORELINE. RWY 03 DEP NO TURNS PRIOR TO 405 FREEWAY LCTD 1 MI EAST.
 A 110-016 ENG MAINT RUN-UP: JETS AND TURBOPROPS NORTH SIDE, WI 300 FT EAST OF TWY A4. PISTON SNGLS AND TWINS ON SOUTH SIDE, WI 300 FT EAST OF TWY B4. 0900-1700 ONLY.
 A 110-017 CONS NOISE ORDINANCE IN EFCT CTC NOISE OFFICE FOR PROCS (310) 458-8692.
 A 110-018 NOISE LMTS ALL ACFT: PURE JET AND STAGE II (WITH/WITHOUT HUSHKITS) PROHIBITED. MAX NOISE LIMIT 95.0 DBA SNGL EVENT NOISE EXPOSURE LEVEL (SENEL) RCRDD 2200 FT EXTDD CNTRLN.
 111 INSPECTOR: (S) 112 LAST INSP: 11/18/2021 113 LAST INFO REQ: 07/30/1984

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SMO FAA SITE NR: 02253.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-019 PPR EX-MIL ACFT CTC ARPT MGR (310) 458-8692.
- A 110-020 CURFEW: NO ENG STARTS, APU, OR TKOFS EXC PPR LIFEGUARD FLTS 2300-0700 MON-FRI AND 2300-0800 WKENDS.
- A 110-022 TURBINE ACFT & ACFT OVER 12,000 LBS PROHIBITED ON SOUTH SIDE TSNT PKNG.
- A 110-023 IFR JETS & TURBOPROPS CTC GND PRIOR TO ENG START.
- A 110-024 PURE JET AND STAGE II (WITH/WITHOUT HUSH KITS) PROHIBITED.
- A 110-025 TSNT PRKG SOUTH SIDE, NEXT TO BCN.
- A 110-026 THE PAVED AREAS PRECDG THE RWY 3-21 THRS ARE NOT AVBL FOR LDG, TKOF, OR TAXI OPS. THE PAVED AREAS ARE NOW BLAST PADS CREATED FROM THE THRS' RELOCATION AND RWY LENGTH REDUCTION IN DECEMBER 2017.
- A 110-027 ACFT MUST NOW EXIT THE RWY AT DSGND CONNECTOR TWYS. THE CONS RWY EXIT SYS IS NO LONGER AVBL.
- A 110-028 FOR CD WHEN ATCT CLSD CTC SOCIAL APCH AT 800-448-3724.

111 INSPECTOR: (S) 112 LAST INSP: 11/18/2021 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SMO FAA SITE NR: 02253.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (S) 112 LAST INSP: 11/18/2021 113 LAST INFO REQ: