

> 1 ASSOC CITY: FAIRFIELD 4 STATE: CA LOC ID: SUU FAA SITE NR: 01565.1*A
 > 2 AIRPORT NAME: TRAVIS AFB 5 COUNTY: SOLANO CA
 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: SAN FRANCISCO

GENERAL

10 OWNERSHIP: AIR FORCE
 > 11 OWNER: USAF
 > 12 ADDRESS: TRAVIS AFB
 FAIRFIELD, CA 94535
 > 13 PHONE NR:
 > 14 MANAGER: BASE OPERATIONS (USAF)
 > 15 ADDRESS: TRAVIS AFB
 FAIRFIELD, CA 94535
 > 16 PHONE NR: 707-424-2836
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

> 70 FUEL: 115 A++ B+

BASED AIRCRAFT

90 SINGLE ENG: 0
 91 MULTI ENG: 0
 92 JET: 0
 93 HELICOPTERS: 0
 TOTAL: 0
 94 GLIDERS: 0
 95 MILITARY: 3
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED: BCN LGT SKED: SS-SR
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: RANCHO MURIETA
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

032/212	03L/21R	03R/21L
3,500	11,001	10,995
90	300	150
CONC	PEM	CONC

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

MED	HIGH	HIGH
- / -	PIR - G / PIR - G	PIR - G / PIR - G
	75 75	69 75

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-001 BEARING STRENGTH RWY 03L/21R: S81 T122 ST175 SBTT590 TT332 TDT837 DDT760 TRT580.
 A 110-002 BEARING STRENGTH RWY 03R/21L: S81 T122 ST175 SBTT590 TT332 TDT837 DDT760 TRT580.
 A 110-003 RWY-LGTS: RWY 21L SF.
 A 110-005 JASU - 1(MA-1) 6(MA-1A) 1(MC-1A) 1(MC-2A) 8(A/M32A-86) 1(707 STARTING UNIT).
 A 110-006 FUEL - J8.
 A 110-007 OIL - O-128-133-148-156.
 A 110-008 TRAN ALERT - SVC 24 HR DLY. EXP EXTVC SVC DELAY WKEND AND HOL. TRAN ACFT, EXC AMC MSN, CTC COMD POST NOT LATER THAN 15 MIN OUT FOR SVC REQ. FLEET SVC AVBL.
 A 110-009 REMARKS: HVY CONCENTRATION OF BLACKBIRDS, GULLS, AND OTR MIGRATORY BIRDS IN THE APCH AND DEP RTES AND ALG INFIELD AREAS FROM 1 OCT-30 NOV AND FROM 1 FEB-30 APR (PHASE II).
 A 110-014 CAUTION: RWY EDGE LGTS FOR BOTH RWYS LCTD MORE THAN 10 FT FROM EDGE OF USABLE RWY SFC.
 A 110-015 CAUTION: EXTVC LGT ACFT OPR. POSSIBLE RF INTERFERENCE ALL FREQ 9 NM NE OVER VOA TRANS. EXP WIND SHEAR BLW 2000' ON APCH TO ALL RWY. HVY C5 JET TFC IN IMMED VCNTY. HI DENSITY VFR TFC CROSS FINAL APCH AND DEP CRS.
 A 110-016 CAUTION: ARR ACFT EXP HVY JET ACFT CROSS RWY TO PARL TWY. AVOID OVFT OF FRNG RNG LCTD 550 FT RGT OF CNTRLNE AND 1 NM PRIOR TO APCH END RWY 21R WHEN RED BCN IS ON OR RED FLAG IS DISPLAYED.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 09/09/1976

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SUU FAA SITE NR: 01565.1*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-020 MISC: ALL ACFT CARRYING DV WILL NOTIFY COMD POST NO LATER THAN 24 HR PRIOR WITH ARR TIME AND RQR AT DSN 837-5517 OR C707-424-5517. ACFT WITH DV CODE 7 OR ABV AND ALL INBD PAX/CARGO ACFT MUST CTC COMD POST 30 MIN PRIOR TO LDG AND CONFIRM BLOCK TIME.
 A 110-021 MISC: AFLD MGMT DSN 837-2836, C707-424-2836. FIRST 2175 FT RWY 03R AND FIRST 1000 FT RWY 21L CONC; 75 FT KEEL SECTION IS CONC, RMNG WIDTH IS REINFORCED ASPH, 38 FT ON EITHER SIDE OF KEEL. FIRST 1000 FT RWY 21R AND FIRST 2900 FT RWY 03L CONC, MID 7100 FT ASPH.
 A 110-024 RSTD: MAX PERFORMANCE CLIMBS ARE PROH FOR HI PERFORMANCE ACFT. WHEN RWY 03L-21R NOT AVBL, AIRCREW SHOULD REQ 15 MIN EARLY ENG START FOR RQR BACK TAXI OPR. B52 ACFT TAXI OPR LTD TO TWY G, N AND M ONLY.
 A 110-028 CAUTION: TAKE-OFF OBSTACLES RWY 3L : 122' MSL (58' AGL) PARKED KC10 TAILS 966 TO 1870' FROM DEPARTURE END OF RUNWAY, 738 TO 958' LEFT OF CENTELINE.
 A 110-030 RSTD: ACFT LARGER THAN C17, TOW ONLY ON TWY L.
 A 110-032 TFC PAT REVISE TO: RECTANGULAR 1600', OVERHEAD 2100'.
 A 110-033 CAUTION: TWY N MAY BE TMPRY CLSD WO NTC S OF 900 RAMP DUE TO C17 COMBAT OFF-LOAD/STAR TRNG.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SUU FAA SITE NR: 01565.1*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-034 CAUTION: OUTBOARD ENGINES RESTRICTED TO IDLE ON TWY A, B, D, AND M RY 03R/21L & RY 03L/21R FOR B747 AND LARGER.
 A 110-035 CAUTION: NO C17 COMBAT OFFLOADS AUTHORIZED ON TWY DELTA EAST OF RWY 21L/3R.
 A 110-036 MISC: BACKING OPS PROH ON SPOTS 511 THRU 515. SHOULDERS ARE NON-LOAD SFCS. RWY 21L/03R GROOVED 148 FT ENTIRE RY.
 A 110-038 SERVICE-LGT: RWY 21R THLD LGTS GATED.
 A 110-039 CAUTION: RWY 03L/21R AND RWY 03R/21L EDGE LGTS HAVE GAPS OF MORE THAN 400 FT ON THE APCH/DEP END OF THE RWYS.
 A 110-040 RSTD: 180 DEG TURN RSTD TO END OF RWY/THLD AREAS.
 A 110-042 CAUTION: BA ON RWYS 03L/21R AND 03R/21L MAY BE IMPAIRED DUE TO HVY RUBBER DEPOSITS. RWY 03L/21R PAVEMENT SFC DEGRADED, AIRCREWS SHOULD EXER CTN WHEN STANDING WATER IS PRESENT, EXP RDCD BRKG PER AND/OR POSS HYDROPLANING.
 A 110-043 CSTMS/AG/IMG - DUE TO LTD. CSTMS, PN/COORD RQR FOR ARR OUTSIDE NML WKD HR. FOR NGT, SAT, SUN AND HOL ARR, 1 HR PN RQR. MSN COORD THRU TRAVIS COMD POST AT DSN 837-5517 OR C707-424-5517.
 A 110-044 CAUTION: RVR UNAVBL FOR APCH END RWY 21R/DEP END RWY 3L.
 A 110-045 RWY: RWY 21L/03R GROOVED 148 FT ENTIRE RWY. RWY 21R FIRST 1000 FT CONC NOT GROOVED. RWY 03L FIRST 4800 FT CONC, GROOVED ONLY BTN 8900 FT AND 5200 FT REMAINING. RWY 21R ASPH BTN 10000 FT AND 4800 FT REMAINING.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SUU FAA SITE NR: 01565.1*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ: