

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: NAPLES 4 STATE: FL LOC ID: APF FAA SITE NR: 03379.*A
 > 2 AIRPORT NAME: NAPLES MUNI 5 COUNTY: COLLIER FL
 3 CBD TO AIRPORT (NM): 02 NE 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF NAPLES APT AUTH
 > 12 ADDRESS: 160 AVIATION DR NORTH
 NAPLES, FL 34104
 > 13 PHONE NR: 239-643-0733
 > 14 MANAGER: CHRISTOPHER A. ROZANSKY
 > 15 ADDRESS: 160 AVIATION DR NORTH
 NAPLES, FL 34104
 > 16 PHONE NR: 239-643-0733
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL 0600-2200

SERVICES

70 FUEL: 100LL A A+ UL94
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH/LOW
 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AGRI, AMB, CHTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 26-09-08.7869N ESTIMATED
 20 ARPT LONG: 081-46-32.3011W
 21 ARPT ELEV: 8.3 SURVEYED
 22 ACREAGE: 732
 > 23 RIGHT TRAFFIC: 05, 14
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY3
 > 26 FAR 139 INDEX: I A S 01/1983

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM:
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: MIAMI
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	05/23	14/32	NE/SW
> 30 RUNWAY INDENT:	6,600	5,001	1,850
> 31 LENGTH:	150	100	100
> 32 WIDTH:	ASPH-F	ASPH-G	TURF-G
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
35 GROSS WT: S	75.0	75.0	
36 (IN THSDS) D			
37 2D			
38 2D/2D2			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	MED	MED	NSTD - G / NSTD - G	- / -
> 40 EDGE INTENSITY:	NPI - G / NPI - G	NPI - G / NPI - G	NSTD - G / NSTD - G	- / -
> 42 RWY MARK TYPE-COND:	P4R / P4L	P4L / P4L	/	/
> 43 VGS:	31 / 49	41 / 48	/	/
44 THR COSSING HGT.:	3.50 / 3.50	3.50 / 3.50	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y / Y	Y / Y	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	C / C	A(NP) / A(NP)	A(V) / A(V)	/
50 FAR 77 CATEGORY	800 / 799	128 / 451	/	/
> 51 DISPLACED THR:	ROAD / FENCE	TREES / TREES	/	/
> 52 CTLG OBSTN:	L / L	/	/	/
> 53 OBSTN MARKED/LGTD:	15 / 8	47 / 44	/	/
> 54 HGT ABOVE RWY END:	385 / 215	1,155 / 1,275	/	/
> 55 DIST FROM RWY END:	250R / 250R	240L / 165R	/	/
> 56 CNTRLN OFFSET:	12:1 / 2:1	20:1 / 24:1	50:1 / 50:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	5,800 / 5,800	5,001 / 5,001	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,800 / 5,800	5,001 / 5,001	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,800 / 5,800	4,550 / 4,873	/	/
> 63 LNDG DIST AVBL (LDA):	5,000 / 5,000	4,422 / 4,422	/	/

> 110 REMARKS

A 039 RWY 05/23 PCR VALUE: 210/F/B/X/T
 A 039 RWY 14/32 PCR VALUE: 320/F/B/X/T
 A 042 RWY NE/SW MKD WITH PAVERS & PVC PIPES.
 A 042 RWY NE/SW MKD WITH PAVERS & PVC PIPES.
 A 057 RWY 05 APCH SLOPE 50:1 TO DSPLCD THR.
 A 057 RWY 23 APCH SLOPE 47:1 TO DSPLCD THR.
 A 081 WHEN ATCT CLSD ACTVT REIL RWY 05, 14, 23 & 32; PAPI RWY 14 & 32; MIRL RWY 05/23 & 14/32 - CTAF.
 A 082 FOR FBO SVC CTC NAPLES AVN - 128.825.
 A 110-001 EXTRMY NOISE SENSITIVE AREA; USE NOISE ABATEMENT PROCS.
 A 110-003 CLSD TO ACFT EXCEEDING 75000 LBS MAX GWT DUAL GEAR INDCD ON ACFT OPRG CERT ISSUED BY MANUFACTURER.
 A 110-007 TWY C FM C-1 TO ER RWY 32 NOT VISIBLE FM ATCT.
 A 110-008 VOLUNTARY RESTRICTIONS EXIST FOR ALL ACFT OPS 2200-0700.
 A 110-009 FOR CD IF UNA TO CTC ON FSS FREQ, CTC FT MYERS APCH AT 239-416-1026, WHEN APCH CLSD CTC MIAMI ARTCC AT 305-716-1731.
 A 110-010 RUNUPS NA 2200 - 0700; TWY A RUNUP PADS FOR RWY 5/23 PISTON ACFT ONLY; JET ACFT RUNUP AREA TWY C BTW TWY C3 & TWY D PPR - ATCT .

111 INSPECTOR: (F)

112 LAST INSP: 05/14/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: APF FAA SITE NR: 03379.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-011 RWY 23 DSGND CALM WIND RWY FOR ARRS 2200-0600. RWY 5 DSGND CALM WIND RWY FOR DEPS 2200-0600.
- A 110-012 FULL SVC FUEL NOT AVBL DLY 0130-1030Z.
- A 110-013 APF GA APN CTN OBST LGT POLES.
- A 110-014 WX MOD ACFT NOTIFY OPS 24 HRS PRIOR TO ARR 239-564-1692

111 INSPECTOR: (F)

112 LAST INSP: 05/14/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/17/2026
AFD EFF 05/14/2026