

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026

> 1 ASSOC CITY: NAPLES 4 STATE: FL LOC ID: APF FAA SITE NR: 03379.\*A  
 > 2 AIRPORT NAME: NAPLES MUNI 5 COUNTY: COLLIER FL  
 3 CBD TO AIRPORT (NM): 02 NE 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: CITY OF NAPLES APT AUTH  
 > 12 ADDRESS: 160 AVIATION DR NORTH  
 NAPLES, FL 34104  
 > 13 PHONE NR: 239-643-0733  
 > 14 MANAGER: CHRISTOPHER A. ROZANSKY  
 > 15 ADDRESS: 160 AVIATION DR NORTH  
 NAPLES, FL 34104  
 > 16 PHONE NR: 239-643-0733  
 > 17 ATTENDANCE SCHEDULE:  
 ALL ALL 0600-2200

### SERVICES

70 FUEL: 100LL A A+ UL94  
 71 AIRFRAME RPRS: MAJOR  
 72 PWR PLANT RPRS: MAJOR  
 73 BOTTLE OXYGEN: HIGH/LOW  
 74 BULK OXYGEN: NONE  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES:  
 AGRI, AMB, CHTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM:  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: YES  
 85 CONTROL TWR: YES  
 86 FSS: MIAMI  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:  
 > 26 FAR 139 INDEX: I A S 01/1983

	05/23	14/32	NE/SW
> 30 RUNWAY INDENT:	6,600	5,001	1,850
> 31 LENGTH:	150	100	100
> 32 WIDTH:	ASPH-F	ASPH-G	TURF-G
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
> 34 SURF TREATMENT:		75.0	
35 GROSS WT: S	75.0	75.0	
36 (IN THSDS) D			
37 2D			
38 2D/2D2			
> 39 PCN:			
<b>LIGHTING/APCH AIDS</b>			
> 40 EDGE INTENSITY:	MED	MED	
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	NPI - G / NPI - G	NSTD - G / NSTD - G
> 43 VGSI:	P4R / P4L	P4L / P4L	/ /
44 THR COSSING HGT.:	31 / 49	41 / 48	/ /
45 VISUAL GLIDE ANGLE:	3.50 / 3.50	3.50 / 3.50	/ /
> 46 CNTRLN-TDZ:	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -
> 48 REIL:	Y / Y	Y / Y	/ /
> 49 APCH LIGHTS:	/	/	/ /
<b>OBSTRUCTION DATA</b>			
50 FAR 77 CATEGORY	C / C	A(NP) / A(NP)	A(V) / A(V)
> 51 DISPLACED THR:	800 / 799	128 / 451	/ /
> 52 CTLG OBSTN:	ROAD / FENCE	TREES / TREES	/ /
> 53 OBSTN MARKED/LGTD:	L / L	/	/ /
> 54 HGT ABOVE RWY END:	15 / 8	47 / 44	/ /
> 55 DIST FROM RWY END:	385 / 215	1,155 / 1,275	/ /
> 56 CNTRLN OFFSET:	250R / 250R	240L / 165R	/ /
57 OBSTN CLNC SLOPE:	12:1 / 2:1	20:1 / 24:1	50:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N
<b>DECLARED DISTANCES</b>			
> 60 TAKE OFF RUN AVBL (TORA):	5,800 / 5,800	5,001 / 5,001	/ /
> 61 TAKE OFF DIST AVBL (TODA):	5,800 / 5,800	5,001 / 5,001	/ /
> 62 ACLT STOP DIST AVBL (ASDA):	5,800 / 5,800	4,550 / 4,873	/ /
> 63 LNDG DIST AVBL (LDA):	5,000 / 5,000	4,422 / 4,422	/ /

### > 110 REMARKS

A 039 RWY 05/23 PCR VALUE: 210/F/B/X/T  
 A 039 RWY 14/32 PCR VALUE: 320/F/B/X/T  
 A 042 RWY NE/SW MKD WITH PAVERS & PVC PIPES.  
 A 042 RWY NE/SW MKD WITH PAVERS & PVC PIPES.  
 A 057 RWY 05 APCH SLOPE 50:1 TO DSPLCD THR.  
 A 057 RWY 23 APCH SLOPE 47:1 TO DSPLCD THR.  
 A 081 WHEN ATCT CLSD ACTVT REIL RWY 05, 14, 23 & 32; PAPI RWY 14 & 32; MIRL RWY 05/23 & 14/32 - CTAF.  
 A 082 FOR FBO SVC CTC NAPLES AVN - 128.825.  
 A 110-001 EXTRMY NOISE SENSITIVE AREA; USE NOISE ABATEMENT PROCS.  
 A 110-003 CLSD TO ACFT EXCEEDING 75000 LBS MAX GWT DUAL GEAR INDCD ON ACFT OPRG CERT ISSUED BY MANUFACTURER.  
 A 110-007 TWY C FM C-1 TO ER RWY 32 NOT VISIBLE FM ATCT.  
 A 110-008 VOLUNTARY RESTRICTIONS EXIST FOR ALL ACFT OPS 2200-0700.  
 A 110-009 FOR CD IF UNA TO CTC ON FSS FREQ, CTC FT MYERS APCH AT 239-416-1026, WHEN APCH CLSD CTC MIAMI ARTCC AT 305-716-1731.  
 A 110-010 RUNUPS NA 2200 - 0700; TWY A RUNUP PADS FOR RWY 5/23 PISTON ACFT ONLY; JET ACFT RUNUP AREA TWY C BTW TWY C3 & TWY D PPR - ATCT .

111 INSPECTOR: (F) 112 LAST INSP: 05/14/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: FL LOC ID: APF FAA SITE NR: 03379.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-011 RWY 23 DSGND CALM WIND RWY FOR ARRS 2200-0600. RWY 5 DSGND CALM WIND RWY FOR DEPS 2200-0600.  
A 110-012 FULL SVC FUEL NOT AVBL DLY 0130-1030Z.  
A 110-013 APF GA APN CTN OBST LGT POLES.  
A 110-014 WX MOD ACFT NOTIFY OPS 24 HRS PRIOR TO ARR 239-564-1692

111 INSPECTOR: ( F )

112 LAST INSP: 05/14/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/9/2026  
AFD EFF 07/09/2026