

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: SCOTTSBLUFF 4 STATE: NE LOC ID: BFF FAA SITE NR: 12915.*A
> 2 AIRPORT NAME: SCOTTSBLUFF/WESTERN NEBRASKA RGNL/WMM B HEILIG 5 COUNTY: SCOTTS BLUFF NE
> 3 CBD TO AIRPORT (NM): 03 E 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: CHEYENNE

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: AIRPORT AUTHORITY OF SCOTTSBLUFF CO
> 12 ADDRESS: 250023 AIRPORT TERMINAL ST., SUITE 10
SCOTTSBLUFF, NE 69361
> 13 PHONE NR: 308-635-4941
> 14 MANAGER: RAUL AGUALLO
> 15 ADDRESS: 250023 AIRPORT TERMINAL ST., SUITE 10
SCOTTSBLUFF, NE 69361
> 16 PHONE NR: (308) 631-7449
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0600-2100

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AGRI, CHTR, GLD, INSTR, SALES,
SURV, TOW

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: COLUMBUS
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 41-52-26.5000N ESTIMATED
20 ARPT LONG: 103-35-44.3000W
21 ARPT ELEV: 3967.3 SURVEYED
22 ACREAGE: 1,806
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGRY
> 26 FAR 139 INDEX: I A S 05/1973

RUNWAY DATA

| | 05/23 | 12/30 |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT: | 8,002 | 8,279 |
| > 31 LENGTH: | 150 | 150 |
| > 32 WIDTH: | ASPH-G | ASPH-G |
| > 33 SURF TYPE-COND: | NONE | NONE |
| > 34 SURF TREATMENT: | 98.0 | 109.0 |
| 35 GROSS WT: S | 158.0 | 178.0 |
| 36 (IN THSDS) D | 285.0 | 321.0 |
| 37 2D | | |
| 38 2D/2D2 | | |
| > 39 PCN: | | |

LIGHTING/APCH AIDS

| | MED | HIGH | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - G / NPI - G | PIR - G / PIR - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | V4L / P4L | P4L / P4L | / | / |
| > 43 VGSI: | 50 / 52 | 57 / 53 | / | / |
| 44 THR COSSING HGT.: | 3.00 / 3.00 | 3.00 / 3.00 | / | / |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | / | N / | / | / |
| > 48 REIL: | / | MALSR / MALSR | / | / |
| > 49 APCH LIGHTS: | / | | / | / |

OBSTRUCTION DATA

| | C / C | PIR / PIR | | |
|-------------------------|-------------|-------------|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / ROAD | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / 31 | / | / | / |
| > 54 HGT ABOVE RWY END: | / 1,650 | / | / | / |
| > 55 DIST FROM RWY END: | / 0B | / | / | / |
| > 56 CNTRLN OFFSET: | 50:1 / 46:1 | 50:1 / 50:1 | / | / |
| 57 OBSTN CLNC SLOPE: | N / N | N / N | / | / |
| 58 CLOSE-IN OBSTN: | | | | |

DECLARED DISTANCES

| | 8,002 / 8,002 | 8,279 / 8,279 | | |
|----------------------------------|---------------|---------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 8,002 / 8,002 | 8,279 / 8,279 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 8,002 / 8,002 | 8,279 / 8,279 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 8,002 / 8,002 | 8,279 / 8,279 | / | / |
| > 63 LNDG DIST AVBL (LDA): | 8,002 / 8,002 | 8,279 / 8,279 | / | / |

> 110 REMARKS

A 016 CELL PHONE 308-631-8098 OR 308-631-1591.
A 017 FOR SVC AFTER HRS CALL 308-635-0162.
A 026 PPR 24 HRS FOR ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 308-635-4941. AIR CARRIER OPS OVER 9 PASSENGER SEATS NOT AUTHORIZED IN EXCESS OF 15 MINUTES BEFORE OR AFTER SCHEDULED ARRIVAL/DEP TIMES EXCEPT WITH PRIOR COORDINATION WITH AIRPORT MGR. ARFF INDEX B EQUIPMENT IS PROVIDED.
A 039 RWY 05/23 PCR VALUE: 2472/F/C/X/T
A 039 RWY 12/30 PCR VALUE: 2472/F/C/X/T
A 081 ACTVT MIRL RY 05/23; HIRL RY 12/30; MALSR RYS 12 & 30 & VASI RY 05 & PAPI RYS 12 , 23 AND 30 - CTAF.
A 110-001 RY 30 DESIGNATED CALM WIND RY.
A 110-003 WATERFOWL ON & INVOF ARPT.
A 110-004 LINE OF SITE RESTRICTIONS BTWN APCH ENDS OF RYS 05 & 30 & ALSO BTWN THE APCH ENDS OF RYS 12 & 23.
A 110-005 APRON PAVEMENT STRENGTH, S-85, D-117, DT-232. PCN IS 31/R/A/W/T.
A 110-006 AC AND DC GROUND POWER UNITS AVAILABLE
A 110-007 LAVATORY SERVICE AVAILABLE
A 110-008 FOR CD CTC DENVER ARTCC ON FREQ. IF UNA, CTC FSS ON FREQ VIA RCO. IF UNA, CTC DENVER ARTCC AT 303-651-4257.

111 INSPECTOR: (F) 112 LAST INSP: 05/15/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NE LOC ID: BFF FAA SITE NR: 12915.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/15/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/10/2026
AFD EFF 06/11/2026