

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: BINGHAMTON 4 STATE: NY LOC ID: BGM FAA SITE NR: 14904.*A
 > 2 AIRPORT NAME: GREATER BINGHAMTON/EDWIN A LINK FLD 5 COUNTY: BROOME NY
 3 CBD TO AIRPORT (NM): 07 N 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: BROOME COUNTY
 > 12 ADDRESS: 2534 AIRPORT ROAD #16
 JOHNSON CITY, NY 13790
 > 13 PHONE NR: 607-763-4471
 > 14 MANAGER: MARK HEEFNER
 > 15 ADDRESS: 2534 AIRPORT ROAD, #16
 JOHNSON CITY, NY 13790
 > 16 PHONE NR: 607-763-4471
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MINOR
 72 PWR PLANT RPRS: MINOR
 73 BOTTLE OXYGEN: HIGH/LOW
 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AMB, AVNCS, CARGO, CHTR, INSTR, RNTL,
 SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 42-12-30.4000N ESTIMATED
 20 ARPT LONG: 075-58-46.6000W
 21 ARPT ELEV: 1635.6 SURVEYED
 22 ACREAGE: 1,199
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGY
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SEE RMK
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: BUFFALO
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	10/28	16/34	H1
> 30 RUNWAY INDENT:	5,001	7,305	54
> 31 LENGTH:	150	150	54
> 32 WIDTH:	ASPH-E	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
35 GROSS WT: S	81.0	112.0	
36 (IN THSDS) D	103.0	147.0	
37 2D	168.0	221.0	
38 2D/2D2			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	MED	HIGH	PERI
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	BSC - G / -
> 42 RWY MARK TYPE-COND:	V4L / V4L	P2L / P2L	/ /
> 43 VGS:	53 / 45	61 / 64	/ /
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/ /
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	TR - Y / TR - Y	- / -
> 47 RVR-RVV:	N / Y	/	/
> 48 REIL:	/	MALSR / MALSR	/
> 49 APCH LIGHTS:			

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	C / C	PIR / PIR	/
50 FAR 77 CATEGORY	/	400 / 205	/
> 51 DISPLACED THR:	/	ANT /	/
> 52 CTLG OBSTN:	/	L /	/
> 53 OBSTN MARKED/LGTD:	/	7 /	/
> 54 HGT ABOVE RWY END:	/	225 /	/
> 55 DIST FROM RWY END:	/	250L /	/
> 56 CNTRLN OFFSET:	50:1 / 50:1	3:1 / 50:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N
58 CLOSE-IN OBSTN:			

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	5,001 / 5,001	7,305 / 7,305	/
> 60 TAKE OFF RUN AVBL (TORA):	5,001 / 5,001	7,305 / 7,305	/
> 61 TAKE OFF DIST AVBL (TODA):	5,001 / 5,001	7,305 / 7,305	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,001 / 5,001	7,305 / 7,305	/
> 63 LNDG DIST AVBL (LDA):	5,001 / 5,001	6,905 / 7,100	/

> 110 REMARKS

A 017 FBO SVCS AVBL 0500-2000 SUN-SAT. AFT HRS FBO SVCS CTC 607-763-4474.
 A 024 LNDG FEE FOR MULTI-ENGINE & TURBINE ACFT OVER 4000 LBS. US CUSTOMS USER FEE ARPT.
 A 026 PPR 12 HRS FOR UNSKED ACR OPS WITH MORE THAN 9 PAX SEATS 2300-0600 CALL AMGR 607-763-4474. ARFF AVBL 0530-0000 AND/OR TIL 15 MIN AFT THE LAST SKED ACR OPN.
 A 030 RWY 10/28 RWY 10 TKOFS & LDGS NA WHEN ATCT CLSD.
 A 030 HLDG PSN SIGNS FOR RWY 16/34 RESIDE AFT THE HOLD LINE. WHEN HLDG ENSURE ALL PARTS OF THE ACFT RMN BHND THE HOLD LN.
 A 030 RWY H1 HELIPAD LCTD AT INT OF TWY L & THE W APRON.
 A 039 RWY 10/28 PCR VALUE: 350/F/D/X/T
 A 039 RWY 16/34 PCR VALUE: 740/F/D/X/T
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 16 & 34; HIRL RWY 16/34; MIRL RWY 10/28; TWY LGTS - CTAF.
 A 081 DUSK-DAWN.
 A 110-001 ATCT UNABLE TO SEE HARD SFC S OF FBO HANGAR.
 A 110-002 EXTSV GLDR ACT 10 NM SW OF ARPT.
 A 110-004 BIRD ACT ON & INVOF ARPT.
 A 110-005 LGTD STRUCTURE 118 FT AGL 2000 FT S OF AER 10.

111 INSPECTOR: (F) 112 LAST INSP: 06/11/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: BGM FAA SITE NR: 14904.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-006 FOR CD IF UNA TO CTC ON FSS FREQ, CTC NEW YORK ARTCC AT 631-468-1425.
A 110-007 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 16 & RWY 34.

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026