

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/8/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: BUTTE 4 STATE: MT LOC ID: BTM FAA SITE NR: 12286.\*A  
> 2 AIRPORT NAME: BERT MOONEY 5 COUNTY: SILVER BOW MT  
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT: GREAT FALLS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: BERT MOONEY, ARPT AUTH  
> 12 ADDRESS: 101 AIRPORT ROAD  
BUTTE, MT 59701  
> 13 PHONE NR: 406-494-3771  
> 14 MANAGER: PAM CHAMBERLIN  
> 15 ADDRESS: 101 AIRPORT RD  
BUTTE, MT 59701  
> 16 PHONE NR: 406-494-3771  
> 17 ATTENDANCE SCHEDULE:

ALL ALL DAWN-DUSK

### SERVICES

70 FUEL: 100 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AFRT, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 45-57-17.3000N ESTIMATED  
20 ARPT LONG: 112-29-50.9000W  
21 ARPT ELEV: 5550.5 SURVEYED  
22 ACREAGE: 890  
> 23 RIGHT TRAFFIC: 15  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 123.000  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: GREAT FALLS  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	12/30	15/33
> 30 RUNWAY INDENT:	5,100	9,000
> 31 LENGTH:	75	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	12.5	60.0
35 GROSS WT: S		125.0
36 (IN THSDS) D		175.0
37 2D		
38 2D/2D2		
> 39 PCN:		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL: Y / Y  
> 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L / P2L	P4L / V2L	/	/
> 43 VGS:	41 / 47	55 / 74	/	/
44 THR COSSING HGT.:	4.00 / 4.00	3.50 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y / Y	N / N	/	/
> 49 APCH LIGHTS:	/	MALSR /	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	A(V) / A(V)	PIR / B(V)		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	ROAD / BLDG	/ TOWER	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	16 / 36	/ 65	/	/
> 55 DIST FROM RWY END:	560 / 1,251	/ 2,986	/	/
> 56 CNTRLN OFFSET:	275R / 100R	/ 248R	/	/
57 OBSTN CLNC SLOPE:	22:1 / 29:1	50:1 / 42:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	5,100 / 5,100	9,000 / 9,000		
> 60 TAKE OFF RUN AVBL (TORA):	5,100 / 5,100	9,000 / 9,000	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,100 / 5,100	9,000 / 9,000	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,100 / 5,100	9,000 / 9,000	/	/
> 63 LNDG DIST AVBL (LDA):	5,100 / 5,100	9,000 / 9,000	/	/

> 110 REMARKS

A 024 FEE FOR ALL COML ACFT & ACFT OVER 9000 LBS.  
A 026 PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 406-494-3771.  
A 033 RWY 12/30 SURFACE CONDITIONS UNMONITORED BETWEEN MIDNIGHT AND 5 A.M.  
A 039 RWY 12/30 PCR VALUE: 210/F/A/X/T  
A 039 RWY 15/33 PCR VALUE: 510/F/A/X/T  
A 043 RWY 12 PAPI UNUSBL BYD 5 DEG RIGHT OF RCL.  
A 043 PAPI RSTRD TO 2.1 NM FM RWY 30 THLD DUE TO HIGH TERRAIN. PAPI UNUSBL BYD 2 DEG RIGHT OF RCL.  
A 043 RWY 33 DO NOT USE VASI BYD 1.5 MI DUE TO HIGH TERRAIN.  
A 081 ACTVT MALSR RWY 15; REIL RWY 12 & 30; PAPI RWY 12 & 30; VASI RWY 33; MIRL RWY 15/33 & 12/30 - CTAF. PAPI RWY 15 OPR CONSLY.  
A 110-003 DEER IN VICINITY OF AIRPORT.  
A 110-007 SNOW REMOVAL OPS IN PROGRES DURING PERIODS OF SNOW.  
A 110-009 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -24C.  
A 110-010 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SALT LAKE ARTCC AT 801-320-2568.  
A 110-011 TWY D RSTD TO ACFT WITH WINGSPAN LESS THAN 100 FT WO PPR, CALL APMGR 406-494-3771.

111 INSPECTOR: (F) 112 LAST INSP: 05/07/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/8/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/8/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: MT LOC ID: BTM FAA SITE NR: 12286.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: ( F )

112 LAST INSP: 05/07/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/8/2026  
AFD EFF 03/19/2026