

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/24/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: BUTTE 4 STATE: MT LOC ID: BTM FAA SITE NR: 12286.*A
> 2 AIRPORT NAME: BERT MOONEY 5 COUNTY: SILVER BOW MT
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT: GREAT FALLS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: BERT MOONEY, ARPT AUTH
> 12 ADDRESS: 101 AIRPORT ROAD
BUTTE, MT 59701
> 13 PHONE NR: 406-494-3771
> 14 MANAGER: PAM CHAMBERLIN
> 15 ADDRESS: 101 AIRPORT RD
BUTTE, MT 59701
> 16 PHONE NR: 406-494-3771
> 17 ATTENDANCE SCHEDULE:

ALL ALL DAWN-DUSK

SERVICES

70 FUEL: 100 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AFRT, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 45-57-17.3000N ESTIMATED
20 ARPT LONG: 112-29-50.9000W
21 ARPT ELEV: 5550.5 SURVEYED
22 ACREAGE: 890
> 23 RIGHT TRAFFIC: 15
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGS3
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED: SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: GREAT FALLS
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	12/30	15/33
> 30 RUNWAY INDENT:	5,100	9,000
> 31 LENGTH:	75	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	12.5	60.0
35 GROSS WT: S		125.0
36 (IN THSDS) D		175.0
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL: Y / Y
> 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L / P2L	P4L / V2L	/	/
> 43 VGS:	41 / 47	55 / 74	/	/
44 THR COSSING HGT.:	4.00 / 4.00	3.50 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y / Y	N / N	/	/
> 49 APCH LIGHTS:	/	MALSR /	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	A(V) / A(V)	PIR / B(V)		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	ROAD / BLDG	/ TOWER	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	16 / 36	/ 65	/	/
> 55 DIST FROM RWY END:	560 / 1,251	/ 2,986	/	/
> 56 CNTRLN OFFSET:	275R / 100R	/ 248R	/	/
57 OBSTN CLNC SLOPE:	22:1 / 29:1	50:1 / 42:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	5,100 / 5,100	9,000 / 9,000		
> 60 TAKE OFF RUN AVBL (TORA):	5,100 / 5,100	9,000 / 9,000	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,100 / 5,100	9,000 / 9,000	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,100 / 5,100	9,000 / 9,000	/	/
> 63 LNDG DIST AVBL (LDA):	5,100 / 5,100	9,000 / 9,000	/	/

> 110 REMARKS

A 024 FEE FOR ALL COML ACFT & ACFT OVER 9000 LBS.
A 026 PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 406-494-3771.
A 033 RWY 12/30 SURFACE CONDITIONS UNMONITORED BETWEEN MIDNIGHT AND 5 A.M.
A 039 RWY 12/30 PCR VALUE: 210/F/A/X/T
A 039 RWY 15/33 PCR VALUE: 510/F/A/X/T
A 043 RWY 12 PAPI UNUSBL BYD 5 DEG RIGHT OF RCL.
A 043 PAPI RSTRD TO 2.1 NM FM RWY 30 THLD DUE TO HIGH TERRAIN. PAPI UNUSBL BYD 2 DEG RIGHT OF RCL.
A 043 RWY 33 DO NOT USE VASI BYD 1.5 MI DUE TO HIGH TERRAIN.
A 081 ACTVT MALSR RWY 15; REIL RWY 12 & 30; PAPI RWY 12 & 30; VASI RWY 33; MIRL RWY 15/33 & 12/30 - CTAF. PAPI RWY 15 OPR CONSLY.
A 110-003 DEER IN VICINITY OF AIRPORT.
A 110-007 SNOW REMOVAL OPS IN PROGRES DURING PERIODS OF SNOW.
A 110-009 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -24C.
A 110-010 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SALT LAKE ARTCC AT 801-320-2568.
A 110-011 TWY D RSTD TO ACFT WITH WINGSPAN LESS THAN 100 FT WO PPR, CALL APMGR 406-494-3771.

111 INSPECTOR: (F) 112 LAST INSP: 05/07/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/24/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/24/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MT LOC ID: BTM FAA SITE NR: 12286.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/HLN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/07/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/24/2026
AFD EFF 05/14/2026