

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: CARLSBAD 4 STATE: NM LOC ID: CNM FAA SITE NR: 14559.*A
 > 2 AIRPORT NAME: CAVERN CITY AIR TRML 5 COUNTY: EDDY NM
 3 CBD TO AIRPORT (NM): 05 SW 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT: ALBUQUERQUE

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF CARLSBAD
 > 12 ADDRESS: 101 NORTH HALAGUENO ST
 CARLSBAD, NM 88220
 > 13 PHONE NR: 575-887-1191
 > 14 MANAGER: ROBERT ESPINOZA
 > 15 ADDRESS: 101 NORTH HALAGUENO ST
 CARLSBAD, NM 88220
 > 16 PHONE NR: 575-887-3060
 > 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 0600-2000
 ALL SAT-SUN 0700-1700

SERVICES

70 FUEL: 100LL A1+
 71 AIRFRAME RPRS:
 72 PWR PLANT RPRS:
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AMB

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 123.000
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: NO
 86 FSS: ALBUQUERQUE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 32-20-14.8000N ESTIMATED
 20 ARPT LONG: 104-15-48.1000W
 21 ARPT ELEV: 3294.6 SURVEYED
 22 ACREAGE: 1,980
 > 23 RIGHT TRAFFIC: 32R, 14R
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGPSY
 > 26 FAR 139 INDEX: II A S 07/1998

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	03/21	08/26	14L/32R	14R/32L
> 30 RUNWAY INDENT:	7,854	5,334	4,616	5,837
> 31 LENGTH:	150	75	150	100
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-F	ASPH-G
> 33 SURF TYPE-COND:	PFC	NONE	NONE	NONE
> 34 SURF TREATMENT:	62.0	19.0	8.0	30.0
35 GROSS WT: S	88.0		12.5	45.0
36 (IN THSDS) D	140.0			
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	MED	MED	MED	MED
> 40 EDGE INTENSITY:	PIR - P / NPI - P	BSC - G / BSC - G	BSC - G / BSC - G	NPI - G / NPI - G
> 42 RWY MARK TYPE-COND:	/ V4L	/	/	P4L / P4L
> 43 VGS:	/ 58	/	/	56 / 59
44 THR COSSING HGT.:	/ 3.00	/	/	3.00 / 3.00
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	N /	/	/	/
> 48 REIL:	MALSR /	/	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	PIR / C	A(V) / A(V)	A(V) / A(V)	C / C
> 51 DISPLACED THR:	/	/	/ 615	/ 385
> 52 CTLG OBSTN:	ROAD / ROAD	ROAD / FENCE	/ ROAD	ROAD / ROAD
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	24 / 14	15 / 4	/ 15	7 / 15
> 55 DIST FROM RWY END:	1,080 / 388	310 / 200	/ 230	300 / 672
> 56 CNTRLN OFFSET:	623L / 514L	0B / 125R	/ 150R	150L / 318R
57 OBSTN CLNC SLOPE:	36:1 / 13:1	7:1 / 0:1	50:1 / 0:1	14:1 / 31:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	7,854 / 7,854	5,334 / 5,334	4,615 / 4,615	5,837 / 5,837
> 60 TAKE OFF RUN AVBL (TORA):	7,854 / 7,854	5,334 / 5,334	4,615 / 4,615	5,837 / 5,837
> 61 TAKE OFF DIST AVBL (TODA):	7,504 / 7,854	5,334 / 5,334	4,615 / 4,615	5,837 / 5,837
> 62 ACLT STOP DIST AVBL (ASDA):	7,504 / 7,854	5,334 / 5,334	4,615 / 3,999	5,837 / 5,452
> 63 LNDG DIST AVBL (LDA):				

> 110 REMARKS

A 017 SFC COND UNMTD MON-FRI 2200-1200 UTC (1500-0500 LOCAL) AND SAT-SUN 2030-1200 UTC (1330-0500 LOCAL).
 A 026 ACR OPS MORE THAN 30 PAX SEATS 24 HR PPR - AMGR.
 A 030 RWY 14L/32R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
 A 039 RWY 03/21 PCR VALUE: 180/F/D/X/T
 A 039 RWY 08/26 PCR VALUE: 110/F/D/X/T
 A 039 RWY 14L/32R PCR VALUE: 50/F/D/X/T
 A 039 RWY 14R/32L PCR VALUE: 230/F/D/X/T
 A 057 RWY 32L APCH SLOPE 50:1 FM DTHR.
 A 057 RWY 32R APCH SLOPE 38:1 FM DTHR.
 A 070 FUEL AFT HR & WKEND - 575-887-1500.
 A 081 ACTVT MALSR RWY 03; MIRL RWY 03/21, 08/26 & 14R/32L - CTAF. MALSR RWY 03 & MIRL RWY 03/21, 08/26, 14R/32L PRESET LOW INTST; INCR INTST - CTAF.
 A 110-003 OIL DERRICKS INVOF ARPT.
 A 110-004 FOR CD IF UNA TO CTC ON FSS FREQ, CTC ALBUQUERQUE ARTCC AT 505-856-4561.

111 INSPECTOR: (F) 112 LAST INSP: 08/27/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NM LOC ID: CNM FAA SITE NR: 14559.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 08/27/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026