

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/28/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: DOTHAN 4 STATE: AL LOC ID: DHN FAA SITE NR: 00267.\*A  
> 2 AIRPORT NAME: DOTHAN RGNL 5 COUNTY: DALE AL  
> 3 CBD TO AIRPORT (NM): 05 NW 6 REGION/ADO: ASO/JAN 7 SECT AERO CHT: NEW ORLEANS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: DOTHAN-HOUSTON CO ARPT AUTH  
> 12 ADDRESS: 800 ARPT DR SUITE 15  
DOTHAN, AL 36303  
> 13 PHONE NR: 334-983-8100  
> 14 MANAGER: ADAM HARTZOG  
> 15 ADDRESS: 800 ARPT DR SUITE 15  
DOTHAN, AL 36303  
> 16 PHONE NR: 334-983-8108  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AVNCS, CARGO, CHTR, INSTR,  
RNTL, SALES, TOW

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 31-19-15.6650N ESTIMATED  
20 ARPT LONG: 085-26-58.1190W  
21 ARPT ELEV: 400.8 SURVEYED  
22 ACREAGE: 1,150  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: ANNISTON  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	14/32	18/36
> 30 RUNWAY INDENT:	8,500	5,501
> 31 LENGTH:	150	102
> 32 WIDTH:	ASPH-G	ASPH-E
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	75.0	75.0
35 GROSS WT: S	105.0	105.0
36 (IN THSDS) D	190.0	190.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L /	P4L /	/	/
> 43 VGS: I	55 /	48 /	/	/
44 THR COSSING HGT.:	3.00 /	3.00 /	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	R - / T - N	- / -	- / -	- / -
> 47 RVR-RVV:	Y /	Y /	/	/
> 48 REIL:	/ MALSR	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / PIR	C / C		
50 FAR 77 CATEGORY	/	100 /	/	/
> 51 DISPLACED THR:	/	TREES / TREES	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	48 / 80	/	/
> 54 HGT ABOVE RWY END:	/	1,400 / 2,050	/	/
> 55 DIST FROM RWY END:	/	100L / 450L	/	/
> 56 CNTRLN OFFSET:	50:1 / 50:1	25:1 / 23:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	8,500 / 8,500	5,501 / 5,401	/	/
> 61 TAKE OFF DIST AVBL (TODA):	8,500 / 8,500	5,501 / 5,401	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	8,500 / 8,500	5,501 / 5,501	/	/
> 63 LNDG DIST AVBL (LDA):	8,500 / 8,500	5,401 / 5,501	/	/

> 110 REMARKS

A 024 MISC: LDG FEE FOR PART 135 OPS.  
A 026 ARFF INDEX B AVAILABLE; 48 HR PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS 2300-0600 CALL AMGR 334-983-8100.  
A 039 RWY 14/32 PCR VALUE: 420/F/A/X/T  
A 039 RWY 18/36 PCR VALUE: 325/F/A/X/T  
A 081 WHEN ATCT CLSD, ACTVT MALSR RWY 32; REIL RWY 14 & 18; PAPI RWY 14; HIRL RWY 14/32 - CTAF. PAPI RWY 18; MIRL RWY 18/36 AVBL BY PRIOR REQ DURG ATNDD HRS, CALL 334-983-8100/8103.  
A 110-001 MAXI WID TWY A IS 75 FT FOR RWY 14/32.  
A 110-002 RSTD: USAF NA TO OPER C130 ACFT ON RWY 18/36.  
A 110-004 ARFF PSNL ON DUTY AT ARPT 24 HRS.  
A 110-005 FUEL A, A+ (C334 983 4541) (NC 100LL).  
A 110-006 LN OF SIGHT FROM DOTHAN ATC TO A PTN OF TXY BRAVO BTN TXY ALPHA AND THE APCH END OF RWY 36 OBSTD BY THE AP BLDG.  
A 110-007 FOR CD WHEN TWR CLSD IF UNA RDO, CTC CAIRNS APCH C334-255-8402. WHEN APCH CLSD CTC JACKSONVILLE ARTCC C904-845-1592.  
A 110-008 APRON NORTH CLSD EXC MIL. 24 HR PPR OTRW 334-873-2408.

111 INSPECTOR: (F)

112 LAST INSP: 11/20/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/28/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/28/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AL LOC ID: DHN FAA SITE NR: 00267.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/JAN 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 11/20/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/28/2026  
AFD EFF 05/14/2026