

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: DOTHAN 4 STATE: AL LOC ID: DHN FAA SITE NR: 00267.*A
> 2 AIRPORT NAME: DOTHAN RGNL 5 COUNTY: DALE AL
> 3 CBD TO AIRPORT (NM): 05 NW 6 REGION/ADO: ASO/JAN 7 SECT AERO CHT: NEW ORLEANS

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: DOTHAN-HOUSTON CO ARPT AUTH
> 12 ADDRESS: 800 ARPT DR SUITE 15
DOTHAN, AL 36303
> 13 PHONE NR: 334-983-8100
> 14 MANAGER: ADAM HARTZOG
> 15 ADDRESS: 800 ARPT DR SUITE 15
DOTHAN, AL 36303
> 16 PHONE NR: 334-983-8108
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AVNCS, CARGO, CHTR, INSTR,
RNTL, SALES, TOW

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 31-19-15.6650N ESTIMATED
20 ARPT LONG: 085-26-58.1190W
21 ARPT ELEV: 400.8 SURVEYED
22 ACREAGE: 1,150
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: ANNISTON
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	14/32	18/36
> 30 RUNWAY INDENT:	8,500	5,501
> 31 LENGTH:	150	102
> 32 WIDTH:	ASPH-G	ASPH-E
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	75.0	75.0
35 GROSS WT: S	105.0	105.0
36 (IN THSDS) D	190.0	190.0
37 2D		
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L /	P4L /	/	/
> 43 VGS: I	55 /	48 /	/	/
44 THR COSSING HGT.:	3.00 /	3.00 /	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	R - / T - N	- / -	- / -	- / -
> 47 RVR-RVV:	Y /	Y /	/	/
> 48 REIL:	/ MALSR	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	PIR / PIR	C / C		
50 FAR 77 CATEGORY	/	100 /	/	/
> 51 DISPLACED THR:	/	TREES / TREES	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	48 / 80	/	/
> 54 HGT ABOVE RWY END:	/	1,400 / 2,050	/	/
> 55 DIST FROM RWY END:	/	100L / 450L	/	/
> 56 CNTRLN OFFSET:	50:1 / 50:1	25:1 / 23:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	8,500 / 8,500	5,501 / 5,401		
> 60 TAKE OFF RUN AVBL (TORA):	8,500 / 8,500	5,501 / 5,401	/	/
> 61 TAKE OFF DIST AVBL (TODA):	8,500 / 8,500	5,501 / 5,501	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	8,500 / 8,500	5,401 / 5,501	/	/
> 63 LNDG DIST AVBL (LDA):	8,500 / 8,500	5,401 / 5,501	/	/

> 110 REMARKS

A 024 MISC: LDG FEE FOR PART 135 OPS.
A 026 ARFF INDEX B AVAILABLE; 48 HR PPR FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS 2300-0600 CALL AMGR 334-983-8100.
A 039 RWY 14/32 PCR VALUE: 420/F/A/X/T
A 039 RWY 18/36 PCR VALUE: 325/F/A/X/T
A 081 WHEN ATCT CLSD, ACTVT MALSR RWY 32; REIL RWY 14 & 18; PAPI RWY 14; HIRL RWY 14/32 - CTAF. PAPI RWY 18; MIRL RWY 18/36 AVBL BY PRIOR REQ DURG ATNDD HRS, CALL 334-983-8100/8103.
A 110-001 MAXI WID TWY A IS 75 FT FOR RWY 14/32.
A 110-002 RSTD: USAF NA TO OPER C130 ACFT ON RWY 18/36.
A 110-004 ARFF PSNL ON DUTY AT ARPT 24 HRS.
A 110-005 FUEL A, A+ (C334 983 4541) (NC 100LL).
A 110-006 LN OF SIGHT FROM DOTHAN ATC TO A PTN OF TXY BRAVO BTN TXY ALPHA AND THE APCH END OF RWY 36 OBSTD BY THE AP BLDG.
A 110-007 FOR CD WHEN TWR CLSD IF UNA RDO, CTC CAIRNS APCH C334-255-8402. WHEN APCH CLSD CTC JACKSONVILLE ARTCC C904-845-1592.
A 110-008 APRON NORTH CLSD EXC MIL. 24 HR PPR OTRW 334-873-2408.

111 INSPECTOR: (F)

112 LAST INSP: 11/20/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AL LOC ID: DHN FAA SITE NR: 00267.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/JAN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 11/20/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026