

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: ELMIRA/CORNING 4 STATE: NY LOC ID: ELM FAA SITE NR: 15203.\*A  
 > 2 AIRPORT NAME: ELMIRA/CORNING RGNL 5 COUNTY: CHEMUNG NY  
 3 CBD TO AIRPORT (NM): 06 NW 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: COUNTY OF CHEMUNG  
 > 12 ADDRESS: 276 SING SING RD., SUITE 1  
 HORSEHEADS, NY 14845  
 > 13 PHONE NR: 607-739-5621  
 > 14 MANAGER: THOMAS FREEMAN  
 > 15 ADDRESS: 276 SING SING RD., SUITE 1  
 HORSEHEADS, NY 14845  
 > 16 PHONE NR: 607-739-5621  
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
 71 AIRFRAME RPRS: MAJOR  
 72 PWR PLANT RPRS: MAJOR  
 73 BOTTLE OXYGEN: LOW  
 74 BULK OXYGEN: NONE  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES: CARGO, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 42-09-35.4770N ESTIMATED  
 20 ARPT LONG: 076-53-30.2920W  
 21 ARPT ELEV: 955.1 SURVEYED  
 22 ACREAGE: 1,000  
 > 23 RIGHT TRAFFIC: NO  
 > 24 NON-COMM LANDING: YES  
 25 NPIAS/FED AGREEMENTS: NGY3  
 > 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 122.950  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: BUFFALO  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	05/23	06/24	10/28
> 30 RUNWAY INDENT:	2,016	8,001	5,404
> 31 LENGTH:	150	150	150
> 32 WIDTH:	TURF-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	GRVD	GRVD
> 34 SURF TREATMENT:		80.0	57.0
35 GROSS WT: S		121.0	90.0
36 (IN THSDS) D		200.0	150.0
37 2D			
38 2D/2D2			

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

	HIGH	MED	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -
> 42 RWY MARK TYPE-COND:	V4L / P4L	/ P4L	/
> 43 VGSI:	51 / 52	/ 40	/
44 THR COSSING HGT.:	3.00 / 3.00	/ 3.00	/
45 VISUAL GLIDE ANGLE:	Y - / Y -	- / -	- / -
> 46 CNTRLN-TDZ:	TMR - / TMR - N	- / -	- / -
> 47 RVR-RVV:	N / N	/	/
> 48 REIL:	MALSR / MALSR	/	/
> 49 APCH LIGHTS:			

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

	A(V) / A(V)	PIR / PIR	C / C	
50 FAR 77 CATEGORY	/	600 / 202	/ 402	/
> 51 DISPLACED THR:	/	TREE / TREE	TREES / POLE	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	790 / 382	632 / 54	/
> 54 HGT ABOVE RWY END:	/	27,250 / 12,329	8,761 / 1,351	/
> 55 DIST FROM RWY END:	/	1800R / 2123R	1488L / 264L	/
> 56 CNTRLN OFFSET:	20:1 / 20:1	34:1 / 31:1	13:1 / 21:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	2,017 / 2,017	8,001 / 8,001	5,404 / 5,404	/
> 61 TAKE OFF DIST AVBL (TODA):	2,017 / 2,017	8,001 / 8,001	5,404 / 5,404	/
> 62 ACLT STOP DIST AVBL (ASDA):	2,017 / 2,017	8,001 / 8,001	5,004 / 5,404	/
> 63 LNDG DIST AVBL (LDA):	2,017 / 2,017	7,401 / 7,799	5,004 / 5,002	/

### > 110 REMARKS

A 013 OR 607-739-5622.  
 A 024 LNDG FEE FOR ALL NON BASED ACFT.  
 A 026 ARFF INDEX C EQUIPMENT COVERAGE IS AVBL UPON REQUEST CTC ARPT MANAGEMENT AT 607-426-5621.  
 A 039 RWY 06/24 PCR VALUE: 560/F/B/X/T  
 A 039 RWY 10/28 PCR VALUE: 640/F/B/X/T  
 A 042 RWY 05/23 MKD WITH ASPH L CORNER MARKERS.  
 A 043 RWY 24 PAPI UNUSBL BYD 9 DEGS RIGHT OF CNTRLN.  
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 06 & 24; HIRL RWY 06/24; MIRL RWY 10/28; TWY LGTS - CTAF.  
 A 110-001 ACFT WITH WINGSPANS GTR THAN 93 FEET SHOULD USE EXTREME CARE WHEN TAXIING ON TWY T ADJ TO APRONS.  
 A 110-002 EXTSV GLIDER ACT ON & INVOF ARPT.  
 A 110-003 BIRDS & DEER ON & INVOF ARPT.  
 A 110-004 RWY 05/23 (SOUTHEAST OF RWY 06/24) UNMARKED SEASONAL USE TURF RWY CLSD 1 DEC THROUGH 30 APR.  
 A 110-005 FOR LAND SIDE ACCESS FM APRON WHEN FBO CLSD CTC ELM ARPT ATTENDANT AT 607-426-5621.  
 A 110-006 WINTER DE-ICING ON GLYCOL APRON ONLY.  
 A 110-007 BLIMP ACT QRCS PPR, CTC ARPT MGMT AT 607-426-5621.

111 INSPECTOR: ( F ) 112 LAST INSP: 04/14/2026 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NY LOC ID: ELM FAA SITE NR: 15203.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-011 RWY 10 OPNS PROHIBITED FOR ACFT WITH APCH SPEEDS GTR THAN OR EQUAL TO 121 KNOTS AND/OR WINGSPANS GTR THAN OR EQUAL TO 118 FT .
- A 110-012 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -21C.
- A 110-013 TWY H, J, & L LTD TO DESIGN GROUP II ACFT.
- A 110-014 TRML RAMP IS UNCONTROLLED. DO NOT CALL FOR PUSH/POWER BACK. ADVISE GC WHEN READY TO TAXI FOR DEP.
- A 110-015 TWY T BTN TXY L AND TWY D NONMOVEMENT AREA.
- A 110-016 FOR CD IF UNA TO CTC ON FSS FREQ, CTC NEW YORK ARTCC AT 631-468-1425.

111 INSPECTOR: ( F )

112 LAST INSP: 04/14/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/13/2026  
AFD EFF 06/11/2026