

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/5/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: KENAI 4 STATE: AK LOC ID: ENA FAA SITE NR: 50410.*A
 > 2 AIRPORT NAME: KENAI MUNI 5 COUNTY: KENAI-COOK INLET AK
 3 CBD TO AIRPORT (NM): 00 N 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: ANCHORAGE

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF KENAI
 > 12 ADDRESS: 210 FIDALGO ST
 KENAI, AK 99611
 > 13 PHONE NR: 907-283-7951
 > 14 MANAGER: MARY BONDURANT
 > 15 ADDRESS: 305 N WILLOW SUITE 200
 KENAI, AK 99611
 > 16 PHONE NR: 907-283-7951
 > 17 ATTENDANCE SCHEDULE:
 ALL MON-FRI 0800-1700

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MINOR
 72 PWR PLANT RPRS: MINOR
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE: TIE
 76 OTHER SERVICES:
 CARGO, CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM:
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: KENAI
 87 FSS ON ARPT: YES
 88 FSS PHONE NR: 907-283-7211
 89 TOLL FREE NR: 1-866-864-1737

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 60-34-23.8000N ESTIMATED
 20 ARPT LONG: 151-14-41.4000W
 21 ARPT ELEV: 99.6 SURVEYED
 22 ACREAGE: 1,200
 > 23 RIGHT TRAFFIC: 02L, 20W
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGPY
 > 26 FAR 139 INDEX: I A S 03/2005

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| 02L/20R | 02R/20L | 02W/20W | H1 |
|---------|---------|---------|------|
| 7,855 | 1,980 | 4,600 | 55 |
| 150 | 75 | 240 | 55 |
| ASPH-F | GRVL-G | WATER-G | ASPH |
| GRVD | NONE | NONE | NONE |
| 75.0 | | | |
| 150.0 | | | |
| 250.0 | | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | | | |
|-------------------|-------|---------------------|-------|
| HIGH | | | |
| PIR - F / PIR - F | - / - | NONE - G / NONE - G | - / - |
| V4L / V4L | / | / | / |
| 53 / 51 | / | / | / |
| 3.00 / 3.00 | / | / | / |
| - / - | - / - | - / - | - / - |
| R - / T - | - / - | - / - | - / - |
| Y / | / | / | / |
| / MALSR | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | | | |
|-------------|-------------|-------------|-------|
| C / PIR | A(V) / A(V) | / | / |
| 280 / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| 40:1 / 50:1 | 20:1 / 20:1 | 20:1 / 20:1 | / |
| N / N | N / N | N / N | N / N |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | |
|---------------|---|---|---|
| 7,855 / 7,855 | / | / | / |
| 7,855 / 7,855 | / | / | / |
| 7,855 / 7,575 | / | / | / |
| 7,575 / 7,575 | / | / | / |

> 110 REMARKS

A 030 RWY 02R/20L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
 A 030 CLSD TO OPS NOV-APR. RWY 02W/20W NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. NOISE ABATEMENT: 02W ARR & 20W DEP MAKE FNL APCH & CROSS WIND TURNS S OF BEACHLINE UNLESS AUTH BY ATC. WATER LDG AREA & TWY CHNL NOT VSB FM ATCT.
 A 039 RWY 02L/20R PCR VALUE: 461/F/B/X/U
 A 042 RWY 02R OUTLINED WITH CONES.
 A 042 RWY 20L OUTLINED WITH CONES.
 A 081 ACTVT REIL RWY 02L; VASI RWY 02L & 20R - CTAF. WHEN TWR CLSD ACTVT & INCR INTST HIRL RWY 02L/20R - KENAI FSS. WHEN TWR CLSD ACTVT MALSR RWY 20R - CTAF.
 A 110-001 TSNT & COML TIE DOWN SLIPS AVBL END OF WATER CANAL.
 A 110-003 TSNT PRKG S TRML RAMP; HEL PRKG N TRML RAMP. LNDG FEE OVR 4000 LB.
 A 110-005 BIRDS 10 NM RADIUS SPRING-FALL.
 A 110-006 PTNS OF TRML RAMP, TWY G & H NOT VSB FM ATCT.

111 INSPECTOR: (F)

112 LAST INSP: 05/08/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/5/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/5/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: ENA FAA SITE NR: 50410.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

H2
55
55
ASPH
NONE

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|-------|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| N / N | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-007 SPB CTLD BY KENAI ATCT DURG OPS HRS. WHEN KENAI ATCT CLSD WX AVBL FM KENAI ATIS OR KENAI FSS. NOISE ABATEMENT PROC IN EFCT - AMGR.
A 110-011 KENAI FSS LCL - 283-7211.
A 110-012 WX CAMERA AVBL ON INTERNET AT [HTTPS://WEATHERCAMS.FAA.GOV/](https://weathercams.faa.gov/)
A 110-015 EXC WX DVRSN UNSKED ACFT OVR 12500 LBS 48 HR PPR.
A 110-017 TWY A, B & E PCN 48; TWY C PCN 59; TWY F PCN 43; TWY D, J, K & L PCN 34.
A 110-019 ARPT SAND GRADATION LRGR THAN FAA RCMD SEE AC150/5200-30
A 110-020 FUEL AVBL H24 WITH CREDIT CARD - 907-283-4542.

111 INSPECTOR: (F)

112 LAST INSP: 05/08/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/5/2026
AFD EFF 03/19/2026