

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/2/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: TOPEKA 4 STATE: KS LOC ID: FOE FAA SITE NR: 06932.*A
> 2 AIRPORT NAME: TOPEKA RGNL 5 COUNTY: SHAWNEE KS
> 3 CBD TO AIRPORT (NM): 06 S 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: KANSAS CITY

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: METROPOLITAN TOPEKA ARPT AUTH
> 12 ADDRESS: 6510 SE FORBES AVE #1
TOPEKA, KS 66619
> 13 PHONE NR: 785-862-2362
> 14 MANAGER: MR ERIC M JOHNSON
> 15 ADDRESS: 6510 SE FORBES AVE #1
TOPEKA, KS 66619
> 16 PHONE NR: 785-862-2362
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0545-2200

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 38-57-03.4170N ESTIMATED
20 ARPT LONG: 095-39-49.0090W
21 ARPT ELEV: 1077.9 SURVEYED
22 ACREAGE: 2,854
> 23 RIGHT TRAFFIC: 03, 13
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: IV A U 04/1976

80 ARPT BCN: SWG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: WICHITA
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

| | 03/21 | 13/31 |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT: | 7,002 | 12,803 |
| > 31 LENGTH: | 150 | 150 |
| > 32 WIDTH: | ASPH-E | CONC-E |
| > 33 SURF TYPE-COND: | GRVD | GRVD |
| > 34 SURF TREATMENT: | 120.0 | 120.0 |
| 35 GROSS WT: S | 250.0 | 250.0 |
| 36 (IN THSDS) D | 550.0 | 550.0 |
| 37 2D | 1120.0 | 1119.0 |
| 38 2D/2D2 | | |
| > 39 PCN: | | |

LIGHTING/APCH AIDS

| | MED | HIGH | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - G / NPI - G | PIR - F / PIR - F | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | V4L / P4L | P4L / P4L | / | / |
| > 43 VGS: | 47 / 52 | 54 / 59 | / | / |
| 44 THR COSSING HGT.: | 3.00 / 3.00 | 3.00 / 3.00 | / | / |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - / - | R - / T - | - / - | - / - |
| > 47 RVR-RVV: | Y / Y | Y / | / | / |
| > 48 REIL: | / | MALSF / MALS | / | / |
| > 49 APCH LIGHTS: | | | | |

OBSTRUCTION DATA

| | D / D | D / PIR | | |
|-------------------------|-------------|---------------|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / TREE | TREE / TREE | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / 36 | 35 / 59 | / | / |
| > 54 HGT ABOVE RWY END: | / 1,850 | 1,750 / 2,900 | / | / |
| > 55 DIST FROM RWY END: | / 200R | 300L / 500L | / | / |
| > 56 CNTRLN OFFSET: | 50:1 / 45:1 | 44:1 / 45:1 | / | / |
| 57 OBSTN CLNC SLOPE: | N / N | N / N | / | / |
| 58 CLOSE-IN OBSTN: | | | | |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---------------|-----------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 7,001 / 7,001 | 12,803 / 12,803 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 7,001 / 7,001 | 12,803 / 12,803 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 7,001 / 7,001 | 12,803 / 12,803 | / | / |
| > 63 LNDG DIST AVBL (LDA): | 7,001 / 7,001 | 12,803 / 12,803 | / | / |

> 110 REMARKS

A 017 MIL USE: SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
A 026 24 HR PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - AMGR. ARFF INDEX B AVBL; ARFF INDEX C LEVEL EQUIP AVBL UPON REQ.
A 039 RWY 03/21 PCR VALUE: 2200/F/D/X/T
A 039 RWY 13/31 PCR VALUE: 1210/R/D/W/T
A 048 RWY 13 OTS.
A 081 WHEN ATCT CLSD ACTVT MALS F RWY 13; MALS R RWY 31; MIRS RWY 03/21; HIRL RWY 13/31 - CTA F. VASI RWY 03; PAPI RWY 13, 21 & 31; OPR CONS LY.
A 110-002 TFC PTN: 1000 FT AGL FOR LGT (SLOW) ACFT & 1500 FT FOR HEAVY (FAST) ACFT.
A 110-006 (E110) OPERS ARPT LGTG ONLY.
A 110-008 BIRDS ON & INV OF ARPT. BIRD HAZ PHASE II APR-MAY & AUG-OCT.
A 110-010 JASU: 14(A/M32A-86D) 11(A/M32A-95)
A 110-011 FUEL: A+ MILLION AIRTOPEKA 1200-0400Z++ - C785-862-0950; OTR TIMES 3 HR PPR - C785-862-6104/785-224-2899. A++ MIL.
A 110-012 FLUID: ADI SP LPOX LOX OIL - O-128-148(MIL) - AVBL ONLY IN QT CANS.
A 110-013 CTN: DO NOT MISTAKE PHILIP BILLARD MUNI 7 NM N FOR TOPEKA RGNL.
A 110-014 NOISE ABATEMENT PROC: VFR TFC AVOID OVFT OF HOUSING AREA 2 NM W RWY 13.

111 INSPECTOR: (F)

112 LAST INSP: 10/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/2/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/2/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: KS LOC ID: FOE FAA SITE NR: 06932.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTGL OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-017 ANG: RAMP & SVC 72 HR PPR - C785-861-4655/4663. ANG RAMP PRKG - WYLIE CON 20 MIN BFR LDG. ADZ ARR & DEP - 255.5. AIRFIELD MGMT, MOC & POL 1330-2200Z++; CLSD WKEND & FED HOL; AFT HR PPR.
A 110-019 ANG: FLEET SVC, OIL SOAP SAMPLING & DRAG CHUTE REPACK NA. PRECISION MEASURING EQPT LAB PUP & DLVR EXP 1.5 HR DLA. TSNT SVC & DEICING AVBL AT FBO. TSNT MAINT & PARTS SVC EXC KC-135R LTD. NO QTRS AVBL.
A 110-020 ARNG - OPR 1300-2300Z++ TUE-FRI EXC HOL, OCNL SAT, SUN. LTD MAINT UH-60. TRAN ARMY ACFT CTC C785-646-3825. ARMY ACFT CTC TOPEKA GUARD OPS 38.50 OR 238.250. OPS C785-646-3825 OR 3827. RAMP AND FAC W OF RWY 03 APCH END OF RWY.
A 110-022 F/W & R/W RAPID REFUEL 0600-2200 - 785-862-0950. 24 HR PN & ARINC BFR LNDG - 129.85. ADZ ATC FOR RAPID REFUEL OPS & PROC TO N RAMP. 5 ACFT SIMUL OPS AVBL.

111 INSPECTOR: (F)

112 LAST INSP: 10/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/2/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/2/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: KS LOC ID: FOE FAA SITE NR: 06932.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 10/21/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/2/2026
AFD EFF 05/14/2026