

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/12/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: TOPEKA 4 STATE: KS LOC ID: FOE FAA SITE NR: 06932.\*A  
> 2 AIRPORT NAME: TOPEKA RGNL 5 COUNTY: SHAWNEE KS  
> 3 CBD TO AIRPORT (NM): 06 S 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: KANSAS CITY

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: METROPOLITAN TOPEKA ARPT AUTH  
> 12 ADDRESS: 6510 SE FORBES AVE #1  
TOPEKA, KS 66619  
> 13 PHONE NR: 785-862-2362  
> 14 MANAGER: MR ERIC M JOHNSON  
> 15 ADDRESS: 6510 SE FORBES AVE #1  
TOPEKA, KS 66619  
> 16 PHONE NR: 785-862-2362  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0545-2200

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 38-57-03.4170N ESTIMATED  
20 ARPT LONG: 095-39-49.0090W  
21 ARPT ELEV: 1077.9 SURVEYED  
22 ACREAGE: 2,854  
> 23 RIGHT TRAFFIC: 03, 13  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY  
> 26 FAR 139 INDEX: IV A U 04/1976

80 ARPT BCN: SWG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: WICHITA  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

	03/21	13/31
> 30 RUNWAY INDENT:	7,002	12,803
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-E	CONC-E
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0
35 GROSS WT: S	250.0	250.0
36 (IN THSDS) D	550.0	550.0
37 2D	1120.0	1119.0
38 2D/2D2		
> 39 PCN:		

### LIGHTING/APCH AIDS

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - F / PIR - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	V4L / P4L	P4L / P4L	/	/
> 43 VGS:	47 / 52	54 / 59	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	R - / T -	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y /	/	/
> 48 REIL:	/	MALSF / MALS	/	/
> 49 APCH LIGHTS:				

### OBSTRUCTION DATA

	D / D	D / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/ TREE	TREE / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 36	35 / 59	/	/
> 54 HGT ABOVE RWY END:	/ 1,850	1,750 / 2,900	/	/
> 55 DIST FROM RWY END:	/ 200R	300L / 500L	/	/
> 56 CNTRLN OFFSET:	50:1 / 45:1	44:1 / 45:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	7,001 / 7,001	12,803 / 12,803	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,001 / 7,001	12,803 / 12,803	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,001 / 7,001	12,803 / 12,803	/	/
> 63 LNDG DIST AVBL (LDA):	7,001 / 7,001	12,803 / 12,803	/	/

### > 110 REMARKS

A 017 MIL USE: SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.  
A 026 24 HR PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - AMGR. ARFF INDEX B AVBL; ARFF INDEX C LEVEL EQUIP AVBL UPON REQ.  
A 039 RWY 03/21 PCR VALUE: 2200/F/D/X/T  
A 039 RWY 13/31 PCR VALUE: 1210/R/D/W/T  
A 048 RWY 13 OTS.  
A 081 WHEN ATCT CLSD ACTVT MALS F RWY 13; MALS R RWY 31; MIRS RWY 03/21; HIRL RWY 13/31 - CTAF. VASI RWY 03; PAPI RWY 13, 21 & 31; OPR CONSLY.  
A 110-002 TFC PTN: 1000 FT AGL FOR LGT (SLOW) ACFT & 1500 FT FOR HEAVY (FAST) ACFT.  
A 110-006 (E110) OPERS ARPT LGTG ONLY.  
A 110-008 BIRDS ON & INVOF ARPT. BIRD HAZ PHASE II APR-MAY & AUG-OCT.  
A 110-010 JASU: 14(A/M32A-86D) 11(A/M32A-95)  
A 110-011 FUEL: A+ MILLION AIRTOPEKA 1200-0400Z++ - C785-862-0950; OTR TIMES 3 HR PPR - C785-862-6104/785-224-2899. A++ MIL.  
A 110-012 FLUID: ADI SP LPOX LOX OIL - O-128-148(MIL) - AVBL ONLY IN QT CANS.  
A 110-013 CTN: DO NOT MISTAKE PHILIP BILLARD MUNI 7 NM N FOR TOPEKA RGNL.  
A 110-014 NOISE ABATEMENT PROC: VFR TFC AVOID OVFT OF HOUSING AREA 2 NM W RWY 13.

111 INSPECTOR: (F)

112 LAST INSP: 10/21/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/12/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/12/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: KS LOC ID: FOE FAA SITE NR: 06932.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTGL OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-017 ANG: RAMP & SVC 72 HR PPR - D720-4655/4663. ANG RAMP PRKG - WYLIE CON 20 MIN BFR LDG. ADZ ARR & DEP - 255.5. AIRFIELD MGMT, MOC & POL 1330-2200Z++; CLSD WKEND & FED HOL; AFT HR PPR.  
A 110-019 ANG: FLEET SVC, OIL SOAP SAMPLING & DRAG CHUTE REPACK NA. PRECISION MEASURING EQPT LAB PUP & DLVR EXP 1.5 HR DLA. TSNT SVC & DEICING AVBL AT FBO. TSNT MAINT & PARTS SVC EXC KC-135R LTD. NO QTRS AVBL.  
A 110-020 ARNG - OPR 1300-2300Z++ TUE-FRI EXC HOL, OCNL SAT, SUN. LTD MAINT UH-60. TRAN ARMY ACFT CTC C785-646-3825. ARMY ACFT CTC TOPEKA GUARD OPS 38.50 OR 238.250. OPS C785-646-3825 OR 3827. RAMP AND FAC W OF RWY 03 APCH END OF RWY.  
A 110-022 F/W & R/W RAPID REFUEL 0600-2200 - 785-862-0950. 24 HR PN & ARINC BFR LNDG - 129.85. ADZ ATC FOR RAPID REFUEL OPS & PROC TO N RAMP. 5 ACFT SIMUL OPS AVBL.

111 INSPECTOR: (F)

112 LAST INSP: 10/21/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/12/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/12/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: KS LOC ID: FOE FAA SITE NR: 06932.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
> 25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/12/2026  
AFD EFF 03/19/2026