

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/9/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: JOHNSTOWN 4 STATE: PA LOC ID: JST FAA SITE NR: 20640.\*A  
> 2 AIRPORT NAME: JOHN MURTHA JOHNSTOWN/CAMBRIA COUNTY 5 COUNTY: CAMBRIA PA  
> 3 CBD TO AIRPORT (NM): 03 NE 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT: DETROIT

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: JOHNSTOWN-CAMBRIA CO APT AUTH  
> 12 ADDRESS: 479 ARPT ROAD  
JOHNSTOWN, PA 15904  
> 13 PHONE NR: 814-536-0002  
> 14 MANAGER: CORY CREE  
> 15 ADDRESS: 479 ARPT ROAD  
JOHNSTOWN, PA 15904  
> 16 PHONE NR: 814-536-0002  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0700-2300

### SERVICES

70 FUEL: 100LL A A+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, CHTR, INSTR, RNTL, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-18-56.0000N ESTIMATED  
20 ARPT LONG: 078-50-04.8000W  
21 ARPT ELEV: 2284.2 SURVEYED  
22 ACREAGE: 650  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY3  
> 26 FAR 139 INDEX: I A S 03/1974

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: ALTOONA  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	05/23	15/33
> 30 RUNWAY INDENT:	4,387	7,004
> 31 LENGTH:	100	150
> 32 WIDTH:	ASPH-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	62.0	93.0
35 GROSS WT: S	87.0	183.0
36 (IN THSDS) D		357.0
37 2D		845.0
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / V4L	V4L / P4R	/	/
> 43 VGSI:	44 / 45	52 / 53	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	Y / Y	/	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/ MALSR	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / D	D / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	TREES / BLDG	TREES / TREES	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	26 / 46	36 / 17	/	/
> 55 DIST FROM RWY END:	261 / 746	480 / 928	/	/
> 56 CNTRLN OFFSET:	402L / 576R	394L / 436R	/	/
57 OBSTN CLNC SLOPE:	2:1 / 11:1	7:1 / 42:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	05/23	15/33		
> 60 TAKE OFF RUN AVBL (TORA):	4,387 / 4,387	7,004 / 7,004	/	/
> 61 TAKE OFF DIST AVBL (TODA):	4,387 / 4,387	7,004 / 7,004	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	4,387 / 4,387	6,698 / 6,484	/	/
> 63 LNDG DIST AVBL (LDA):	4,387 / 4,387	6,698 / 6,484	/	/

> 110 REMARKS

A 026 48 HR PPR FOR UNSKED ACR OPS WITH MORE THAN 30 PAX SEATS; CALL AMGR 814-536-0002.  
A 035 RWY 05/23 2S-110.  
A 039 RWY 05/23 PCR VALUE: 240/F/D/X/T  
A 039 RWY 15/33 PCR VALUE: 630/R/B/W/T  
A 081 WHEN TWR CLSD ACTVT MALSR RWY 33; PAPI RWY 33; HIRL RWY 15/33, MIRL RWY 5/23 AND ALL TWY LGTS - CTA. PAPI RWY 05 UNAVBL WHEN ATCT CLSD.  
A 082 UNICOM FREQ 122.950 AVBL FOR GND SVCS ONLY.  
A 110-003 ARNG: RSTD PPR 24 HR, CALL DUR NML DUTY HOURS 1300-2130Z++ EXC WKEND AND HOL. CTC OPS C814-532-7720. ALL TFC TO ARNG MILITARY RAMP CTC KEYSTONE OPS: 138.55, 241.35, 46.75, RAMP DECONFLICTION 46.75.  
A 110-007 DEER & BIRDS ON & INVOF ARPT.  
A 110-009 FOR CD CTC JOHNSTOWN APCH AT 814-532-5960, WHEN APCH CLSD CTC CLEVELAND ARTCC AT 440-774-0213.  
A 110-010 TWY B BTN RWY 05/23 AND TWY B2 RSTRD TO ACFT WITH WINGSPAN 78 FT OR LESS.

111 INSPECTOR: ( F )

112 LAST INSP: 01/22/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/9/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/9/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: PA LOC ID: JST FAA SITE NR: 20640.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 01/22/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/9/2026  
AFD EFF 03/19/2026