

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/

PRINT DATE: 7/10/2026
AFD EFF 07/09/2026

> 1 ASSOC CITY: LUBBOCK 4 STATE: TX LOC ID: LBB FAA SITE NR: 24245.*A
> 2 AIRPORT NAME: LUBBOCK PRESTON SMITH INTL 5 COUNTY: LUBBOCK TX
> 3 CBD TO AIRPORT (NM): 04 N 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: DALLAS-FT WORTH

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF LUBBOCK
> 12 ADDRESS: PO BOX 2000
LUBBOCK, TX 79457
> 13 PHONE NR: 806-775-3000
> 14 MANAGER: KELLY CAMPBELL
> 15 ADDRESS: RT 3 BOX 389
LUBBOCK, TX 79401
> 16 PHONE NR: 806-775-3126
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A A1+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AFRT, AMB, AVNCS, CHTR, INSTR, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED: SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: FORT WORTH
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 33-39-49.2000N ESTIMATED
20 ARPT LONG: 101-49-14.0000W
21 ARPT ELEV: 3282.4 SURVEYED
22 ACREAGE: 3,000
> 23 RIGHT TRAFFIC: 08, 35R, 17R
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I C S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	08/26	17L/35R	17R/35L
> 30 RUNWAY INDENT:	8,003	2,891	11,500
> 31 LENGTH:	150	74	150
> 32 WIDTH:	CONC-G	ASPH-F	CONC-G
> 33 SURF TYPE-COND:	GRVD	NONE	GRVD
> 34 SURF TREATMENT:	100.0	12.5	100.0
35 GROSS WT: S	170.0		170.0
36 (IN THSDS) D	350.0		350.0
37 2D			
38 2D/2D2			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	BSC - G / BSC - G	HIGH	
> 40 EDGE INTENSITY:	PIR - G / PIR - G		PIR - G / PIR - G	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	/	P4R / V4L	/
> 43 VGS:	50 / 50	/	69 / 54	/
44 THR COSSING HGT.:	3.00 / 3.00	/	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	R - / T -	- / -	T - N / R -	- / -
> 47 RVR-RVV:	Y /	/	/	/
> 48 REIL:	/ MALSR	/	MALSR /	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / PIR	A(V) / A(V)	PIR / D	
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/ ROAD	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/ 18	/	/
> 54 HGT ABOVE RWY END:	/	/ 573	/	/
> 55 DIST FROM RWY END:	/	/ 162R	/	/
> 56 CNTRLN OFFSET:	50:1 / 50:1	50:1 / 20:1	50:1 / 50:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	8,003 / 8,003	2,891 / 2,891	11,500 / 11,500	/
> 61 TAKE OFF DIST AVBL (TODA):	8,003 / 8,003	2,891 / 2,891	11,500 / 11,500	/
> 62 ACLT STOP DIST AVBL (ASDA):	8,003 / 8,003	2,891 / 2,891	11,500 / 11,500	/
> 63 LNDG DIST AVBL (LDA):	8,003 / 8,003	2,891 / 2,891	11,500 / 11,500	/

> 110 REMARKS

A 030 RWY 17L/35R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 08/26 PCR VALUE: 1073/R/B/W/T
A 039 RWY 17R/35L PCR VALUE: 965/R/B/W/T
A 110-001 RWY 17L/35R RSTRD TO GEN AVN ACFT 12500 LBS OR LESS.
A 110-003 TWYS B & D; TXLS E & E1 RSTRD TO ACFT WEIGHING LESS THAN 50000 LBS.
A 110-004 PSGR TRML RAMP ACES RSTRD TO ACRS & OTRS WITH PRIOR PMSN, CALL 806-775-2044.
A 110-005 RWY 17L/35R; TWYS B & D; TXLS E & E1 NOT AVBL FOR ACR ACFT WITH OVER 9 PSGR SEATS.
A 110-007 NMRS BIRDS ON & INVOF ARPT.
A 110-008 EAST RAMP DELINEATED TXL & APRON AREA RSTRD TO 120000 LBS DUAL TAND ACFT; 89000 LBS DUAL SNGL WHEEL ACFT; 60000 LBS SNGL WHEEL ACFT. ALL OTR EAST RAMP PAVEMENTS RSTRD TO ACFT LESS THAN 12500 LBS SNGL WHEEL ACFT.
A 110-009 PAEW ADJ RWYS 08/26 & 17R/35L.
A 110-011 TWY L BTN TWY F AND TWY J CLSD TO MORE THAN 120001 LB.
A 110-012 TWYS B & D, TXLS E & E1 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.

111 INSPECTOR: (F)

112 LAST INSP: 07/13/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/10/2026
AFD EFF 07/09/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/10/2026
AFD EFF 07/09/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: LBB FAA SITE NR: 24245.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 07/13/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 7/10/2026
AFD EFF 07/09/2026