

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aer\\_o\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/)

PRINT DATE: 5/21/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: LUBBOCK 4 STATE: TX LOC ID: LBB FAA SITE NR: 24245.\*A  
> 2 AIRPORT NAME: LUBBOCK PRESTON SMITH INTL 5 COUNTY: LUBBOCK TX  
> 3 CBD TO AIRPORT (NM): 04 N 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: DALLAS-FT WORTH

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF LUBBOCK  
> 12 ADDRESS: PO BOX 2000  
LUBBOCK, TX 79457  
> 13 PHONE NR: 806-775-3000  
> 14 MANAGER: KELLY CAMPBELL  
> 15 ADDRESS: RT 3 BOX 389  
LUBBOCK, TX 79401  
> 16 PHONE NR: 806-775-3126  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A A1+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AFRT, AMB, AVNCS, CHTR, INSTR, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED: SS-SR  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: FORT WORTH  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 33-39-49.2000N ESTIMATED  
20 ARPT LONG: 101-49-14.0000W  
21 ARPT ELEV: 3282.4 SURVEYED  
22 ACREAGE: 3,000  
> 23 RIGHT TRAFFIC: 08, 35R, 17R  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY  
> 26 FAR 139 INDEX: I C S 05/1973

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	08/26	17L/35R	17R/35L
> 30 RUNWAY INDENT:	8,003	2,891	11,500
> 31 LENGTH:	150	74	150
> 32 WIDTH:	CONC-G	ASPH-F	CONC-G
> 33 SURF TYPE-COND:	GRVD	NONE	GRVD
> 34 SURF TREATMENT:	100.0	12.5	100.0
35 GROSS WT: S	170.0		170.0
36 (IN THSDS) D	350.0		350.0
37 2D			
38 2D/2D2			

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	BSC - G / BSC - G	HIGH	
> 40 EDGE INTENSITY:	PIR - G / PIR - G		PIR - G / PIR - G	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	/	P4R / V4L	/
> 43 VGS:	50 / 50	/	69 / 54	/
44 THR COSSING HGT.:	3.00 / 3.00	/	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	R - / T -	- / -	T - N / R -	- / -
> 47 RVR-RVV:	Y /	/	/	/
> 48 REIL:	/ MALSR	/	MALSR /	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY: C / PIR  
> 51 DISPLACED THR: /  
> 52 CTLG OBSTN: / ROAD  
> 53 OBSTN MARKED/LGTD: /  
> 54 HGT ABOVE RWY END: / 18  
> 55 DIST FROM RWY END: / 573  
> 56 CNTRLN OFFSET: / 162R  
57 OBSTN CLNC SLOPE: 50:1 / 50:1 50:1 / 20:1 50:1 / 50:1  
58 CLOSE-IN OBSTN: N / N N / N N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): 8,003 / 8,003 2,891 / 2,891 11,500 / 11,500  
> 61 TAKE OFF DIST AVBL (TODA): 8,003 / 8,003 2,891 / 2,891 11,500 / 11,500  
> 62 ACLT STOP DIST AVBL (ASDA): 8,003 / 8,003 2,891 / 2,891 11,500 / 11,500  
> 63 LNDG DIST AVBL (LDA): 8,003 / 8,003 2,891 / 2,891 11,500 / 11,500

### > 110 REMARKS

- A 030 RWY 17L/35R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
- A 039 RWY 08/26 PCR VALUE: 1073/R/B/W/T
- A 039 RWY 17R/35L PCR VALUE: 965/R/B/W/T
- A 110-001 RWY 17L/35R RSTRD TO GEN AVN ACFT 12500 LBS OR LESS.
- A 110-003 TWYS B & D; TXLS E & E1 RSTRD TO ACFT WEIGHING LESS THAN 50000 LBS.
- A 110-004 PSGR TRML RAMP ACES RSTRD TO ACRS & OTRS WITH PRIOR PMSN, CALL 806-775-2044.
- A 110-005 RWY 17L/35R; TWYS B & D; TXLS E & E1 NOT AVBL FOR ACR ACFT WITH OVER 9 PSGR SEATS.
- A 110-007 NMRS BIRDS ON & INVOF ARPT.
- A 110-008 EAST RAMP DELINEATED TXL & APRON AREA RSTRD TO 120000 LBS DUAL TAND ACFT; 89000 LBS DUAL SNGL WHEEL ACFT; 60000 LBS SNGL WHEEL ACFT. ALL OTR EAST RAMP PAVEMENTS RSTRD TO ACFT LESS THAN 12500 LBS SNGL WHEEL ACFT.
- A 110-009 PAEW ADJ RWYS 08/26 & 17R/35L.
- A 110-011 TWY L BTN TWY F AND TWY J CLSD TO MORE THAN 120001 LB.
- A 110-012 TWYS B & D, TXLS E & E1 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.

111 INSPECTOR: ( F ) 112 LAST INSP: 07/13/2023 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/21/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/21/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: LBB FAA SITE NR: 24245.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 07/13/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/21/2026  
AFD EFF 05/14/2026