

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/11/2026  
AFD EFF 07/09/2026

> 1 ASSOC CITY: LAFAYETTE 4 STATE: LA LOC ID: LFT FAA SITE NR: 07589.\*A  
> 2 AIRPORT NAME: LAFAYETTE RGNL/PAUL FOURNET FLD 5 COUNTY: LAFAYETTE LA  
> 3 CBD TO AIRPORT (NM): 02 SE 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT: HOUSTON

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY PARISH OF LAFAYETTE  
> 12 ADDRESS: 200 TERMINAL DRIVE, SUITE 200  
LAFAYETTE, LA 70508  
> 13 PHONE NR: 337-703-4800  
> 14 MANAGER: STEVEN L. PICOU, EXECUTIVE DIRECTOR  
> 15 ADDRESS: 200 TERMINAL DRIVE, SUITE 200  
LAFAYETTE, LA 70508-2124  
> 16 PHONE NR: 337-703-4800  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A A+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: LOW  
74 BULK OXYGEN: HIGH  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,  
RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: DE RIDDER  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 30-12-18.0960N ESTIMATED  
20 ARPT LONG: 091-59-15.9140W  
21 ARPT ELEV: 40.9 SURVEYED  
22 ACREAGE: 746  
> 23 RIGHT TRAFFIC: 22R, 04R, 11  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX: I B S 05/1973

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

04L/22R	04R/22L	11/29
4,098	8,000	5,403
75	150	150
ASPH-F	ASPH-G	ASPH-G
NONE	GRVD	GRVD
25.0	140.0	85.0
32.0	170.0	110.0
	290.0	175.0

11 /F/D/X/T

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 26 / 26  
44 THR COSSING HGT.: 3.00 / 3.00  
45 VISUAL GLIDE ANGLE: - / -  
> 46 CNTRLN-TDZ: - / -  
> 47 RVR-RVV: - / -  
> 48 REIL: Y / Y  
> 49 APCH LIGHTS: /

MED	HIGH	MED	
NPI - F / NPI - F	PIR - G / PIR - G	NPI - G / NPI - G	- / -
P2L / P2L	P4L / P4L	P4L / P4L	/
26 / 26	50 / 50	35 / 50	/
3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	/
- / -	- / -	- / -	- / -
- / -	R - / T - N	- / -	- / -
Y / Y	Y /	Y / Y	/
/	/ MALSR	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY: A(V) / A(V)  
> 51 DISPLACED THR: /  
> 52 CTLG OBSTN: TREE / TREE  
> 53 OBSTN MARKED/LGTD: /  
> 54 HGT ABOVE RWY END: 27 / 54  
> 55 DIST FROM RWY END: 996 / 2,364  
> 56 CNTRLN OFFSET: 83L / 5R  
57 OBSTN CLNC SLOPE: 29:1 / 40:1  
58 CLOSE-IN OBSTN: N / N

PIR / PIR	C / C
/	/
/ 342	/ 248
POLE / TREES	TREES / TREE
/	/
49 / 57	30 / 49
1,843 / 1,066	1,082 / 1,878
325R / 214R	134R / 302R
34:1 / 36:1	29:1 / 34:1
N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA): 4,098 / 4,098 8,000 / 8,000 5,403 / 5,403 /  
> 61 TAKE OFF DIST AVBL (TODA): 4,098 / 4,098 8,000 / 8,000 5,403 / 5,403 /  
> 62 ACLT STOP DIST AVBL (ASDA): 4,098 / 4,098 8,000 / 8,000 5,403 / 5,403 /  
> 63 LNDG DIST AVBL (LDA): 4,098 / 4,098 8,000 / 7,659 5,403 / 5,155 /

### > 110 REMARKS

- A 026 PPR FOR UNSCHEDULED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 337-703-4800.
- A 030 RWY 04L/22R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. RWY CLSD 2230-0530.
- A 039 RWY 04R/22L PCR VALUE: 670/F/B/X/T
- A 039 RWY 11/29 PCR VALUE: 720/F/D/X/T
- A 070 CALL 337-234-3100.
- A 081 DUSK-DAWN. WHEN ATCT CLSD ACTVT MALSR RWY 22L - CTAF; MIRL RWY 04L/22R NOT AVBL.
- A 110-001 RWY 11/29; RWY 04L/22R & RWY 04R/22L LGTD DISTANCE REMAINING SIGNS.
- A 110-004 155 FT OIL RIG 1 NM SE OF ARPT.
- A 110-006 MIGRATORY BIRDS ON & INVOF ARPT.
- A 110-011 CTC GND CTL PRIOR TO PUSH BACK FM TERMINAL.
- A 110-013 USE CTN TWR BLIND SPOTS ON TWY M EAST & WEST OF TWY E.
- A 110-014 FOR CD IF UNA TO CTC ON FSS FREQ, CTC HOUSTON ARTCC AT 281-230-5622.
- A 110-015 TAXILANE A AND ALL PRKG RAMPS ARE NON-MOVEMENT AREAS.
- A 110-016 ATCT HAS LTD VIS OF NORTH PRKG RAMP.

111 INSPECTOR: ( F ) 112 LAST INSP: 10/29/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/11/2026  
AFD EFF 07/09/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/11/2026  
AFD EFF 07/09/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: LA LOC ID: LFT FAA SITE NR: 07589.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 10/29/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 7/11/2026  
AFD EFF 07/09/2026