

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/10/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: MERIDIAN 4 STATE: MS LOC ID: MEI FAA SITE NR: 11339.\*A  
> 2 AIRPORT NAME: KEY FLD 5 COUNTY: LAUDERDALE MS  
> 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: ASO/JAN 7 SECT AERO CHT: MEMPHIS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: MERIDIAN ARPT AUTH  
> 12 ADDRESS: 2811A AIRPORT BLVD  
MERIDIAN, MS 39307  
> 13 PHONE NR: 601-482-0364  
> 14 MANAGER: TOM WILLIAMS  
> 15 ADDRESS: 2811A AIRPORT BLVD  
MERIDIAN, MS 39307  
> 16 PHONE NR: 601-482-0364  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0600-2200

### SERVICES

70 FUEL: 100LL A A++  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AMB, AVNCS, CARGO, CHTR, INSTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 32-19-58.3020N ESTIMATED  
20 ARPT LONG: 088-45-05.6600W  
21 ARPT ELEV: 297.8 SURVEYED  
22 ACREAGE: 1,000  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: GREENWOOD  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	01/19	04/22
> 30 RUNWAY INDENT:	10,003	5,052
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-CONC-G	ASPH-E
> 33 SURF TYPE-COND:	NONE	NONE
> 34 SURF TREATMENT:	120.0	120.0
35 GROSS WT: S	250.0	213.0
36 (IN THSDS) D	550.0	345.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P2L / P2L	/	/
> 43 VGSI:	54 / 69	45 / 40	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.13 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	T - N / T - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	N /	N / N	/	/
> 48 REIL:	MALSR / MALSR	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / PIR	C / C		
50 FAR 77 CATEGORY	990 / 990	/	/	/
> 51 DISPLACED THR:	/	TREES / POLE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	86 / 35	/	/
> 54 HGT ABOVE RWY END:	/	1,926 / 1,125	/	/
> 55 DIST FROM RWY END:	/	444L / 390R	/	/
> 56 CNTRLN OFFSET:	50:1 / 50:1	20:1 / 26:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	10,003 / 10,003	5,052 / 5,052		
> 60 TAKE OFF RUN AVBL (TORA):	10,003 / 10,003	5,052 / 5,052	/	/
> 61 TAKE OFF DIST AVBL (TODA):	10,003 / 10,003	5,052 / 5,052	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	10,003 / 10,003	5,052 / 5,052	/	/
> 63 LNDG DIST AVBL (LDA):	9,013 / 9,013	5,052 / 5,052	/	/

> 110 REMARKS

A 017 FOR ATTENDANT AFT HRS CALL 601-693-7282.  
A 030 RWY 01/19 NON-STD RESA DUE TO SFC VARNIS.  
A 033 RWY 01/19 DTHR CONC.  
A 039 RWY 01/19 PCR VALUE: 730/F/C/W/U  
A 039 RWY 04/22 PCR VALUE: 120/F/C/W/U  
A 081 ACTVT MALSR RWY 01 & 19; MIRL RWY 04/22; HIRL RWY 01/19; TWY LGTS - CTAF.  
A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.  
A 110-001 ANG ATNDD 0700-1630 MON-FRI EXCP HOLDS.  
A 110-002 ANG LTD PRKG USE; RSC INFO AVBL FOR ANG OPS DURG NML DUTY HRS. ALL TRAN ACFT 48 HR PPR. OBO.  
A 110-003 ANG RAMP CLSD EXC PPR, 601-484-9734/9714. ARNG DSN 293-2829 C601-696-8829.  
A 110-004 BASH PHASE II PERIOD MAR-MAY, SEP-NOV. CTC AFLD MGMT OR COMD POST FOR CURRENT BIRD WATCH COND.  
A 110-005 ANG PROVIDES ATC SERVICES AT KMEI.  
A 110-006 FOR CD CTC MEMPHIS ARTCC AT 901-368-8453/8449.

111 INSPECTOR: ( F ) 112 LAST INSP: 04/04/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/10/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/10/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: MS LOC ID: MEI FAA SITE NR: 11339.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/JAN 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: ( F )

112 LAST INSP: 04/04/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/10/2026  
AFD EFF 03/19/2026