

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/5/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: MC ALLEN 4 STATE: TX LOC ID: MFE FAA SITE NR: 24260.\*A  
> 2 AIRPORT NAME: MC ALLEN INTL 5 COUNTY: HIDALGO TX  
> 3 CBD TO AIRPORT (NM): 02 S 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: BROWNSVILLE

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF MC ALLEN  
> 12 ADDRESS: P O BOX 220  
MC ALLEN, TX 78502  
> 13 PHONE NR: 956-681-1000  
> 14 MANAGER: JEREMY SANTOSCOY  
> 15 ADDRESS: 2500 S BICENTENNIAL BLVD  
MC ALLEN, TX 78503-3140  
> 16 PHONE NR: 956-681-1500  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0600-0001

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AMB, AVNCS, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 26-10-33.0000N ESTIMATED  
20 ARPT LONG: 098-14-19.0000W  
21 ARPT ELEV: 107.2 SURVEYED  
22 ACREAGE: 370  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: SAN ANGELO  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	14/32	18/36
> 30 RUNWAY INDENT:	7,120	2,639
> 31 LENGTH:	150	60
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	90.0	12.5
35 GROSS WT: S	190.0	
36 (IN THSDS) D	280.0	
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - F / PIR - F	BSC - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	/ V2L	P2L /	/	/
> 43 VGSI:	/ 53	35 /	/	/
44 THR COSSING HGT.:	/ 3.00	4.00 /	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	/	/	/
> 48 REIL:	MALSR /	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / PIR	A(V) / A(V)		
50 FAR 77 CATEGORY	137 /	/	/	/
> 51 DISPLACED THR:	ROAD /	POLE /	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	14 /	18 /	/	/
> 54 HGT ABOVE RWY END:	650 /	575 /	/	/
> 55 DIST FROM RWY END:	550R /	0 /	/	/
> 56 CNTRLN OFFSET:	32:1 / 50:1	20:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	7,120 / 7,120	2,638 / 2,638		
> 60 TAKE OFF RUN AVBL (TORA):	7,120 / 7,120	2,638 / 2,638	/	/
> 61 TAKE OFF DIST AVBL (TODA):	7,120 / 7,120	2,638 / 2,638	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	7,120 / 7,120	2,638 / 2,638	/	/
> 63 LNDG DIST AVBL (LDA):	6,983 / 7,120	2,638 / 2,638	/	/

> 110 REMARKS

A 017 FOR SVCS AFT HRS CALL 956-686-1774.  
A 030 RWY 18/36 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 039 RWY 14/32 PCR VALUE: 880/F/A/X/T  
A 039 RWY 18/36 PCR VALUE: 330/F/C/X/T  
A 043 RWY 18 PAPI OTS INDEFLY.  
A 057 RWY 14 APCH RATIO 37:1 FM DSPLCD THR.  
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 14; HIRL RWY 14/32; MIRL RWY 18/36 - CTAF.  
A 110-002 FOR ARFF WHEN ATCT CLSD CTC, MC ALLEN ARPT OPNS 956-681-1500.  
A 110-004 NO 180 DEGS LOCKED WHEEL TURNS ON RWY 14/32.  
A 110-006 BIRDS ON & INVOF ARPT (SEASONAL).  
A 110-010 JET OR LARGE PROPELLER ACFT TRNG PROHIBITED (INCLUDING PRACTICE APCHS; TGL & PRACTICE INSTRUMENT APCH PROCS) DUE TO NOISE ABATEMENT PROCEDURES EFFECT 2300-0600.  
A 110-011 WHEN DEPARTING ARPT FLY RWY HDG UNTIL REACHING 1000 FT AGL BFR MAKING PT.  
A 110-012 TWY C BTN TWY C2 AND THE APCH END OF RWY 18 NOT VSB FM ATCT.

111 INSPECTOR: (F)

112 LAST INSP: 08/08/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/5/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/5/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: MFE FAA SITE NR: 24260.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-013 FOR CD WHEN ATCT IS CLSD CTC CRP APCH AT 361-299-4230.  
A 110-014 NO ACFT ENG RUN-UPS ON TRML APN.

111 INSPECTOR: ( F )

112 LAST INSP: 08/08/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/5/2026  
AFD EFF 03/19/2026