AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/3/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: MONTEREY
> 2 AIRPORT NAME: MONTEREY RGNL
3 CBD TO AIRPORT (NM): 03 SE
4 STATE: CA
6 REGION/ADO: AWP/SFO
LOC ID: MRY
5 COUNTY: MONTEREY CA
7 SECT AERO CHT: SAN FRANCISCO
FAA SITE NR: 01914.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: MONTEREY PENIN ARPT DIST
> 12 ADDRESS: 200 FRED KANE DR., SUITE 200
MONTEREY, CA 93940
> 13 PHONE NR: 831-648-7000
> 14 MANAGER: CHRIS MORELLO
> 15 ADDRESS: 200 FRED KANE DR., SUITE 200
MONTEREY, CA 93940
> 16 PHONE NR: 831-648-7000
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 36-35-13.0280N ESTIMATED
20 ARPT LONG: 121-50-34.0190W
21 ARPT ELEV: 256.6 SURVEYED
22 ACREAGE: 496
> 23 RIGHT TRAFFIC: 28R, 28L
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I B S 05/1973

SERVICES

70 FUEL: 100LL A UL94
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: LOW
74 BULK OXYGEN: LOW
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: OAKLAND
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	10L/28R	10R/28L		
> 30 RUNWAY INDENT:	3,503	7,175		
> 31 LENGTH:	60	150		
> 32 WIDTH:	ASPH-F	ASPH-G		
> 33 SURF TYPE-COND:	NONE	GRVD		
> 34 SURF TREATMENT:	12.5	94.0		
35 GROSS WT: S		157.0		
36 (IN THSDS) D		259.0		
37 2D				
38 2D/2D2				
> 39 PCN:	PCR/370 /F/	PCR/370 /F/		
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	MED	HIGH		
> 42 RWY MARK TYPE-COND:	BSC - G / BSC - G	PIR - G / PIR - G	- / -	- / -
> 43 VGSI:	P2L / P2L	P4L / P4R	/	/
44 THR COSSING HGT.:	46 / 49	47 / 45	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.85	3.00 / 3.50	/	/
> 46 CNTRLN-TDZ:	- / -	N - N / N - N	- / -	- / -
> 47 RVR-RVV:	- / -	TR - Y / TR - Y	- / -	- / -
> 48 REIL:	Y / Y	N / Y	/	/
> 49 APCH LIGHTS:	/	MALSR /	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	A(V) / A(V)	PIR / C	/	/
> 51 DISPLACED THR:	/	175 / 175	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 34:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	/	7,175 / 7,175	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	7,175 / 7,175	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	7,175 / 7,175	/	/
> 63 LNDG DIST AVBL (LDA):	/	7,000 / 7,000	/	/

> 110 REMARKS

A 014	ARPT OPS DUTY MGR, 831-648-7000 X400; OPERATIONS@MONTEREYAIRPORT.COM.
A 024	CTC FBO FOR RATES AND CHARGES. LNDG FEE CHARGED FOR ACFT OVER 6,000 LBS AND HELICOPTERS. OVERNIGHT TIEDOWN FEE AT FBO.
A 030	RWY 10L/28R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 043	RWY 28L UNUSBL BYD 2 DEG L OF RWY CNTRLN AND WI .75 NM OF RWY THR.
A 057	RWY 28L APCH RATIO 50:1 TO DSPLCD THR.
A 070	SUSTAINABLE AVIATION FUEL (SAF) AVBL.
A 081	WHEN ATCT CLSD, ACTVT MALSR RWY 10R, REIL RWY 28L, PAPI RWY 10L, 10R, 28L & 28R, HIRL RWY 10R/28L - CTAF. WHEN ATCT CLOSED REIL RWY 10L & 28R; MIRL RWY 10L/28R UNAVBL.
A 110-002	ROTARY WING ACFT EXPECT TO FOLLOW FIXED WING PAT TO RWY LNDG.
A 110-003	LTD TRANSIENT PARKING PPR REQUIRED FOR LARGE AND TURBINE POWERED MULT ENG ACFT; (831) 648-7000 OPTION 2.
A 110-005	ON DEP NO TURNS BLO 900 FT UNLESS ATC DIRECTED.
A 110-006	NOISE ABATEMENT PROCEDURES IN EFFECT 2300-0700.
A 110-007	PLEASE AVOID FLTS OVR RESIDENTIAL AREAS, N AND S. CTC ARPT OPNS 831-648-7000 OPTION 2 OR WWW.MONTEREYAIRPORT.COM FOR PROCS.

111 INSPECTOR: (F)
112 LAST INSP: 01/22/2025
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/3/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: MRY FAA SITE NR: 01914.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-009 ACFT WITH WINGSPAN GREATER THAN 95 FT MAY NOT TAXI PAST THE TERMINAL ON TWY ALPHA WHEN AN MD-80 OR 757 IS PARKED AT TERMINAL.
A 110-012 ATCT NON-VISIBILITY AREA TAXIWAY ALPHA EAST HOLDING BAY.
A 110-013 ACFT WITH WINGSPAN GREATER THAN 65' PROHIBITED ON TWY BRAVO BETWEEN TWY ECHO AND TWY DELTA.
A 110-014 FACILITY CONSTRAINTS FOR COMMERCIAL DIVERSIONS: ADG III AND LARGER WITH SEATING CAPACITY MORE THEN 150 PAX ARE HIGHLY DISCOURAGED. CBP PROCESSING FACILITIES UNAVAILABLE.
A 110-015 FOR CD OR CNL IFR WHEN ATCT CLSD, CTC NORCAL APP CON ON 133.5; IF UNA, CTC NORCAL APCH AT 916-361-3748.
A 110-016 FIRE STN APN CLSD TO HEL TFC.
A 110-017 AVOID FLYING RWY 28L RNAV Y WHEN POSS TO RDC NOISE IMPACTS.
A 110-018 RWY 28L RNAV AND RNP APCHS ARE NOT TO BE USED FOR PRACTICE APCHS.

111 INSPECTOR: (F) 112 LAST INSP: 01/22/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/3/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: MRY FAA SITE NR: 01914.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 01/22/2025 113 LAST INFO REQ: