

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: PRESCOTT 4 STATE: AZ LOC ID: PRC FAA SITE NR: 00763.*A
> 2 AIRPORT NAME: PRESCOTT RGNL/ERNEST A LOVE FLD 5 COUNTY: YAVAPAI AZ
> 3 CBD TO AIRPORT (NM): 07 N 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF PRESCOTT
> 12 ADDRESS: 201 SOUTH CORTEZ STREET
PRESCOTT, AZ 86301
> 13 PHONE NR: 928-777-1114
> 14 MANAGER: RICK CRIDER
> 15 ADDRESS: 6630 AIRPORT AVENUE
PRESCOTT, AZ 86301
> 16 PHONE NR: 928-777-1114
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0600-2200

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AVNCS, CARGO, CHTR, INSTR,
RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: PRESCOTT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 34-39-17.1470N ESTIMATED
20 ARPT LONG: 112-25-09.0810W
21 ARPT ELEV: 5045.2 SURVEYED
22 ACREAGE: 760
> 23 RIGHT TRAFFIC: 03L, 21R, 21L
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY3
> 26 FAR 139 INDEX: I A S 08/2008

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	03L/21R	03R/21L	12/30
> 30 RUNWAY INDENT:	4,395	7,619	4,408
> 31 LENGTH:	60	150	75
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	PFC	NONE
> 34 SURF TREATMENT:	12.5	63.0	12.5
35 GROSS WT: S		80.0	
36 (IN THSDS) D		100.0	
37 2D			
38 2D/2D2			
> 39 PCN:	2 /F/D/X/T		10 /F/C/Y/T

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL: Y / Y
> 49 APCH LIGHTS:

	MED	MED	MED
> 40 EDGE INTENSITY:	- / -	NPI - G / PIR - G	NPI - G / BSC - G
> 42 RWY MARK TYPE-COND:	P2L / P2L	P4L / P4L	P2L / P2L
> 43 VGS:	40 / 40	45 / 55	52 / 44
44 THR COSSING HGT.:	3.00 / 3.00	4.10 / 3.00	4.24 / 3.60
45 VISUAL GLIDE ANGLE:	- / -	N - N / N - N	N - N / N - N
> 46 CNTRLN-TDZ:	- / -	- N / - N	- N / - N
> 47 RVR-RVV:	Y / Y	Y / N	Y / Y
> 48 REIL:	/	/ MALSR	/
> 49 APCH LIGHTS:			

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	A(V) / A(V)	C / PIR	A(NP) / A(V)
50 FAR 77 CATEGORY	360 /	380 /	150 /
> 51 DISPLACED THR:	/	ROAD /	/
> 52 CTLG OBSTN:	/	/	/
> 53 OBSTN MARKED/LGTD:	/	26 /	/
> 54 HGT ABOVE RWY END:	/	720 /	/
> 55 DIST FROM RWY END:	/	0B /	/
> 56 CNTRLN OFFSET:	20:1 / 20:1	20:1 / 50:1	20:1 / 20:1
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N
58 CLOSE-IN OBSTN:			

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	7,619 / 7,619	4,408 / 4,408
> 61 TAKE OFF DIST AVBL (TODA):	/	7,619 / 7,619	4,408 / 4,408
> 62 ACLT STOP DIST AVBL (ASDA):	/	7,619 / 7,619	4,408 / 4,258
> 63 LNDG DIST AVBL (LDA):	/	7,240 / 7,619	4,258 / 4,308

> 110 REMARKS

A 016 H24 OPS - 928-777-1150.
A 030 RWY 03L/21R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. CLSD 2200-0600.
A 030 RWY 03R/21L RWY 21L CALM WIND RWY.
A 030 RWY 12/30 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. USE CTN FOR CHG IN RWY GRADIENT AT RWY 3R/21L INT.
A 039 RWY 03R/21L PCR VALUE: 140/F/D/X/T
A 043 RWY 30 PAPI UNUSBL BYD 3 NM.
A 057 RWY 03R APCH RATIO 20:1 TO DTHR.
A 070 0600-2100 - 928-443-9333; PPR AFT HR. SELF SVC RSTRD TO WINGSPAN 50 FT OR LESS.
A 081 WHEN ATCT CLSD: ACTVT MALSR RWY 21L; REIL RWY 03L, 03R, 21R; PAPI RWY 03R & 21L; MIRL 03L, 03R, 21L & 21R - CTA. ACTVT REIL RWY 12 & 30; PAPI RWY 12 & 30; MIRL RWY 12/30 - 128.75. PAPI RWY 03L & 21R OPR CONSLY.
A 110-007 TSNT, OVNGT PRKG FEE & LNDG FEE - 928-443-9333.
A 110-013 WILDLIFE ON & INVOF ARPT.
A 110-014 VOLUNTARY NOISE ABATEMENT PROC IN EFCT - AMGR.

111 INSPECTOR: (F) 112 LAST INSP: 08/04/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AZ LOC ID: PRC FAA SITE NR: 00763.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-017 WINCH TOW UP TO 2500 FT 6 NM E AT A C GOODWIN MEML FLD.
A 110-020 FICON UNMNT 2200-0600.
A 110-024 FOR CD WHEN ATCT CLSD, CTC PHOENIX APCH AT 602-306-2565.
A 110-026 ARFF INDEX B AVBL UPON REQ.
A 30A RWY 12 20 FT DROPOFF 300 FT FM APCH END.
A 30A RWY 21L DEP RWY HDG TIL ACRS HWY & MAKE IMT L TURN.

111 INSPECTOR: (F)

112 LAST INSP: 08/04/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/10/2026
AFD EFF 03/19/2026