

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/22/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: ROSWELL 4 STATE: NM LOC ID: ROW FAA SITE NR: 14719.\*A  
 > 2 AIRPORT NAME: ROSWELL AIR CENTER 5 COUNTY: CHAVES NM  
 3 CBD TO AIRPORT (NM): 03 S 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT: ALBUQUERQUE

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: CITY OF ROSWELL  
 > 12 ADDRESS: 425 N RICHARDSON AVE  
 ROSWELL, NM 88201-4730  
 > 13 PHONE NR: 575-624-6700  
 > 14 MANAGER: BOBBI THOMPSON  
 > 15 ADDRESS: 1 JERRY SMITH CIR  
 ROSWELL, NM 88203-8427  
 > 16 PHONE NR: 239-980-5114  
 > 17 ATTENDANCE SCHEDULE:  
 ALL ALL 0600-2100

### SERVICES

70 FUEL: 100LL A A1+  
 71 AIRFRAME RPRS: MINOR  
 72 PWR PLANT RPRS: MINOR  
 73 BOTTLE OXYGEN:  
 74 BULK OXYGEN: LOW  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES:  
 AFRT, AMB, INSTR

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 33-17-59.5590N ESTIMATED  
 20 ARPT LONG: 104-31-45.8510W  
 21 ARPT ELEV: 3671.0 SURVEYED  
 22 ACREAGE: 5,029  
 > 23 RIGHT TRAFFIC: 03, 17  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGPY  
 > 26 FAR 139 INDEX: I A S 07/1973

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SEE RMK  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 122.950  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: YES  
 85 CONTROL TWR: YES  
 86 FSS: ALBUQUERQUE  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	03/21	17/35	H1	H2
> 30 RUNWAY INDENT:	13,000	10,008	55	55
> 31 LENGTH:	150	100	55	55
> 32 WIDTH:	CONC-E	ASPH-G	ASPH	ASPH
> 33 SURF TYPE-COND:	NONE	GRVD	NONE	NONE
> 34 SURF TREATMENT:	100.0	77.0		
35 GROSS WT: S	200.0	104.0		
36 (IN THSDS) D	400.0	165.0		
37 2D				
38 2D/2D2				
> 39 PCN:				

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS: 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	NPI - G / PIR - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	V6L /	P4L / P4L	/	/
> 43 VGS:	48 /	49 / 49	/	/
44 THR COSSING HGT.:	3.00 /	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/	/	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/ MALSR	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

	C / PIR	B(V) / C		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

	13,000 / 13,000	10,008 / 10,008	/	/
> 60 TAKE OFF RUN AVBL (TORA):	13,000 / 13,000	10,008 / 10,008	/	/
> 61 TAKE OFF DIST AVBL (TODA):	13,000 / 13,000	10,008 / 10,008	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	13,000 / 13,000	10,008 / 10,008	/	/
> 63 LNDG DIST AVBL (LDA):	13,000 / 13,000	10,008 / 10,008	/	/

### > 110 REMARKS

A 011 J GRIEGO.  
 A 017 AFT HR - 575-347-2054 OR 575-626-3697.  
 A 039 RWY 03/21 PCR VALUE: 1140/R/C/W/T  
 A 039 RWY 17/35 PCR VALUE: 150/R/C/W/T  
 A 040 RWY 03/21 NSTD 75 FT FM RWY EDGE.  
 A 043 RWY 17 PAPI UNUSBL BYD 8 DEG RIGHT OF CNTRLN.  
 A 070 AFT HR - 575-347-2054.  
 A 081 ACTVT MALSR RWY 21; MIRL RWY 17/35 - CTAF. VASI RWY 03; PAPI RWY 17 & 35 - ON CONSLY. WHEN ATCT CLSD MIRL RWY 03/21 ON MED INTST.  
 A 110-001 AFT HR EXIT RAMP/FBO AREA USE LGTD PEDESTRIAN GATE - 575-347-2054.  
 A 110-003 BIRDS ON & INVOF ARPT.  
 A 110-006 LRG ACFT LONG TERM STORAGE AVBL.  
 A 110-007 FOR CD IF UNA TO CTC ON FSS FREQ, CTC ALBUQUERQUE ARTCC AT 505-856-4561.

111 INSPECTOR: ( F ) 112 LAST INSP: 04/25/2019 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/22/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/22/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NM LOC ID: ROW FAA SITE NR: 14719.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 04/25/2019

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/22/2026  
AFD EFF 05/14/2026