

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: SALISBURY 4 STATE: MD LOC ID: SBY FAA SITE NR: 08645.*A
> 2 AIRPORT NAME: SALISBURY-OCEAN CITY WICOMICO RGNL 5 COUNTY: WICOMICO MD
> 3 CBD TO AIRPORT (NM): 04 SE 6 REGION/ADO: AEA/DCA 7 SECT AERO CHT: WASHINGTON

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: WICOMICO COUNTY
> 12 ADDRESS: PO BOX 870
SALISBURY, MD 21803
> 13 PHONE NR: 410-548-4801
> 14 MANAGER: ANTHONY RUDY
> 15 ADDRESS: 5485 AIRPORT TERMINAL RD, UNIT A
SALISBURY, MD 21804
> 16 PHONE NR: 410-548-4827
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0430-0030

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 38-20-24.6820N ESTIMATED
20 ARPT LONG: 075-30-34.1210W
21 ARPT ELEV: 52.5 SURVEYED
22 ACREAGE: 1,081
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGSY3
> 26 FAR 139 INDEX: I B S 05/1975

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: LEESBURG
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	05/23	14/32
> 30 RUNWAY INDENT:	5,000	6,400
> 31 LENGTH:	100	100
> 32 WIDTH:	ASPH-E	ASPH-CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	56.0	76.0
35 GROSS WT: S	76.0	126.0
36 (IN THSDS) D	142.0	423.0
37 2D		749.0
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	NPI - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
> 43 VGS: I	45 / 45	45 / 54	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y /	/	/
> 48 REIL:	/	/ MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / C	C / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREE / TREE	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	95 / 95	/	/	/
> 54 HGT ABOVE RWY END:	2,920 / 2,800	/	/	/
> 55 DIST FROM RWY END:	190L / 0B	/	/	/
> 56 CNTRLN OFFSET:	28:1 / 27:1	34:1 / 50:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	5,000 / 5,000	6,400 / 6,400	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,000 / 5,000	6,400 / 6,400	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,000 / 5,000	6,400 / 6,400	/	/
> 63 LNDG DIST AVBL (LDA):	5,000 / 5,000	6,400 / 6,400	/	/

> 110 REMARKS

A 026 24 HR PPR RQR FOR UNSKED ACR OPS CTC AMGR.
A 039 RWY 05/23 PCR VALUE: 130/F/C/X/T
A 039 RWY 14/32 PCR VALUE: 400/F/D/X/T
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 32; REIL RWY 05, 14 & 23; MIRL RWY 05/23; HIRL RWY 14/32; TWY LGTS - CTAF. PAPI RWY 5, 14, 23 & 32 OPR CONSLY.
A 110-001 MIL TRNG ACT, DEER & BIRDS ON & INVOF ARPT.
A 110-003 FBO HRS 0700-1900LCL. FOR SERVICES AFTER HRS CALL 410-749-0323.
A 110-010 FOR CD CTC PATUXENT APCH AT 301-342-3740, WHEN PATUXENT APCH IS CLSD CTC POTOMAC APCH AT 866-640-4124.
A 110-011 RWY 32 NSDT REFLECTIVE LNDG ZONE MKR PANELS ADJ TO RWY.
A 110-012 TWY E CLSD TO ACFT WINGSPAN MORE THAN 79 FT.
A 110-013 TWY G SOUTH 950FT CLSD TO ACFT WINGSPAN MORE THAN 49 FT.
A 110-014 RWY 5 NONSTD REFLECTIVE LDG ZONE MKR PANELS ADJ TO THE RWY.
A 110-015 RWY 23 NONSTD REFLECTIVE LDG ZONE MKR PANELS ADJ TO THE RWY.

111 INSPECTOR: (F) 112 LAST INSP: 05/12/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MD LOC ID: SBY FAA SITE NR: 08645.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/DCA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/12/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/9/2026
AFD EFF 03/19/2026