

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: SEYMOUR 4 STATE: IN LOC ID: SER FAA SITE NR: 05643.*A
 > 2 AIRPORT NAME: FREEMAN MUNI 5 COUNTY: JACKSON IN
 3 CBD TO AIRPORT (NM): 02 SW 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: ST LOUIS

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: SEYMOUR AIRPORT AUTHORITY
 > 12 ADDRESS: P.O. BOX 702
 SEYMOUR, IN 47274
 > 13 PHONE NR: 812-522-2031
 > 14 MANAGER: COLIN SMITH
 > 15 ADDRESS: 1025 A AVENUE, PO BOX 702
 SEYMOUR, IN 47274
 > 16 PHONE NR: 812-522-2031
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL 0800-1630

SERVICES

70 FUEL: 100LL A1+
 71 AIRFRAME RPRS: MINOR
 72 PWR PLANT RPRS: MINOR
 73 BOTTLE OXYGEN: LOW
 74 BULK OXYGEN:
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AGRI, AMB, CARGO, GLD, INSTR,
 RNTL, SURV

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.800
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: NO
 86 FSS: TERRE HAUTE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| | 05/23 | 09U/27U | 14/32 | 18U/36U |
|----------------------|--------|---------|--------|---------|
| > 30 RUNWAY INDENT: | 6,001 | 1,104 | 5,502 | 1,215 |
| > 31 LENGTH: | 100 | 100 | 100 | 100 |
| > 32 WIDTH: | ASPH-G | TURF-G | ASPH-G | TURF-F |
| > 33 SURF TYPE-COND: | GRVD | NONE | GRVD | NONE |
| > 34 SURF TREATMENT: | 115.0 | | 20.0 | |
| 35 GROSS WT: S | 180.0 | | 35.0 | |
| 36 (IN THSDS) D | 300.0 | | 50.0 | |
| 37 2D | | | | |
| 38 2D/2D2 | | | | |
| > 39 PCN: | | | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | MED | | MED | |
|--------------------------|-------------------|-------|-------------------|-------|
| > 40 EDGE INTENSITY: | NPI - G / NPI - G | - / - | NPI - G / NPI - G | - / - |
| > 42 RWY MARK TYPE-COND: | P2L / P2L | / | P2L / P2L | / |
| > 43 VGS: I | 33 / 33 | / | 24 / 38 | / |
| 44 THR COSSING HGT.: | 3.00 / 3.00 | / | 3.00 / 3.00 | / |
| 45 VISUAL GLIDE ANGLE: | N - N / N - N | - / - | N - N / N - N | - / - |
| > 46 CNTRLN-TDZ: | - N / - N | - / - | - N / - N | - / - |
| > 47 RVR-RVV: | Y / Y | / | Y / Y | / |
| > 48 REIL: | ODALS / ODALS | / | / | / |
| > 49 APCH LIGHTS: | | | | |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | C / C | A(V) / A(V) | C / C | A(V) / A(V) |
|-------------------------|-------------|-------------|-------------|-------------|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | CROPS / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | 10 / | / |
| > 55 DIST FROM RWY END: | / | / | 440 / | / |
| > 56 CNTRLN OFFSET: | / | / | 0R / | / |
| 57 OBSTN CLNC SLOPE: | 34:1 / 34:1 | 20:1 / 20:1 | 24:1 / 34:1 | 20:1 / 20:1 |
| 58 CLOSE-IN OBSTN: | N / N | N / N | N / N | N / N |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

A 052 RWY 09U 30 FT PLINE MKD WITH BALLS 700 FT FM RWY END.
 A 052 RWY 18U 20 FT BLDG 550 FT FM RWY END.
 A 070 SELF SERVE AVBL 24 HR.
 A 081 ACTVT ODALS RWY 05 & 23; REIL RWY 05, 14, 23 & 32; PAPI RWY 05, 14, 23 & 32 - CTAF. MIRL RWY 05/23 & 14/32 PRESET ON.
 A 110-001 RDO CTL ACFT OPS ON & INVOF ARPT DLY FM APR - OCT.
 A 110-002 TWY LGTS FM INT 14/32 & 05/23 TO APRON ONLY.
 A 110-003 FOR CD CTC LOUISVILLE APCH AT 502-375-7499.

111 INSPECTOR: (S)

112 LAST INSP: 03/28/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: IN LOC ID: SER FAA SITE NR: 05643.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
 71 AIRFRAME RPRS:
 72 PWR PLANT RPRS:
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
 81 ARPT LGT SKED :
 BCN LGT SKED:
 82 UNICOM:
 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 03/28/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026