

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: SALINA 4 STATE: KS LOC ID: SLN FAA SITE NR: 06878.*A
> 2 AIRPORT NAME: SALINA RGNL 5 COUNTY: SALINE KS
> 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: WICHITA

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: SALINA ARPT AUTH
> 12 ADDRESS: 3237 ARNOLD AVENUE
SALINA, KS 67401
> 13 PHONE NR: 785-827-3914
> 14 MANAGER: MR. PIETER MILLER
> 15 ADDRESS: 3237 ARNOLD AVENUE
SALINA, KS 67401
> 16 PHONE NR: 785-827-3914
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AMB, CARGO, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 38-47-26.2000N ESTIMATED
20 ARPT LONG: 097-39-08.0000W
21 ARPT ELEV: 1288.0 SURVEYED
22 ACREAGE: 2,862
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPXY
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: WICHITA
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	12/30	17/35	18/36
> 30 RUNWAY INDENT:	3,648	6,510	12,301	4,301
> 31 LENGTH:	75	100	150	75
> 32 WIDTH:	ASPH-G	ASPH-E	ASPH-CONC-G	ASPH-E
> 33 SURF TYPE-COND:	NONE	NONE	NONE	NONE
> 34 SURF TREATMENT:	100.0	55.0	75.0	30.0
35 GROSS WT: S	135.0	68.0	200.0	
36 (IN THSDS) D	230.0	125.0	360.0	
37 2D			600.0	
38 2D/2D2				
> 39 PCN:	5 /F/C/Y/U			11 /F/C/Y/U

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: I
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	BSC - F / BSC - F	MED NPI - G / NPI - G	HIGH PIR - G / PIR - G	NPI - G / NPI - G
> 40 EDGE INTENSITY:	/	P4L / P4L	P4L / P4R	/
> 42 RWY MARK TYPE-COND:	/	45 / 45	52 / 48	/
> 43 VGS: I	/	3.00 / 3.00	3.00 / 3.00	/
44 THR COSSING HGT.:	/	- / -	- / -	- / -
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	/	/	/	/
> 47 RVR-RVV:	/	/	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	MALS / MALSR	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / B(V)	C / C	D / PIR	B(V) / B(V)
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/ BLDG	/	/ GND	/
> 52 CTLG OBSTN:	/ L	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 46	/	/ 30	/
> 54 HGT ABOVE RWY END:	/ 1,550	/	/ 1,375	/
> 55 DIST FROM RWY END:	/ 200L	/	/ 500L	/
> 56 CNTRLN OFFSET:	50:1 / 29:1	34:1 / 34:1	50:1 / 39:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	N / N
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300
> 61 TAKE OFF DIST AVBL (TODA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300
> 62 ACLT STOP DIST AVBL (ASDA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300
> 63 LNDG DIST AVBL (LDA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300

> 110 REMARKS

A 026 PPR 24 HRS FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 785-827-3914. ARFF INDEX B PROVDD SUN-SAT 0600 TO 2200 (LOCAL). INDEX E AVBL UPON REQ.
A 030 RWY 04/22 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 030 RWY 18/36 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 12/30 PCR VALUE: 176/F/D/X/T
A 039 RWY 17/35 PCR VALUE: 840/F/D/X/T
A 081 WHEN ATCT CLSD ACTVT MIRL RY 12/30; PAPI RYS 12 & 30; HIRL RY 17/35; MALS & PAPI RYS 17 & 35; MALSR RY 35 - CTAF.
A 110-002 NO LINE OF SIGHT, ALL RYS DUE TO GRADIENT, TOPOGRAPHY & TREES.
A 110-005 SEASONAL MOWING OPNS ADJ TO RYS & TWYS.
A 110-006 CALM WND RY 35.
A 110-008 ARNG: OPR 1300-2300Z++ TUE-FRI; OCNL SAT EXC HOL. LTD MAINT UH-60. ARNG, AR AND A CTC ARNG OPS PRIOR TO LDG OR CALL 785-646-3430 FOR OPERATIONS.
A 110-009 SVC: JASU- 2(A/M32-95) 2(A/M32-60B) 1(A/M32-86D).

111 INSPECTOR: (F) 112 LAST INSP: 02/26/2025 113 LAST INFO REQ: 01/04/1991

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: KS LOC ID: SLN FAA SITE NR: 06878.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
 71 AIRFRAME RPRS:
 72 PWR PLANT RPRS:
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

80 ARPT BCN:
 81 ARPT LGT SKED :
 BCN LGT SKED:
 82 UNICOM:
 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	H1	H2	H3	H4
	57	29	30	57
	57	28	30	43
	CONC-G	ASPH-G	CONC-G	ASPH-G
	NONE	NONE	NONE	NONE
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

A 110-010 SVC: FLUID- LPOX, HPOX, LPNIT, LOX (72HR NOTICE) DEICING SERVICE TYPE 1& TYPE 4 OIL 0-128-148 AVBL IN QUART CANS TRANS SVC AVBL AT FBO. LOGISTICAL SVC AVBL FOR DETS AND RON AT FBO (AVFLIGHT SALINA, 785-825-6739/CELL 785-819-2236.)
 A 110-011 ARNG: RAMP SPACE AVBL TO ACCOMMODATE UP TO 80 FIGHTERS. SMOKY HILL ANG WEAPONS RANGE 16 NM TO THE SOUTHWEST. COORD RANGE TIME AT DSN 743-7600 EXT 148 OR 785-646-3318. MILITARY BILLETING AVAILABLE 888-577-8257. LOGISTIC EQPT AVBL FOR USE. ORDNANCE STORAGE FOR CLASS 1.3 THRU 1.4.
 A 110-012 ARNG: TRAN ARMY ACFT CTC SALINA GUARD OPS ON 229.2 OR 40.525 SC RED. LIMITED UH-60 SVC AND MAINT AVBL.
 A 110-013 100LL SELF SVC FUELING STN LOCATED SOUTH OF KANSAS ANG.
 A 110-014 GND SUPPORT AND LOGISTICS EQUIP AVBL INCL TUGS, BOBTAILS, TOW BARS AND AIRSTAIRS.
 A 110-016 H1 INGRESS/EGRESS 070 DEG THROUGH 040 DEG TO AVOID CTL TWR.
 A 110-017 ALL HELIPADS DALGT USE ONLY.
 A 110-018 H3, H4, H5, H6 USED EXTSVLY FOR TRNG.
 A 110-019 H2, H3 LTD TO 6,000 LBS; H4, H5 LTD TO 25,000 LBS.
 A 110-020 NOISE ABATEMENT: HEAVY & MIL ACFT TPA AT 2,800 MSL OR ABOVE.

111 INSPECTOR: (F)

112 LAST INSP: 02/26/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/12/2026
AFD EFF 03/19/2026