

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/8/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: SALINA 4 STATE: KS LOC ID: SLN FAA SITE NR: 06878.\*A  
> 2 AIRPORT NAME: SALINA RGNL 5 COUNTY: SALINE KS  
> 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT: WICHITA

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: SALINA ARPT AUTH  
> 12 ADDRESS: 3237 ARNOLD AVENUE  
SALINA, KS 67401  
> 13 PHONE NR: 785-827-3914  
> 14 MANAGER: MR. PIETER MILLER  
> 15 ADDRESS: 3237 ARNOLD AVENUE  
SALINA, KS 67401  
> 16 PHONE NR: 785-827-3914  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: HIGH  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AMB, CARGO, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 38-47-26.2000N ESTIMATED  
20 ARPT LONG: 097-39-08.0000W  
21 ARPT ELEV: 1288.0 SURVEYED  
22 ACREAGE: 2,862  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPXY  
> 26 FAR 139 INDEX: I A S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: WICHITA  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04/22	12/30	17/35	18/36
> 30 RUNWAY INDENT:	3,648	6,510	12,301	4,301
> 31 LENGTH:	75	100	150	75
> 32 WIDTH:	ASPH-G	ASPH-E	ASPH-CONC-G	ASPH-E
> 33 SURF TYPE-COND:	NONE	NONE	NONE	NONE
> 34 SURF TREATMENT:	100.0	55.0	75.0	30.0
35 GROSS WT: S	135.0	68.0	200.0	
36 (IN THSDS) D	230.0	125.0	360.0	
37 2D			600.0	
38 2D/2D2				
> 39 PCN:	5 /F/C/Y/U			11 /F/C/Y/U

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	BSC - F / BSC - F	MED NPI - G / NPI - G	HIGH PIR - G / PIR - G	NPI - G / NPI - G
> 40 EDGE INTENSITY:	/	P4L / P4L	P4L / P4R	/
> 42 RWY MARK TYPE-COND:	/	45 / 45	52 / 48	/
> 43 VGS:	/	3.00 / 3.00	3.00 / 3.00	/
44 THR COSSING HGT.:	/	- / -	- / -	- / -
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	/	/	/	/
> 47 RVR-RVV:	/	/	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	MALS / MALS R	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	B(V) / B(V)	C / C	D / PIR	B(V) / B(V)
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/ BLDG	/	/ GND	/
> 52 CTLG OBSTN:	/ L	/	/	/
> 53 OBSTN MARKED/LGTD:	/ 46	/	/ 30	/
> 54 HGT ABOVE RWY END:	/ 1,550	/	/ 1,375	/
> 55 DIST FROM RWY END:	/ 200L	/	/ 500L	/
> 56 CNTRLN OFFSET:	50:1 / 29:1	34:1 / 34:1	50:1 / 39:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	N / N
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300
> 61 TAKE OFF DIST AVBL (TODA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300
> 62 ACLT STOP DIST AVBL (ASDA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300
> 63 LNDG DIST AVBL (LDA):	3,648 / 3,648	6,510 / 6,510	12,300 / 12,300	4,300 / 4,300

### > 110 REMARKS

A 026 PPR 24 HRS FOR UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS CALL AMGR 785-827-3914. ARFF INDEX B PROVDD SUN-SAT 0600 TO 2200 (LOCAL). INDEX E AVBL UPON REQ.  
A 030 RWY 04/22 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 030 RWY 18/36 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 039 RWY 12/30 PCR VALUE: 176/F/D/X/T  
A 039 RWY 17/35 PCR VALUE: 840/F/D/X/T  
A 081 WHEN ATCT CLSD ACTVT MIRL RY 12/30; PAPI RYS 12 & 30; HIRL RY 17/35; MALS & PAPI RYS 17 & 35; MALS RY 35 - CTAF.  
A 110-002 NO LINE OF SIGHT, ALL RYS DUE TO GRADIENT, TOPOGRAPHY & TREES.  
A 110-005 SEASONAL MOWING OPNS ADJ TO RYS & TWYS.  
A 110-006 CALM WND RY 35.  
A 110-008 ARNG: OPR 1300-2300Z++ TUE-FRI; OCNL SAT EXC HOL. LTD MAINT UH-60. ARNG, AR AND A CTC ARNG OPS PRIOR TO LDG OR CALL 785-646-3430 FOR OPERATIONS.  
A 110-009 SVC: JASU- 2(A/M32-95) 2(A/M32-60B) 1(A/M32-86D).

111 INSPECTOR: ( F ) 112 LAST INSP: 02/25/2026 113 LAST INFO REQ: 01/04/1991

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/8/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/8/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: KS LOC ID: SLN FAA SITE NR: 06878.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ACE/NONE 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
 71 AIRFRAME RPRS:  
 72 PWR PLANT RPRS:  
 73 BOTTLE OXYGEN:  
 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

80 ARPT BCN:  
 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 82 UNICOM:  
 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	H1	H2	H3	H4
	57	29	30	57
	57	28	30	43
	CONC-G	ASPH-G	CONC-G	ASPH-G
	NONE	NONE	NONE	NONE
<b>LIGHTING/APCH AIDS</b>				
> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/
<b>OBSTRUCTION DATA</b>				
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N
<b>DECLARED DISTANCES</b>				
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

## > 110 REMARKS

- A 110-010 SVC: FLUID- LPOX, HPOX, LPNIT, LOX (72HR NOTICE) DEICING SERVICE TYPE 1& TYPE 4 OIL 0-128-148 AVBL IN QUART CANS TRANS SVC AVBL AT FBO. LOGISTICAL SVC AVBL FOR DETS AND RON AT FBO (AVFLIGHT SALINA, 785-825-6739/CELL 785-819-2236.)
- A 110-011 ARNG: RAMP SPACE AVBL TO ACCOMMODATE UP TO 80 FIGHTERS. SMOKY HILL ANG WEAPONS RANGE 16 NM TO THE SOUTHWEST. COORD RANGE TIME AT DSN 743-7600 EXT 148 OR 785-646-3318. MILITARY BILLETING AVAILABLE 888-577-8257. LOGISTIC EQPT AVBL FOR USE. ORDNANCE STORAGE FOR CLASS 1.3 THRU 1.4.
- A 110-012 ARNG: TRAN ARMY ACFT CTC SALINA GUARD OPS ON 229.2 OR 40.525 SC RED. LIMITED UH-60 SVC AND MAINT AVBL.
- A 110-013 100LL SELF SVC FUELING STN LOCATED SOUTH OF KANSAS ANG.
- A 110-014 GND SUPPORT AND LOGISTICS EQUIP AVBL INCL TUGS, BOBTAILS, TOW BARS AND AIRSTAIRS.
- A 110-016 H1 INGRESS/EGRESS 070 DEG THROUGH 040 DEG TO AVOID CTL TWR.
- A 110-017 ALL HELIPADS DALGT USE ONLY.
- A 110-018 H3, H4, H5, H6 USED EXTSVLY FOR TRNG.
- A 110-019 H2, H3 LTD TO 6,000 LBS; H4, H5 LTD TO 25,000 LBS.
- A 110-020 NOISE ABATEMENT: HEAVY & MIL ACFT TPA AT 2,800 MSL OR ABOVE.

111 INSPECTOR: ( F )

112 LAST INSP: 02/25/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/8/2026  
AFD EFF 05/14/2026



# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/8/2026  
AFD EFF 05/14/2026