

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: FORT WAYNE 4 STATE: IN LOC ID: SMD FAA SITE NR: 05281.*A
 > 2 AIRPORT NAME: SMITH FLD 5 COUNTY: ALLEN IN
 3 CBD TO AIRPORT (NM): 04 N 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: FT WAYNE ALLEN CO APT ATHRTY
 > 12 ADDRESS: 3801 W FERGUSON ROAD-RM 209
 FT WAYNE, IN 46809
 > 13 PHONE NR: 260-747-4146
 > 14 MANAGER: SCOTT D. HINDERMAN, A.A.E.
 > 15 ADDRESS: 3801 WEST FERGUSON ROAD, STE. 209
 FORT WAYNE, IN 46809
 > 16 PHONE NR: 260-747-4146
 > 17 ATTENDANCE SCHEDULE:

10 MAR-4 NOV ALL 0700-2100
 5 NOV-9 MAR ALL 0700-1900

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE: TIE
 76 OTHER SERVICES:
 INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.800
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: NO
 86 FSS: TERRE HAUTE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 41-08-36.1000N ESTIMATED
 20 ARPT LONG: 085-09-10.0000W
 21 ARPT ELEV: 835.7 SURVEYED
 22 ACREAGE: 234
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: N
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| | 05/23 | 13/31 |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT: | 3,126 | 2,922 |
| > 31 LENGTH: | 100 | 60 |
| > 32 WIDTH: | ASPH-G | ASPH-E |
| > 33 SURF TYPE-COND: | NONE | NONE |
| 35 GROSS WT: S | 40.0 | 40.0 |
| 36 (IN THSDS) D | | |
| 37 2D | | |
| 38 2D/2D2 | | |
| > 39 PCN: | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSi:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | MED | MED | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - G / NPI - G | NPI - G / NPI - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | P2L / P2L | / | / | / |
| > 43 VGSi: | 43 / 40 | / | / | / |
| 44 THR COSSING HGT.: | 4.00 / 3.05 | / | / | / |
| 45 VISUAL GLIDE ANGLE: | N - N / N - N | N - N / N - N | - / - | - / - |
| > 46 CNTRLN-TDZ: | - N / - N | - N / - N | - / - | - / - |
| > 47 RVR-RVV: | N / N | N / N | / | / |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | | | | |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | A(NP) / A(NP) | A(NP) / A(NP) | / | / |
|-------------------------|---------------|---------------|---|---|
| 50 FAR 77 CATEGORY | 201 / 91 | 299 / 101 | / | / |
| > 51 DISPLACED THR: | CROPS / ROAD | TREE / ROAD | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | 10 / 15 | 60 / 15 | / | / |
| > 54 HGT ABOVE RWY END: | 200 / 200 | 1,171 / 200 | / | / |
| > 55 DIST FROM RWY END: | 0B / 175R | 270R / 200L | / | / |
| > 56 CNTRLN OFFSET: | 0:1 / 0:1 | 16:1 / 0:1 | / | / |
| 57 OBSTN CLNC SLOPE: | Y / Y | Y / Y | / | / |
| 58 CLOSE-IN OBSTN: | | | | |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

A 017 AFT HR - 260-747-2624.
 A 030 RWY 05/23 RWY 23 CALM WIND RWY.
 A 030 RWY 13/31 75 FT CROPS EACH SIDE OF CNTRLN.
 A 043 RWY 05 PAPI RSTRD BYD 7 DEGS LEFT & RIGHT OF CNTRLN.
 A 043 RWY 23 PAPI UNUSBL BYD 7 DEGS LEFT & RIGHT OF CNTRLN.
 A 057 RWY 13 APCH RATIO 24:1 AT DTHR.
 A 058 RWY 05 10 FT CROPS 65 FT FM RWY END & 90 FT E & 115 FT W.
 A 058 RWY 13 10 FT CROPS 60 FT FM RWY END
 A 058 RWY 23 15 FT ROAD 185 FT FM RWY END 175 FT R.
 A 058 RWY 31 15 FT ROAD 215 FT FM RWY END 185 FT L.
 A 070 SELF SVC AVBL.
 A 081 ACTVT PAPI RWY 05; MIRL RWY 05/23 & 13/31 - CTAFF.
 A 110-003 100 FT FLD LGTS 0.5 NM E.
 A 110-006 BIRDS ON & INVOF ARPT.
 A 110-009 FOR CD CTC CHICAGO ARTCC AT 630-906-8921.

111 INSPECTOR: (S) 112 LAST INSP: 10/02/2023 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: IN LOC ID: SMD FAA SITE NR: 05281.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

A 110-010 COND UNMNT NOV-MAR 1900-0700.
A 110-011 COLD TEMPERATURE AIRPORT. ALTITUDE CORRECTION REQUIRED AT OR BELOW -21C.

111 INSPECTOR: (S)

112 LAST INSP: 10/02/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/21/2026
AFD EFF 05/14/2026