

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/23/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: SANTA MARIA 4 STATE: CA LOC ID: SMX FAA SITE NR: 02251.*A
> 2 AIRPORT NAME: SANTA MARIA PUB/CAPT G ALLAN HANCOCK FLD 5 COUNTY: SANTA BARBARA CA
> 3 CBD TO AIRPORT (NM): 03 S 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: SANTA MARIA PUBLIC APT DIST
> 12 ADDRESS: 3217 TERMINAL DR
SANTA MARIA, CA 93455
> 13 PHONE NR: 805-922-1726
> 14 MANAGER: MARTIN PEHL
> 15 ADDRESS: 3217 TERMINAL DR
SANTA MARIA, CA 93455
> 16 PHONE NR: 805-922-1726
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0600-2200

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 34-53-59.8000N ESTIMATED
20 ARPT LONG: 120-27-29.1000W
21 ARPT ELEV: 261.2 SURVEYED
22 ACREAGE: 2,516
> 23 RIGHT TRAFFIC: 02, 12
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: HAWTHORNE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	02/20	12/30
> 30 RUNWAY INDENT:	5,199	8,004
> 31 LENGTH:	75	150
> 32 WIDTH:	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:	70.0	75.0
35 GROSS WT: S	90.0	181.0
36 (IN THSDS) D	150.0	400.0
37 2D		
38 2D/2D2		
> 39 PCN:		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

		HIGH		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	P4R / P4R	/	/
> 43 VGSI:	/	55 / 46	/	/
44 THR COSSING HGT.:	/	3.00 / 3.60	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	T - N / R - N	- / -	- / -
> 47 RVR-RVV:	N / N	N / N	/	/
> 48 REIL:	/	MALSR /	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / B(V)	PIR / C		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/ TREES	/ TREES	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 121	/ 225	/	/
> 55 DIST FROM RWY END:	/ 3,640	/ 4,700	/	/
> 56 CNTRLN OFFSET:	/ 350R	/ 800L	/	/
57 OBSTN CLNC SLOPE:	50:1 / 28:1	50:1 / 20:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	5,199 / 5,199	8,004 / 8,004		
> 60 TAKE OFF RUN AVBL (TORA):	5,199 / 5,199	8,004 / 8,004	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,199 / 5,199	8,004 / 8,004	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,199 / 5,199	8,004 / 8,004	/	/
> 63 LNDG DIST AVBL (LDA):	5,199 / 5,199	8,004 / 8,004	/	/

> 110 REMARKS

A 026 CLSD TO SUPPL PART 121 AND PART 135 ACR OPNS EXCP 24 HRS PPR, CALL AMGR (805) 922-1726 WKDAYS 0800-1700.
A 030 RWY 02/20 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 02/20 PCR VALUE: 200/F/A/Y/T
A 039 RWY 12/30 PCR VALUE: 442/F/B/X/U
A 070 ACFT FUEL SERVICING AVAILABLE 129.975.
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 12; PAPI RWY 30; HIRL RWY 12/30; TWY LIGHTS - CTA. PAPI RWY 12 OPER CONSLY.
A 110-003 CALM WIND LESS THAN 8 KNOTS USE RWY 30.
A 110-004 NO TGL OPNS; LANDING PRACTICE OR PRACTICE INSTRUMENT APPROACHES 2200-0700.
A 110-006 PORTIONS OF TWY J NOT VISIBLE FM ATCT & UNLGTD.
A 110-009 NUMEROUS BIRDS ON AND INVOF ARPT.
A 110-012 CAUTION PARALLEL LGTD ROAD LESS THAN 1/4 MILE NW OF RY 12/30.
A 110-013 TRANSIENT PILOTS REMAIN CLEAR OF COMMERCIAL RAMP AND TERMINAL.
A 110-014 SELF SERVE FUEL 100LL AVBL 24 HRS LOCATED NORTH OF TOWER.

111 INSPECTOR: (F) 112 LAST INSP: 04/03/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/23/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/23/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SMX FAA SITE NR: 02251.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 04/03/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/23/2026
AFD EFF 05/14/2026