

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/6/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: SANTA MARIA 4 STATE: CA LOC ID: SMX FAA SITE NR: 02251.\*A  
> 2 AIRPORT NAME: SANTA MARIA PUB/CAPT G ALLAN HANCOCK FLD 5 COUNTY: SANTA BARBARA CA  
> 3 CBD TO AIRPORT (NM): 03 S 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: SANTA MARIA PUBLIC APT DIST  
> 12 ADDRESS: 3217 TERMINAL DR  
SANTA MARIA, CA 93455  
> 13 PHONE NR: 805-922-1726  
> 14 MANAGER: MARTIN PEHL  
> 15 ADDRESS: 3217 TERMINAL DR  
SANTA MARIA, CA 93455  
> 16 PHONE NR: 805-922-1726  
> 17 ATTENDANCE SCHEDULE:  
ALL ALL 0600-2200

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES:  
AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 34-53-59.8000N ESTIMATED  
20 ARPT LONG: 120-27-29.1000W  
21 ARPT ELEV: 261.2 SURVEYED  
22 ACREAGE: 2,516  
> 23 RIGHT TRAFFIC: 02, 12  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY  
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: HAWTHORNE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	02/20	12/30
> 30 RUNWAY INDENT:	5,199	8,004
> 31 LENGTH:	75	150
> 32 WIDTH:	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	NONE	GRVD
> 34 SURF TREATMENT:	70.0	75.0
35 GROSS WT: S	90.0	181.0
36 (IN THSDS) D	150.0	400.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

		HIGH		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	P4R / P4R	/	/
> 43 VGSI:	/	55 / 46	/	/
44 THR COSSING HGT.:	/	3.00 / 3.60	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	T - N / R - N	- / -	- / -
> 47 RVR-RVV:	N / N	N / N	/	/
> 48 REIL:	/	MALSR /	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	B(V) / B(V)	PIR / C		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/ TREES	/ TREES	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 121	/ 225	/	/
> 55 DIST FROM RWY END:	/ 3,640	/ 4,700	/	/
> 56 CNTRLN OFFSET:	/ 350R	/ 800L	/	/
57 OBSTN CLNC SLOPE:	50:1 / 28:1	50:1 / 20:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	5,199 / 5,199	8,004 / 8,004		
> 60 TAKE OFF RUN AVBL (TORA):	5,199 / 5,199	8,004 / 8,004	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,199 / 5,199	8,004 / 8,004	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,199 / 5,199	8,004 / 8,004	/	/
> 63 LNDG DIST AVBL (LDA):	5,199 / 5,199	8,004 / 8,004	/	/

> 110 REMARKS

A 026 CLSD TO SUPPL PART 121 AND PART 135 ACR OPNS EXCP 24 HRS PPR, CALL AMGR (805) 922-1726 WKDAYS 0800-1700.  
A 030 RWY 02/20 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 039 RWY 02/20 PCR VALUE: 200/F/A/Y/T  
A 039 RWY 12/30 PCR VALUE: 442/F/B/X/U  
A 070 ACFT FUEL SERVICING AVAILABLE 129.975.  
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 12; PAPI RWY 30; HIRL RWY 12/30; TWY LIGHTS - CTAF. PAPI RWY 12 OPER CONSLY.  
A 110-003 CALM WIND LESS THAN 8 KNOTS USE RWY 30.  
A 110-004 NO TGL OPNS; LANDING PRACTICE OR PRACTICE INSTRUMENT APPROACHES 2200-0700.  
A 110-006 PORTIONS OF TWY J NOT VISIBLE FM ATCT & UNLGTD.  
A 110-009 NUMEROUS BIRDS ON AND INVOF ARPT.  
A 110-012 CAUTION PARALLEL LGTD ROAD LESS THAN 1/4 MILE NW OF RY 12/30.  
A 110-013 TRANSIENT PILOTS REMAIN CLEAR OF COMMERCIAL RAMP AND TERMINAL.  
A 110-014 SELF SERVE FUEL 100LL AVBL 24 HRS LOCATED NORTH OF TOWER.

111 INSPECTOR: (F) 112 LAST INSP: 04/03/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/6/2026  
AFD EFF 03/19/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/6/2026  
AFD EFF 03/19/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: SMX FAA SITE NR: 02251.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: ( F )

112 LAST INSP: 04/03/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/6/2026  
AFD EFF 03/19/2026