

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: TRENTON 4 STATE: NJ LOC ID: TTN FAA SITE NR: 14366.\*A  
> 2 AIRPORT NAME: TRENTON MERCER 5 COUNTY: MERCER NJ  
> 3 CBD TO AIRPORT (NM): 04 NW 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT: NEW YORK

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: COUNTY OF MERCER  
> 12 ADDRESS: 640 S BROAD ST  
TRENTON, NJ 08650  
> 13 PHONE NR: 609-989-6518  
> 14 MANAGER: ERIC BILLOWITZ  
> 15 ADDRESS: 340 SCOTCH ROAD, SUITE 200  
EWING, NJ 08628  
> 16 PHONE NR: 609-882-1601  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A A+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: LOW  
74 BULK OXYGEN: LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: CHTR, INSTR, RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-16-36.1000N ESTIMATED  
20 ARPT LONG: 074-48-48.5000W  
21 ARPT ELEV: 212.6 SURVEYED  
22 ACREAGE: 1,345  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX: I B S 10/1976

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: MILLVILLE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	06/24	16/34	H1	H2
> 30 RUNWAY INDENT:	6,006	4,800	64	64
> 31 LENGTH:	150	150	64	64
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE	NONE
> 34 SURF TREATMENT:	120.0	120.0		
35 GROSS WT: S	180.0	180.0		
36 (IN THSDS) D	320.0	320.0		
37 2D				
38 2D/2D2				

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	HIGH	BSC - G / -	BSC - G / -
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G		
> 42 RWY MARK TYPE-COND:	/ P4L	P4L / P4L	/	/
> 43 VGS:	/ 42	40 / 50	/	/
44 THR COSSING HGT.:	/ 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/ Y	Y / Y	/	/
> 48 REIL:	MALSR /	/	/	/
> 49 APCH LIGHTS:				

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTGL OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / C	C / C	N / N	N / N
50 FAR 77 CATEGORY	PIR / C	C / C		
> 51 DISPLACED THR:	/	/	/	/
> 52 CTGL OBSTN:	TREE /	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	87 /	/	/	/
> 55 DIST FROM RWY END:	2,120 /	/	/	/
> 56 CNTRLN OFFSET:	790R /	/	/	/
57 OBSTN CLNC SLOPE:	22:1 / 34:1	50:1 / 34:1	/	/
58 CLOSE-IN OBSTN:	Y / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	6,006 / 6,006	4,800 / 4,800	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,006 / 6,006	4,800 / 4,800	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,006 / 6,006	4,800 / 4,800	/	/
> 63 LNDG DIST AVBL (LDA):	6,006 / 6,006	4,800 / 4,800	/	/

> 110 REMARKS

A 024 LDG FEE FOR ALL TRANSIENT ACFT.  
A 030 LOCATED AT INTXN OF TWYS 'H' & 'H1'.  
A 030 RWY H2 LCTD AT NORTHEAST END OF TWY 'B'.  
A 039 RWY 06/24 PCR VALUE: 590/F/B/X/T  
A 039 RWY 16/34 PCR VALUE: 700/F/B/X/T  
A 058 RWY 06, 185 FT LGTD POLE; 100 FT FROM THRESHOLD, 500 FT R.  
A 070 FUEL AVBL ON 24/7.  
A 081 WHEN ATCT CLSD ACTVT HIRL RY 06/24; HIRL RY 16/34; MALSR RY 06; PAPI RYS 24; 16; 34; REIL RYS 24; 16; 34 & TWY LGTS - CTAF.  
A 110-001 GEESE & FLOCKS OF SEA GULLS & DEER ON & INVOLV ARPT.  
A 110-002 NOISE ABATEMENT PROCS IN EFCT; DEPS OVER 12500 LBS FLY RY HEADING UNTIL 1700 FT MSL; DEPS UNDER 12500 LBS FLY RY HEADING UNTIL 1200 FT MSL.  
A 110-003 NO TGL OR TRAINING OPNS 2200-0700.  
A 110-004 FOR CD WHEN ATCT IS CLSD CTC PHL APCH AT (800) 354-9884.  
A 110-005 VOLUNTARY CURFEW 0000-0600 LCL.

111 INSPECTOR: (F)

112 LAST INSP: 07/18/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NJ LOC ID: TTN FAA SITE NR: 14366.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

H3  
64  
64  
ASPH-G  
NONE

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

BSC - G / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
N / N	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-006 TWR VIEW OF TWY J OBSC CTN ADZ.  
A 110-007 ARFF MNTS GND AND ATCT FREQS DURG ATC ZERO EVENTS.  
A 110-008 TWY E CLSD TO ACFT WINGSPAN MORE THAN 110FT EXC 24HR PPR 609-883-0994.  
A 110-009 TWY C CLSD TO ACFT MORE THAN 40000 LB.

111 INSPECTOR: ( F )

112 LAST INSP: 07/18/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026