

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/22/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: VERO BEACH 4 STATE: FL LOC ID: VRB FAA SITE NR: 03540.*A
> 2 AIRPORT NAME: VERO BEACH RGNL 5 COUNTY: INDIAN RIVER FL
> 3 CBD TO AIRPORT (NM): 01 NW 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CITY OF VERO BEACH
> 12 ADDRESS: PO BOX 1389
VERO BEACH, FL 32960
> 13 PHONE NR: 772-978-5151
> 14 MANAGER: TODD SCHER
> 15 ADDRESS: 3400 CHEROKEE DRIVE
VERO BEACH, FL 32960-1389
> 16 PHONE NR: 772-978-4930
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0600-2300

SERVICES

70 FUEL: 100 A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CHTR, INSTR, RNTL,
SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 27-39-19.9980N ESTIMATED
20 ARPT LONG: 080-25-04.6350W
21 ARPT ELEV: 23.7 SURVEYED
22 ACREAGE: 1,707
> 23 RIGHT TRAFFIC: 30R, 12R
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGRPY3
> 26 FAR 139 INDEX: I B S 01/2023

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: SAINT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| 04/22 | 12L/30R | 12R/30L |
|--------|---------|---------|
| 4,974 | 3,505 | 7,314 |
| 100 | 75 | 100 |
| ASPH-G | ASPH-F | ASPH-E |
| GRVD | NONE | GRVD |
| 30.0 | 12.5 | 85.0 |
| 115.0 | | 115.0 |
| 220.0 | | 220.0 |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| MED | MED | MED |
|-------------------|-------------------|-------------------|
| NPI - G / NPI - G | BSC - F / BSC - F | PIR - G / NPI - G |
| P4L / P4L | P2L / P2L | P4L / P4L |
| 40 / 42 | 37 / 43 | 43 / 60 |
| 3.00 / 3.00 | 3.00 / 3.50 | 3.00 / 3.00 |
| - / - | - / - | - / - |
| - / - | - / - | - / - |
| Y / Y | / | Y / Y |
| / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| C / C | A(V) / A(V) | D / D |
|---------------|---------------|---------------|
| / | / | / |
| TREES / TREES | TREES / TREES | TREES / TREES |
| / | / | / |
| 35 / 55 | 51 / 35 | 66 / 40 |
| 1,395 / 2,070 | 1,630 / 1,120 | 2,790 / 1,965 |
| 250R / 80L | 135R / 80R | 30L / 315R |
| 34:1 / 34:1 | 28:1 / 26:1 | 39:1 / 44:1 |
| N / N | N / N | N / N |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | |
|---------------|---------------|---------------|
| 4,974 / 4,974 | 3,505 / 3,505 | 7,314 / 7,314 |
| 4,974 / 4,974 | 3,505 / 3,505 | 7,314 / 7,314 |
| 4,974 / 4,945 | 3,505 / 3,505 | 7,314 / 7,276 |
| 4,974 / 4,945 | 3,505 / 3,505 | 7,314 / 7,276 |

> 110 REMARKS

A 016 EXT 104.
A 026 CLSD TO UNSKED ACR OPS WITH MORE THAN 30 PAX SEATS; 24 HR PPR REQ - AMGR.
A 030 RWY 04/22 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 030 RWY 12L/30R NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 04/22 PCR VALUE: 350/F/A/X/T
A 039 RWY 12L/30R PCR VALUE: 150/F/B/X/T
A 039 RWY 12R/30L PCR VALUE: 450/F/B/X/T
A 081 WHEN ATCT CLSD, ACTVT REIL RWY 04, 12R, 22 & 30L; PAPI RWY 4, 12R, 12L, 22, 30R & 30L; MIRL RWY 4/22, 12R/30L, 12L/30R - CTAF
A 110-001 FLT TRNG ON & INVOF ARPT.
A 110-002 NOISE SENSITIVE ARPT; JET ACFT USE NATL BUS ACFT ASSOCIATION NOISE ABATEMENT PROC.
A 110-006 VOLUNTARY LOCAL NOISE ABATEMENT PROC IN EFCT - AMGR.
A 110-007 INT DEP NA EXC BY ATC REQUEST.

111 INSPECTOR: (F)

112 LAST INSP: 02/25/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/22/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/22/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: VRB FAA SITE NR: 03540.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

> 110 REMARKS

- A 110-008 RSCD NOT MNT 2300-0600 M-F 1530-0600 WKEND AND HOL.
- A 110-009 FOR CD IF UNA TO CTC ON FSS FREQ, CTC PALM BEACH APCH AT 561-275-1430.
- A 110-010 TWY B & F OPS FOR ACFT WITH WINGSPAN OF MORE THAN 79 FT AT PILOTS DISCRETION - AMGR.
- A 110-011 GLDR OPS INVOF X52 ARPT APRXLY 8 NM WSW.
- A 110-012 24 HR PPR FOR ACFT EQUIPPED WITH WEATHER MODIFAICATION OR GEOENGINEERING EQPT 772-978-4930.

111 INSPECTOR: (F)

112 LAST INSP: 02/25/2026

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/22/2026
AFD EFF 05/14/2026